PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: C12N 15/12, A61K 38/17, C07K 14/705, C07K 16/28 A2 (11) International Publication Number: (43) International Publication Date:

WO 00/18912

06 April 2000 (06 04 2000)

(21) International Application Number:

PCT/EP99/06991

Published

(22) International Filing Date: 21 September 1999 (21.09 1999)

(30) Priority Data:

25 September 1998 (25 09.1998) US 60/101,706

(60) Parent Application or Grant

BAYER AKTIENGESELLSCHAFT [-]. (). SCHMIT/., Gerd [/]; (). KLUCKEN, Joehen []; (). SCHMITZ, Gerd [/]; (). KLUCKEN, Joehen [/]; (). BAYER AKTIENGESELLSCHAFT: ().

(54) Title: ATP BINDING CASSETTE GENES AND PROTEINS FOR DIAGNOSIS AND TREATMENT OF LIPID DISORDERS

(54) Titie: GENES ET PROTEINES DE CASSETTE DE LIAISON AVEC ATP, DESTINES AU DIAGNOSTIC ET AU TRAITEMENT DE DESORDRES LIPIDIQUES ET MALADIES INFLAMMATOIRES

(57) Abstract

Modulation of the activity of transmembrane proteins belonging to the ATP binding cassette (ABC) transporter protein family which are etiologically involved in cholesterol driven atherogenic processes and inflammatory diseases like psoriasis, lupus erythematodes and others provides therapeutic means to treat such diseases. Furthermore, detection of herein identified ABC transporter proteins of their respective biochemical activities involved in such atherogenic and inflammatory processes provides diagnostic means for clinical application of diagnosis and monitoring of dyslipidemias, atherosclerosis or inflammatory diseases like psoriasis and lupus erythematodes.

(57) Abrėgė

Selon l'invention, la modulation de l'activité de proteines transmembranaires qui appartiennent a la famille de proteines de transport (ABC) de cassette de liaison avec ATP et sont impliquées de manière étiologique dans des processus athérogènes provoqués par le cholestérol et dans des maladies inflammatoires comme le psoriasis, le lupus érythémateux et autres, constitue un moyen thérapeutique de traiter de telles maladies. En outre, la détection des protéines de transport (ABC) ici identifiées et de leurs activités biochimiques respectives, impliquées dans de tels processus athérogènes et inflammatoires, constitue un moyen de diagnostic destiné à l'application clinique de diagnostic et de surveillance des dyslipidémies, de l'athérosclérose ou de maladies inflammatoires telles que le psoriasis ou le lupus érythémateux

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(***)	International Patent Classification 7: C12N 15/12, C07K 14/705, 16/28, A61K 38/17	A2	(11) International Publication Number: WO 00/18912 (43) International Publication Date: 6 April 2000 (06.04.90)
(22) (30) (71) (72) (75)	International Application Number: PCT/EPs International Filing Date: 21 September 1999 (2) Priority Data: 60/101,706 25 September 1998 (25,09.9) Applicant (for all designated States except US): AKTHENGESELLSCHAFT (DEDE); D-51368 Le (DU). Inventors; and Inventors/Applicants (for US only): SCHMITZ [DE/DE]: Turnstrasse 15a, D-93161 Sinzan; KLUCKEN, Jochen [DE/DE]: Silberne Fischgi D-93047 Regensburg (DE). Common Representative: BAYER AKT SELLSCHAFT; D-51368 Leverkusen (DE).	21.09.9 8) U BAYE verkuse Z, Ger g (DE	BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, EN, IS, JP KE, KG, KP, KR, KZ, LC, LK, IR, IS, LT, LU, LV, MD MG, MK, MN, MW, MN, NO, NZ, PL, PT, RO, RU, SD SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS MW, SD, SI, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ BY, KG, KZ, MD, RU, TJ, TM), buropean patent (AT, BE CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, TT, LU, MC NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA GN, GW, ML, MR, NE, SN, TD, TG) Published Without international search report and to be remulished upon receipt of that report

(57) Abstract

Modulation of the activity of transmembrane proteins belonging to the ATP binding cussette (ABC) transporter protein family which are etiologically involved in cholesterol driven atherogenic processes and inflammatory diseases like psoriasis, lupus crythematodes and others provides therapeutic means to treat such diseases. Furthermore, detection of herein identified ABC transporter proteins of their respective biochemical activities involved in such atherogenic and inflammatory processes provides diagnostic means for clinical application of diagnosis and monitoring of dyslipidemias, atherosclerosis or inflammatory diseases like psoriasis and lupus crythematodes.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT-

41.	Albania	1:3	Spain	LS	Lesotho	SI	Slovenia
AM1	Armienia	FI	Finland	1.11	1 ithi ania	SK	Slovakia
AT	Austria	₽R	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	1.V	Latvia	SZ	Swaziland
AZ	Azerbarjan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	ND	Republic of Moldova	TG	Togo
BB	Barbados	$_{ m GH}$	Ghana	MG	Madagascar	TJ	Tajikistan
DE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
Bŀ	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HI.	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benn	31	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	1L	binel	MR	Mauritania	UG	Uganda
BY	Belarus	18	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Vict Nam
CG	Congo	KŁ.	Kenya	NL	Netherlands	YU	Yugoslav.a
CH	Switzerland	KG	Kyrgyzstan	50	Norway	24	Zimbabwe
CI	Côte d'Ivoire	KP	Femocratic People's	NZ	New Zealand		
CM	Cameroon		Pepublic of Korea	PL	Poland		
CN	Chma	kR	Republic of Korea	17	Portugal		
CL	Cuba	kZ	E izakstan	RO	Remania		
CZ.	Czech Republic	LC	Saint Luciu	RU	Russian Federation		
DF.	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	1 stonia	LR	Laberra	SG	Singapore		

Description

WO 00/18912 PCT/FP99/06991

5

ATP binding cassette genes and proteins for diagnosis and treatment of lipid disorders and inflammatory diseases

10

15

20

25

30

Background of the invention

5

10

15

20

25

Reverse cholesterol transport mediated by HDL provides a "protective" mechanism for cell membrane integrity and foam cell formation and cellular cholesterol is taker. up by circulating HDL or its precursor molecules. The precise mechanism of reverse cholesterol transport however is currently not fully understood and the mechanism of cellular cholesterol offlux and transfer from the cell surface to an acceptor-particle, such as HDL, is yet unclear. Certain candidate gene products have been postulated playing a role in the process of reverse cholesterol transport [1]. Apolipoproteins (e.g. ApoA-I, ApoA-IV), lipid transfer proteins (e.g. CETP, PLTP) and enzymes (e.g. LCAT, LPL, HL) are essential to exchange cholesterol and phospholipids in lipoprotein-lipoprotein and lipoprotein-cell interactions. Different plasma memorane receptors, such as SR-BI [2, 3], HB1/2 [4], and GPI-linked proteins (e.g. 120 kDa and 80 kDa) [5] as well as the sphingolipid rich microdomains (Caveolae, Rafts) of the plasma membrane have been implicated being involved in the process of reverse cholesterol transport and the exchange of phospholipids. How these membran :microdomains are organized is in the current focus of interest for the dentification of therapeutic targets. In recent studies SR-BI function as receptor for uptake of HDL into the liver and steroidogenic tissues could be demonstrated and the effectivity of this process is highly dependent on the phospholipid environment [2].

35

40

45

55

50 30

Cholesterol and phospholipid homeostasis in monocytes/macrophages and other cells involved in the atherosclerotic process is a critical determinant in atherosclerotic vessel disease. The phagocytic function of macrophages in host defense, tissue remodelling, uptake and lysosomal degradation of atherogenic lipoproteins and membrane fragments or other lipid containing particles has to be balanced by effective release mechanisms to avoid foam cell formation. HDL mediated reverse

The cholesterol sensitive ABC-transporter are named according to the new ABC-

		- <u>-</u>
5		
10		cholesterol transport, supported by endogenous ApoE and CETP synthesis and secretion provides an effective mechanism to release excessive cholesterol from macrophages and other vascular cells.
15	5	Alternatively, reduced cholesterol and triglyceride/fatty acid absorption by intestinal mucosa cells as well as increased lipid secretion from hepatocytes into the bile will lower plasma lipids and the concentration of atheroscierotic hipoproteins
		Summary of the invention
20	10	New chole iterol responsive genes were identified with differential display method in
25	15	human monocytes from peripheral bleod that were subjected to macrophage differentiation and cholesterol loading with acetylated LDL and subsequent deloading with ${\rm HDL}_{\nu}$
30	1.2	In an initial screen ABCG1 (ABC8), a member of the rapidly growing family of ABC (ATP-Binding Cassette) transport systems, that couple the energy of ATP hydrolysis to the translocation of solutes across biological membranes, was identified
35	20	as a cholesterol sensitive switch. ABCGI is appregulated by M-CSF dependent phagocytic differentiation but expression is massively induced by cholesterol loading and almost completely set back to differentiation dependent levels by HDL ₃
40	25	In a more detailed analysis 37 already characterised ABC members and 8 Fragment - sequences (Table 2) were analysed in monocyte/macrophage cells by RT-PCR (linear range) for differentiation dependent changes and cholesterol sensitivity.
45		Among the 45 tested ABC-transporter genes 18 of the characterized ABC transporters and 2 of the Fragment -sequence based ABC-transporters are cholesterol sensitive (Example 4).

55

50

nomenclature and listed in Table 3 with the new and the old designations, respectively.

The most sensitive gene was ABCG1. ABCG1 is the human homologue of the drosophila white gene. Sequencing of the promoter of ABCG1 (Example 7) shows important transcription factor binding sites relevant for phagocytic differentiation and lipid sensitivity

Antisense treatment of macrophages during cholesterol loading and HDL₁-mediated deloading clearly identified ABCG1 as a cholesterol transporter and the efflux of choline-containing phospholipids (phosphatidylcholine, sphingomyelin) was also modulated. Northern, and Western-blot analysis provided further support that inhibition of cholesterol transport is associated with lower ABCG1 mrRNA expression and ABCG1 protein levels (Example 5).

Considerable evidence was derived from energy transfer experiments (Example 1) that ABCG1 in the cell membrane is in a regulated functional cooperation (e.g. cell differentiation, activation, cholesterol loading and deloading) with other membrane receptors that have either transport (e.g. LRP-FD), teceptor (elated protein) of signalling, and adhesion—function (e.g. integrins, integrin associated proteins) which is also supported by sequence homology of extracellular domains as well as other parts of the ABCG1 sequence. For example the protein sequence of the region of the third extracellular loop of ABCG1, i.e. aminoacid residues 580 through 644, shares homology with fibronectin (aa 317-327), integrinβ5 (aa 538-547), RAP (aa H9-127), LRP (aa 2874-2894), apoB-100 precursor (aa 4328-4369), glutathion-S-tranferase (aa 54-78) and glucose transporter (aa 371-380) Sequence comparison of all cholesterol sensitive transporters indicates this as a general principle of ABC transporter function and regulation.

Among the other cholesterol sensitive genes ABCA1 (ABC1) was further characterized. ABCA1 was identified in the mouse as an IL-Ibeta transporter

involved also in apoptotic cell processing. We show here, by RT-PCR (Table 2) and confirmation by Northern analysis, based on the newly detected human ABCA1 cDNA sequence (Example 6), that ABCA1 follows the same regulation as ABCG1.

10

Moreover, the ABCA1-knockout mice (ABCA1-/-) show massively reduced levels of serum lipids and lipoproteins. The expression of ABCA1 in mucosa cells of the small intestine and the altered lipoprotein metabolism in ABCA1-/- mice allows the conclusion that ABCA1 plays a major role in intestinal absorption and translocation of lipids into the lymph-system

20

25

30

40

45

15

Analysis of genetic defects that affect macrophage cholesterel homeostasis identified dysregulated ABCA1 as a gene locus involved in the HDL-deficiency syndrome (Tangier-Disease). This disease is associated with hypertriglyceridemia and splenomegaly.

15

10

Another as yet not described HDL-deficiency syndrome associated with early onset of coronary heart disease and psoriasis showed a dysregulation of the chromosome 17 associated ABC-sequences (ABCC4 (MRP3); ABCC3 (MRP3); ABCA5 (Fragment 90625); ABCA6 (Fragment 155051) :17q21-24). This points to an association with the predicted gene locus for psoriasis at chromosome 17.

35

A recently sequenced human ABC-transporter (ABCA8, Example 9) shows high homology to ABCA1 and also belongs to the group of cholesterol sensitive ABCtransporter.

25

30

20

ABCC5 (MRP5, sMRP) is a member of the MRP-subfamily among which ABCC2 (MRP2, cMOAT) was characterized as the hepatocyte canalicular membrane transporter that is involved in bilirubin glucoronide secretion [9] and identified as the gene locus for Dubin-Johnson Syndrome [10] a disorder associated with mild chronic conjugated hyperbilirubinemia.

50

Furthermore, the identification of ABCA1 as a transporter for IL-1 β identifies this gene as a candidate gene for treatment of inflammatory diseases including rheumatoid arthritis and septic shock. The cytokine IL-1 β is a broadly acting proinflammatory mediator that has been implicated in the pathegenesis of these diseases.

Moreover, we could demonstrate, that glyburide as an inhibitor of IL-1 β secretion inhibits not only Caspase I mediated processing of pro-IL-1 β and release of mature IL-1 β but simultaneously inhibits ceramide formation from sphingomyelin mediated by neutral sphingomyelinase and thereby releases human fibroblasts from G₃-phase cell cycle arrest. These data provide a further mechanism indicative for a function of ABCA1 in signalling and cellular lipid metabolism.

Autoimmune disorders that are associated with the antiphospholipid syndrome (e.g. lupus erythematodes) can be related to dysregulation of B-cell and T-cell function, aberrant antigen processing, or aberrations in the asymmetric distribution of membrane phospholipids. ABC-transporters are, besides their transport function, candidate genes for phospholipid translocases, floppases and scramblases that regulate phospholipid asymmetry (outer leaflet: PC+SPM; inner leaflet: PS+PE) of biological membranes [11]. There is considerable evidence for a dysregulation of the analysed ABC-transporters in patient cells. We conclude that these ABC-cassettes are also candidate genes for a genetic basis of antiphospholipid syndromes such as in Lupus erythematodes.

In summary, the ABC genes ABCGI, ABCAI and the other cholesterol-sensitive ABC genes as specified herein, can be used for diagnostic and therapeutic applications as well as for biochemical or cell-based assays to screen for pharmacologically active compounds which can be used for treatment of lipid disorders, atherosclerosis or other inflammatory diseases. Thus it is an objective of the present invention to provide assays to screen for pharmacologically active compounds which can be used for treatment of lipid disorders, atherosclerosis or

WO 00/18912 - 6 -

other inflammatory diseases. Further the invention provides tools to identify modulators of these genes and gene products. These modulators can be used for the

treatment of lipid disorders, atherosclerosis or other inflammatory diseases or for the the preparation of medicaments for treatment of lipid disorders, atherosclerosis or

other inflammatory diseases. The medicaments comprise besides the modulator

acceptable and usefull pharmaceutical carriers

Abbreviations

10	aa	Amino acid
	ABC	ATP-binding cassette
	ABCA#	ATP-binding cassette, sub-tamily A (ABC1), member #
15	ABCB#	ATP-binding cassette, sub-family B (MDR/TAP), member #
	ABCC#	ATP-binding cascette, sub-family C (CFTR/MRP), member #
	ABCD#	ATP-binding cassette, sub-family D (ALD), member #
20	ABCE#	ATP-binding cassette, sub-family E (OABP), member #
	ABCF#	ATP-binding cassette, sub-family F (GCN20), member #
	ABCG#	ATP-binding case ette, sub-tainily G (WHITE), member #
	ABCR	Homo suprens rim ABC transporter
25	AcLDL	Acetylated LDL
	ADP1	ATP-dependent permease
	ALDP	Adrenoleukodystrophy protein
30	ALDR	Adrenoleukodystrophy related protein
	АроА	Apolipoprotein A
	Apol	Apolipoprotein E
35	ARA	Anthracycline resistance associated protein
33	AS	Antisense
	ATP	Adenosine tripho sphate
	CETP	Cholesteryl ester transfer protein
40	CFTR	Cystic fibrous transmembrane conductance regulator
	CGT	ceramide glucoxyl transferase
	СН	Cholesterol
45	eMOAT	Canabeutar multispecific organic anion transporter
	dsRNA	Double stranded RNA
	Fragment	Gen Fragment
	FABP	plasma membrane fatty acid binding protein
50		

SDS

		- 8 -
5		·
	FACS	Fluorescence activated cell sorter
	FATP	intracellular fatty acid binding protein
10	FCS	foetal calve serum
	FFA	free fatty acids
	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase
	GCN20	protein kinase that phosphorylates the alpha-subunit of translation
15		initiation factor 2
	GPI	Glycosylphosphatidy linositol
	HaCaT	keratinocytic cell line
20	HDI.	High density lipoprotein
	HL	Hepatic lipuse
	HlyB	haemolysin translocator protein B
25	HMTI	yeast heavy metal tolerance protein
20	HPTLC	High performance than layer chromatography
	IL	Interleukin
	LCAT	Lecithin:cho.esterol acyltransferase
30	LDL	Low density lipoprotein
	LPL	Lipoprotein lipase
	LRP	LDI, receptor related protein
35	MDR	Multidrug resistance
	MRP	Multidrug resistance-associated protein
	PC	Phosphatidylcholine
	PE	Phosphatidylethanolamin
40	PL	Phospholipid
	PLTP	Phospholipid transferprotein
	PMP	peroxisomal membrane protein
45	PS	Phosphatidylserine
	RNA	Ribonucleic acid
	RT-PCR	Reverse transcription – polymerase chain reaction

Sodium dodecyl sulfate

55

WO 00/18912

PCT/EP99/06991

5		
	SL	Sphingolpid
	sMRP	Small form of MRP
10	SPM	Sphingomyelin
	SR-BI	Scavenger receptor BI
	SUR	Sulfonylurea receptor
4.5	TAP	Antigen peptide transporter
15	TG	Triglycerides
	TSAP	TNF-alpha stimulated ABC protein
	UTR	untranslated region

- 9 -

References cited

10		Ι.	FIELDING CJ, FIELDING PE: Molecular physiology of reverse cholesterol transport. <i>J.Lipid Rev.</i> 1495, 36:211-228.
	5	2.	JI Y. JIAN B. WANG N. SUN Y. MOYA ML, PHILLIPS MC, ROTHBLAT
15			GH, SWANEY JB, TALL AR Scavenger receptor BI promotes high density
			lipoprotein-mediated cellular cholesterol efflux. J. Biol Chem. 1997,
			272,20982-20985.
20		;	JIAN B, DE LA LLERA-MOYA M, JI Y, WANG N. PHILLIPS MC,
20	10		SWANEY JB, TALL AF, ROTHBLAT GH: Scavenger receptor class B type
			I as a mediator of cellular cholesterol efflux to hipoproteins and phospholipid
			acceptors. J Biol Chem 1998, 273(55)9-5600
25		4.	MATSUMOTO A, MITCHELL A, KURATA H, PYLE L, KÖNDO K.
			ITARURA II, FIDGE N. Cloning and characterization of IIB2, a candidate
	15		high density lipoprotein receptor. Sequence homology with members of the
30			immunoglobulin superfamily of membrane proteins. J Biol Chem 1997,
			272 16778-16782
		5.	NION S, BRIAND O TESTAVEL S, FORPIFR G, NAZIH F, L'ELBART C.
			FRUCHART AC, CLAVEY VI High-density-lipoprotein subfraction 3
35	20		interaction with glycosylphosphatidylinosital-anchored protein. Biochem J
			1997, 328;415-423,
		6.	CROOP JM, TILLER GE, FLETCHER JA, LUX ML, RAAB E.
40			GOLDENSON D, SON D, ARCINIEGAS S, WU RL. isolation and
			characterization of a mammalian homolog of the Drosophila white gene.
	25		Gene 1997, 185 77-85.
45		7.	CHEN H, ROSSIER C. LALIOTI MD. LYNN A, CHARRAVARTI A.
			PERRIN G, ANTONARAKIS SE: Cloning of the cDNA for a human
			homologue of the Drosophila white gene and mapping to chromosome
			21q22 3. Am 1 Hum Genet 1996, 59:66-75

5			
		8.	SAVARY S. DENIZOT F. LUCIANI M, MATTEI M. CHIMINI G. Molecular cloning of a mammalian ABC transporter homologous to
10			Drosophila white gene. Mamm Genome 1990, 7:673-676.
70		9.	ELFERINK RP, TYTGAT GN, GROEN AK: Hepatic canalicular men.branc
	.5		1: The role of mdr2 P-4 lycoprotein in hepatobiliary lipid transport. F48EB J
			1997, 11:19-28.
15		10.	WADA M, TOH S, TANIGUCHI É, NAKAMURA T. UCHIUM! T
			KOHNO K, YOSHIDA I, KIMUPA A, SAKISAKA S, ADACIE Y
			KUWANO M: Mutations in the cantilicular multispecific organic amor
20	10		transporter (cMOAT) gene, a novel ABC transporter, in patients with hyper-
			bilirubinemia II/Dubin-Johnson syndrome Hum Mol Genet 1998, 7.20, -207
		11.	ZWAAL(R.F., SCHROIT AJ: Pathophysicogic implications of membrane
25			phosphol:pid asymmetry in blood ceil: Ellocid 1997, 89-1121-1132.
		12.	FRUII K. AHN K. DJABALLAH H. SEMPE P. VAN ENDERT PM
	15		TAMPE R, PETERSON PA, YANG Y. A viral inhibitor of peptide trans-
			porters for antigen presentation. Nature 1995, 375:415-418.
30		13.	ALLIKMETS R, GERRARD B, HUTCHINSON A, DEAN M. Characteri-
			zation of the human ABC superfamily: isolation and mapping of 21 new
			genes using the expressed sequence tags database. Hum Mol Genet 1996
35	20		5:1649-1635.
		14.	SENIOR AE, GADSBY DC: ATP hydrolysis cycles and mechanism in P-
			glycoprotein and ABCC7 (CFTR) [In Process Citation]. Semin Cancer Biol.
40			1997, 8:143-150.
40		F5.	HIGGINS CF: ABC transporters: from microorgamsms to man
	25		Annu. Rev. Cell Biol. 1992, 8:67-113:67-113.
		16.	DEAN M. ALLIKMETS R: Evolution of ATP-binding cassette transporter
45			genes. Curr. Opin Genet. Dev 1995, 5:779-785.
		17.	GOTTESMAN MM. PASTAN E Biochemistry of multidrug resistance
	20		mediated by the multidrug transporter. Annu Rev Biochem 1993 62:385-
50	30		427:385-427.

5			
		18.	MOSSER J, LUTZ Y, STOECKEL ME, SARDE CO, KRETZ C, DOUAR
			AM, LOPEZ J. AUBOURG P. MANDEL JL: The gene responsible for
10			adrenoleukodystrophy encodes a peroxisomal membrane protein. Hum
	e		Mol. Genet. 1994, 3:265-271.
	5	19,	BASU SK, GOLDSTEIN JL, BROWN MS: Characterization of the low
15			density lipoprotein receptor in membranes prepared from himan fibroblasts
			J Biol Chem 1978, 253;3852-3856
		20	LIANG P, PARDEE AB: Differential display of eukaryotic messenger RNA
20	10		by means of the polymeruse chain reaction [see comments] Science 1992, 257:967-971.
20	1.7	21.	PIETZSCH A, BÜCHLER C. ASLANIDIS C SCHMITZ G: Identification
			and characterization of a novel monocyte/macrophage differentiation-depen-
25			dent gene that is responsive to lipopolysaccharide, cerami ie, and lysophos-
	15	22.	phatidylcholine. Biochem Biophys Res Comm.n 1997, 235:4-9
	13		LOHMANN J, SCHICKLE H, BOSCH TC REN display, a rapid and efficient method for nonradioactive differential display and mRNA isolation.
30			Biotechniques 1995, 18,200-202.
		23.	VIRCA GD. NORTHEMANN W. SHIELS BR. WIDERA G. BROOME S
			Simplified northern blot hybridization using 5% sodium dodecyl suitate
35	20		Biotechniques 1990, 8:370-371.
		24.	CHIRGWIN JM, PRZYBYLA AE, MACDONALD RJ, RUTTER WJ.
			Isolation of biologically active ribonucleic acid from sources enriched in
			ribonuclease. Biochemistry 1979, 18:529:4-5299.
40		25.	Lowry, O. H., Rosebrough, N. L. Farr, A. L., and Randall, R. J. Protein
	25		meaABCC8 (SUR)ement with the folin phenol reagent, J Biol Chem 193.
			265-275. 1951. (GENERIC) Ref Typo: Generic
45		26	BLIGH EG, DYER WJ. A rapid method of total lipid extraction and
			purification. Can J Biochem Phys 1959, 37:911-917.

 ROGLER G, TRÜMBACH B, KLIMA B, LACKNER KJ, SCHMITZ G: HDL-mediated efflux of intracellular cholesterol is impaired in fibroblasts from Tangier disease patients. Arterioscler Thromb Vasc Biol 1995, 15:683-

690.

WO 00/18912 PCT/EP99/06991

- 14 -

5

Description of the Figures

10

Figures 1 to 5 are showing nucleotide and protein sequences described in this application. The sequences are repeated in the sequence listing.

5

 $| () \rangle$

20

30

Description of Tabels:

15

Table 1:

20

Levels of RNA transcripts of ABCG1 (ABCS). ABCA1 (ABC1) and ABCA8 in human tissues were determined by Northern blot analysis of a multiple tissue dot-blot (Human RNA MasterBiot Clontech Laboratories, Inc., CA, USA). The relative amount of expression is indicated by different numbers of filled circles.

25

Table 2:

30

15 The expression pattern of ABC-transporters in monocytes, monocyte derived macrophages (3 days cultivated monocytes in setum free Macrophage-SFM medium containing 50 ng/ml M-CSF). AcLDL incubated monocytes (3 days with 100 μg/ml) followed by HDL₃ (100 μg/ml) incubated monocytes is shown. Expressed genes are tested for cholesterol sensitivity by semiquantilative PCR.

35

For known ABC-Transporter the chromosomal location and the transported molecules are also presented.

Table 3;

40

Disorders, that are associated with ABC-transporters are shown. The enromosomal location is indicated and the relevant accession number in OMIN (Online Mendelian Inheritance in Man).

45

Table 4:

Expression of ABC-Transporters in HaCaT keratinocytic cells during differentiation

50

Table 1

10	
15	
20	
25	
30	
35	
40	
45	

Tissue	ABCG1	10011
1 155114	(ABC8)	ABCA1 (ABC1)
Adrenal gland	••••	•••
Thymus	••••	••
Lung		•••
Heart	•••	••
Skeletal	••	•
Brain	•••	••
Spleen	••••	••
Lymphnode	•••	•
Pancreas	•	•
Placenta	••••	••••
Colon	••	•
Small intestine	••	••••
Prostate	••	•
Testis	•	•
Ovary	••	•
Uterus	•	••
Mammary gland	••	•
Thyroid gland	••	••
Kidney	••	•
Liver	•••	•••
Bone marrow	•	•
Peripheral leukocytes	•	•
Fetal tissue		
Fetal brain	•	••
Fetal liver		••••
Fetal spleen	••	•••
Fetal thymus	••	••
Fetal lung	••	•••

50

Table 2: Cholesterol dependent gene regulation of human ABC transporters

10	
15	
20	
25	
30	
35	
40	
45	

Gene		chromosomal	peripheral		cholesterol	cholestero:	transported
		localization	biood manacytes	M-CSF Mi	l reading (acLDL)	deloading (HDL3)	motecules
ABCGI	(ABC8)	21q22.3	+	7	11	*	cholesterol / choline PL
ABCA1	(ABCI	9q22-31	+	1	†	ŢŢ.	cholesterol / IL-11.
ABCC5	(MRP5)	3q25 -2 7	+	1	1 1	1	
ABCDI	(ALDI), ALD	Xq28	+	1	1	1 -	very long chain fatty acid
ABCA5	(est90625)	17q21-25	+	1	1		
ABCBII	(BSEP, SPGP)	2q24	+	1	† †		hile acids
ABCA8	(ABC-new)		+		1	-	
ABCC2	(MRP2	10q23-24	+	1	î		buruhir, g.ccurenide
АВСВ6	(est45597)	2η33-36	-	+	<u> </u>	+	
ABCC1	(MRPI)	16p13.12	+	1	1		cicosatioids
лвслз	(ABC3	1бр13.3	+		1	nr	
est1133530)		+	1	1	nr	
ABCB4	(MDR3)	7q21	+	1	Ţ	1	phosphatidylcholine
ABCG2 (c	st157481,ABCP	4q22-23	+	1	-	. 1	
ABCC4	(MRP4)	13q31	+	1	<u> </u>	· ·	
АВСВ9	(cst122234)	12q24	+	1	<u></u>	-	
ABCD2	(ALDR	12q11	1		_	*	very long chain fatty acid
ABCBI	(MDRI)	7q21	+		1	7	pnospaolipids, amphipaile
ABCA6	(est155051)	17q21	+		—	111	
est640918			1	7	Ţ	nr	
ABCD4	(P70R)	11q24 3	1	1	nr	nr	
ABCA2	(ABC2)	9q34	+		nr	nr	
ABC12	(est1331)90)	⁷ (135-36	+	1	nr	Dt.	
АВ⊂В7	(ABC7)	Xq[3]1-3	+	1	nr	nr	Itan
ABCF1	(ABC50,TSAP)	6p21 33	1	1	nr	nr	
ABCC6	(MRP6)	16p1 ± 11			1,1	TC1	
ABCB5	(est422562)	7p14			tsr	IAT .	
АВССЗ	(MRP3)	17q11-21	·	111	1,1	n.r	
ABCA4	(ABČR)	1p22		D)	LI	nr	retinoids I patusein
ABCB2	(TAP1)	6p21.3	+	nr	nr	nr .	peptides
ABCB3	(FAP2)	6p213	+	nr	nr	nι	peptides

Gene		chromosomal localization	peripheral blood monocytes	3 days old M-CSF M-J	cholesteral loaging (IC ₁ Iac)	deloading (HDL3)	transported molecules
ABCI'3	(cst201864)	3425 1-2	+	U)	n:	III.	
ABCB8	(est328128)	7q35-36	ŧ		1) r	nr	
ABCET	(OABP)	4(3)	4		t)t	nr	
ABCB10	(est20237)	1q32	+		ut	nr	
est698739			+		n,	1.1	
ABCC10	(cst182763)	6p21	+	tit	n:	nr	
ABCC7	(CFTR)	7q31	£?	ĹΫ	٤١.	F)	
ABCC8	(SUR-1)	Hp15 1	£7	ź. ¹	£T	<u> </u>	
ABCD3	(PMP70)	1p21-22	Ç1	۲,۲	4-3	١٤٦	
Hawhite2			Ę1	۲,	<i>></i> _ ^V	ا ند	
est1125168			25	1 1	E	1ht	
est1203215			£1	۳.	<u>, - '</u>	61	
e:t168043			C4	٤,	Ŕ.	٤1	
e:1990006			€,	;_ `	£1	£*	

nr=not regulated

ft = upregulated

U= downregulated

half (hs) or full size (fs) transporter as deduced from the mRNA size $\,$

Table 3

10	
15	
20	
25	
30	
35	
40	
45	

Disorders	Genomic location	Associated gene	OMIM-
Metabolic disorders:			
Cystic fibrosis	7q313	ABCC7 (CFTR)	219700
Dubin Johnson syndrome (mild chrome conjugated hyperbilirubinemia)	10q24	ABCC2 (CMOAT)	237500
Progressive familial intrahepatic cholestasis type III (PIFC3)	7q211	ABCB4 (MDR3)	602347
Byler disease (PFIC2)	2924	ABCBII (BSEP, sPGP)	601847
Familial persistent hyperinsulinemic hypogrycemia	11p15.1	AB-CC8 (SUR-1)	601820
IDDM	6p21.3	ABCB2 (TAP1)/ABCB3 (TAP2)	222100
Neuronal disorders:			·
Adrenoleukodystrophy	12q11	ABCD2+ALDE)	300100
Zellweger's syndrome	1p22 2.	ABOD3 ((PMP70)	24.5
Multiple Sclerosis	6p213	ABCB2 (TAP1):ABCB1 (TAP2)	26200
X-linked Sideroblastic anemia with spinocerebellar ataxia	Xq13 1-3	ABCB7 (ALC7)	30(310
Menkes disease (altered homeostasis of metals)	Xq13	ABCB7 (ALC7)	309400
Immune/Hemostats disorders:		<u> </u>	
Herpes simplex virus intection [12]	6p213	ABCB2 (TAPT)/ABCB3 (TAP2)	
Behcet's syndrome	6p213	ABCB2 '(TAPT)/ABCB3 (TAP2)	109650
Bare lymphocyte syndrome type l	6p213	ABCB2 (TAP1)/ABCB2 (TAP2)	209920
Scott syndrome	7q211	ABCBI (MDRI)	262890
Retinal dystrophies:	.1.	1	<u></u>
Fundus flavi macularus with macular cystrophy	Tp13-21	ABCA4 (ABCK)	601691
Juvenile Stargardt disease	Tp13-21	ABCA4 (ABCE)	248200
Age-related macular degeneration	Tp13-21	ABUA4 (AEUR)	153800
Cone-rod dystrophy	tp13-21	ABCA4 (ABCR)	600110
Retinitis pigmentosa	1p13-21	ABCA4 (ABCR)	601718

55

Diseases with evidence for involvement of		Assumed gene					
ATP cassette vitranslocases and fluppases [80]							
BRIC	18	Assumed	243300				
(Benign recurrent intrahepatic obstructive jaundice)							
Psoriasis	17q:1-12	ABCA5	602723				
	17421-24	(Fragment	177900				
		906251	601454				
		ABCC3 (MRP3)					
Lupus erythematodes Antiphospholipid Syndrome		Transiocuse	152700				
		Flippase					
PFIC(Prog. Fatal familial intraneputic choestasis) PFIC	18q21-22	ATP	211600				
		transporters					
Neurological disorders mapped to gene locus of ABCG1 (AI	5C8)	1	1				
Autosomal bipolar affective disorder	21q22.3	ABCG! (ABC8)	125480				
Autosomal recessive non-syndromic deafness	21q21.3	ABCG1 (ABC8)	601072				
Down Syndrome	21q22.3	ABCG1 (ABC8)	190685				
(ABC-8 may be a candidate for the Brushfield spots -			1				
mottled, marble or speckled irides frequently seen in Down-							
Syndrome)			1				
Linkage to phosphofructokinase (liver type)	21422		171860				
HDL-deficiency syndromes,	9431	ABCALTABCL	.105400				
Gen responsible for Tangier Disease							

Table 4: Expression of ABC-Transporters in HaCa'l keratinocytic cells during differentiation

Gene	chrom. localis2008	initial expression	differentiation dependent	known or putative
ABCG1 (ABC8)	21 q22.3	++++	↑	cholesterol cholme-14.
ABCC3 (MRP3)	17 q11-q12	+1174	τ	
ABCA8	19 P13		1	
ABCCL (MRPI)	lé pl3	\++ +	オン (max day 2)	PGA ₂ , L1C ₄
				יואס טצ-יואס
ABCD4 (PMP69, P70R)	14 q24	****	オソ (max day 2.4)	
ABCC2 (MRP2)	10 q24	i (+	カン(max day 2)	oilitubu.
				glucuronide
ABCA3 (ABC3)	16 p13	*	7 № (max day 4,6)	
ABCA5 (ABCR)	l p21	+	기일 (max day 4)	retinosá.
				lipotuseln
ABCA1 (ABC1)	انه-22 و	+	7 🛂 (max. dav 6)	
ABCC6 (MRP6)	16 μ13μ11	+	키일 (max day 4)	
ABCC4 (MRP4)	13 q31	++++	オン (max. day 2.4)	
ABCA2	9 वृ.स		オソ (max. dav 6)	
ABCC5 (MRP5, SMRP)	3 q27	++++++	オソ (max day 2.1)	

AB(B6 (est45597)	· · · · · · · · · · · · · · · · · · ·	1			
	2	*****	₹ M (max day 2,4)		
ABCB7 (ABC7)	X q13 3		オ知 (max, day 4)	irons	
TAPI (ABCBI)	6 p21.3	++	7 ¥ (max duv 4,6)	peptides	
TAP2 (ABCB2)	6 p21 3	1+++	オン(max day 2,4)	peptides	
ABCB8 (cst328128)	7 q35-36	*111	71 31 (may day 2.)		
ES F640918	17 q24	,	7 3 (max day 4)		
ABCC7 (CFTR)	7 q31	-+-	7 2 (max dar 4)		
NBCB10 (csi20237)	1 q32	1	71 M (max day 2)		
ABCF1 (TSAP)	6 p21.33	++++-	4		
ABCC10 (est182763)	q32	* (44 *	—		
ABCE1 (OABPI	4 q3!	-+++	1		
EST698739	17 q24	++++	ψ.		
ABCF2 (estl 33090)	7 q35-q36	+++++	Ψ		
ALD (ABCDI,ALDP)	λ 428	++++	4	VLCI A	
ABCA5 (est90625)	17 q21-q24	+++	4		
ABCB5 (est422562)	7 p14	1+++	4		
ABCB9 (est122234)	12 q24-q _{it}	++	4		
ABCD2 (ALDR)	12 q1.		Ψ	VIATA	
ABCF3 (cst201864)	3 q25 1-2		4		
ABCG2 (ABC15,ABCP)	4 q22-q2;	**+	4		
EST1133530	4 plóptei		+		

Huwhite	11 q23	++++-	4	
ABCA6 (cst155051)	17 q2 i		+	
BSEP (ABCB11,sPGP)	2 q24		↓ ↑ (max day 6.)	
ABCB4 (MDR3)	7 421	not expressed		p tosy aandyl-
				Choine
ABCD3 (PMP20)	1 p22	not expressed		
ABCBI (MDR1)	7 421	not expressed		nuspt olipid "annh paties
EST168043	2 p15-to	nor expre sed		
ES7990006	17 424	not expressed		
ABCC8(SURT)	11 p15 1	not expressed		

- relative expression in dil not determined

↑ uprepulated ↓ downregulated 🥒 🗴 hiphasic expression

WO 00/18912

PCT/EP99/06991

- 23 -

Description of specific embodiments

Candidate gene identification during cholesterol loading and deloading of human monocyte derived macrophages

In order to discover genes that are involved in the cholesterol loading and/or deloading in vitro assays were set up. Particularly, gene expression in human blood derived monocytes and macrophages elicited by cholesterol and its physiological transport formulation, i.e. various low density hypoprotein (LDL) particle species like AcLDL, was studied.

Elutriated human monocytes were cultivated in M-CSF containing but serum free macrophage medium supplemented with Act DL (100 µg protein/ml medium) for three days, followed by cholesterol depletion replacing AcLDL by HDL (100 µg protein/ml medium) for twelve hours. Differential display screening for new candidate genes, regulated by cholesterol loading/deloading was performed (Example 1).

Identification of a new cholesterol sensitive gene

ABCG1 (ABCS) was discoverd as a novel cholesterol sensitive gene. ABCG1 belongs to the ATP binding cassette (ABC) transporter gene family. ABCG1 was recently published as the human analogue of the drosophila white gene [6-8].

The gene is strongly upregulated by Acf.DL-mediated cholesterol loading, and almost completely downregulated by HDL, mediated-cholesterol deloading, as confirmed by Northern blot (Example 2). Nothern blot analysis of mRNA from human monocyte-derived macrophages obtained from the peripherical blood probands clearly show upregulation of ABCG1 mRNA formation upon AcLDL incubation. In sharp contrast, ABCG1 mRNA expression was decreased in such macrophages upon incubation with HDL3 containing medium.

WO 00/18912

PCT/EP99/06991

- 24 -

5

ABCG1 expression in cholesterol loaded and deloaded cells after four days predifferentiation

For effective cholesterol loading monocytes must be differentiated to phagocytic-macrophage like cells. During this period seavenger receptors are upregulated and

promote AcLDL uptake leading to cholesteryl ester accumulation. After four days preincubation period we have incubated the cells for one, two and three days with AcLDL (100 µg/ml) to show cholesteryl ester accumulation. After two days of

loading we deloaded the cells with HDL, for 12 hours, 24 hours and 48 hours,

respectively. ABCG1 is time dependently apregulated during the AcLDI londing period and downregulated by HDL₃ deloading (Examples 2 and 3) In order to confirm time dependent increase of ABC(11 mRNA expression after AcLDL

challenge in human monocyte derived macrophages. Nothern blot analyses for

ABCG1 mRNA quantification were made, RNA samples from the macrophages were harvested at day zero and day four as controls and mRNA samples were taken

one, two, and three days after AcLDL treatment of macrophages, which started at day four. A dramatic increase of ABCG1 mRNA content of the macrophages could be

This regulation shows the same pattern as changes of cellular cholesteryl ester content (Example3). Cholesterol ester accumulation starts in monocyte-derived macrophages upon Acl.Dl. stimulation from a base level below 5 tunol/mg cell

protein at day four up to 120 nmol/mg cell protein at day seven (i.e. three days after

detected from day five through day seven by Nothern blot analyses.

15

10

10

15

20

25

30

25

20

30

35

40

45

Tissue expression

AcLDL application).

Besides cholesterol loaded macrophages ABCG1 is prominently expressed in brain, spleen, lung, placenta, adrenal gland, thymus and fetal tissues (Table 1).

50

10

15

20

Chromosomal location and associated genes and diseases

5

10

15

20

The ABCG1 gene maps to human chromosome 21q 22.3. Also localized in this region 21q 22.3 are the following genes: integrin β 2 (CD18), brain specific polypeptide 19, down syndrome cell adhesion molecule, dsRNA specific adenosine deaminase, cystathionine β synthase, collagen VI alpha-2, collagen XVIII alpha-1, autosomal recessive deafness, and amyloid beta precursor.

This chromosomal region is in close proximity to other regions involved in Down syndrome, autosomal dominant bipolar affective disorder, and autosomal recessive non-syndromic deafness

25

Extracellular loop of ABCG1 (ABC8) for antibody generation

The putative structure of the hydrophobic transmembrane region of ABCG1 shows 6 transmembrane spanning domains, and 3 extracellular loops, two of them are 9- and 8-amino acids-long, respectively, while the third one is 66-amino acids-long.

35

30

The larger one of the two intracellular loops consists of 30 amino acids. Similarity-survey in protein databases for homologies the 3rd extracellular loop (HIex) with other genes resulted in the identification of fibronectin, integrin β 5, RAP, LRP (LDL receptor related protein) apo-lipoprotein B 100 precursor protein, glutathion Stransferase and glucose transporter.

40

A polyclonal antiserum was generated against the 3rd extracellular loop (IIIex) of ABCG1 in order to perform flow cytometric analysis, energy transfer experiments and Western-blotting (see Example 3). In the amino acid sequence of ABCG1 the 5rd extracellular loop (IIIex) comprises 66 amino acids comprises 66 amino acids from amino acid 580 through 644. The peptide fragment for antibody generation comprises the amino acid residues 613 through 628 of ABCG1 polypeptide. ABCG1 obviously interacts with endogenous sequence motivs with other membrane receptors

50

55

involved in transport (e.g. LRP, RAP), signalling and adhesion (e.g. integrins, integrin associated proteins) as a basis of ABCG1-function and regulation. Moreover sequence comparisons of all ABC-transporters listed in Table 3 indicates functional cooperation with other membrane receptors as a general principle of the whole gene family.

Subfamily-Analysis

Evolutionary relationship studies with the whole ABC transporter family have shown that ABCG1 (ABC8) forms a subfamily together ABCG2 (est157481) and this subfamily is closely related to the full-size transporters ABCA1 (ABC1), ABCA2 (ABC2), ABCA3 (ABC3), ABCA4 (ABCR) and the half-size transporter ABCF1 (TSAP).

Recent studies by Albkmets et al. have identified 21 new genes as ABC transporters by expressed sequence tags database search [13].

General description of the ABC transporter family

The ATP-binding cassette (ABC) transporter superfamily contains some of the most functionally diverse proteins known. Most of the members of the ABC family (also called traffic ATP-ases) function as ATP-dependent active transporters (Table 3). The typical functional unit consists of a pair of ATP-binding domains and a set of transmembrane (TM) domains. The TM-domains determine the specificity for the type of molecule transported, and the ATP-binding domains provide the energy to move the molecule through the membrane [14; 15]. The variety of substrates handled by different ABC-transporters is enormous and ranges from ions to peptides. Specific transporters are found for nutrients, endogenous toxins, venobiotics, peptides, aminoacids, sugars, organic/inorganic ions, vitamins, steroid hormones and drugs [16; 17].

10

15

25

30

5

ABC-transporter associated diseases

10

The search for human disease genes (Table 3) provided a number of previously undiscovered ABC proteins [16]. The best characterized disease caused by a mutation in an ABC transporter is cystic fibresis (ABCC7 (CFTR)). Inherited disorders of peroxisomal metabolism as Adrenoleukodystrophy and Zellweger's syndrome also show alterations in ABC transporters. They are involved in per-

15

Antisense against ABCGI inhibits cholesterol efflux to HDL,

20

Since ABCG1 is a cholesterol sensitive gene and other ABC transporters are known to be involved in certain lipid transport processes, the question arises whether ABCG1 plays a role in transport of cholesterol phospholipids, fatty acids of glycerols. Therefore antisense experiments were performed to test the influence of ABCG1 on lipid loading and deloading. The inhibition of ABCG1 with specific antisense oligonucleotides decreased the efflux of cholesterol and phosphatidyl-choline to HDL₃. (Example 5)

oxisomal beta-oxidation, necessary for very long chain fatty acid metabolism [18].

30

25

20 Other cholesterol sensitive ABC transporter

35

Cloning and sequencing of the human ABCA1 (ABC1) provided the information to characterize ABCA1 for cholesterol sensitivity, and tissue distribution (Example 6) Another cholesterol sensitive human ABC transporter (ABCA8) has been cloned and sequenced (Example 8)

40

Characterization of the ABCG1 promoter region

45

The ABCG1 promoter has the characteristic binding sites for transcription factors that are involved in the differentiation of monocytes into phagocytic macrophages. The cholesterol sensitivity of the expression of ABCG1 is represented by the transcription factor pattern that is relevant for phagocytic differentiation (Example 7).

50

WO 00/18912

PCT/EP99/06991

- 28 -

Examples

Example I

Identification of cholesterol loading and deloading candidate genes

Monocyte isolation and cell culture

Monocytes were obtained from peripheral blood of healthy normolipidemic volunteers by leukapheresis and purified by counterflow clutriation. Purity of isolated monocytes was ~95% as revealed by FACS analysis 10×106 monocytes were seeded into 100 mm² diameters cell culture dishes under serum free conditions in macrophage medium for 12 hours in a humidified 37°C incubator maintained with a 5% CO2, 95% air atmosphere. After 12 hours medium containing unattached cells was replaced by fresh macrophage medium supplemented with 50 ng/m² human recombinant M-CSF (this medium is the standard medium for any further incubations).

Isolation of lipoproteins and preparation of AcLDL

Lipoproteins were prepared from human plasma from healthy volunteer donors—by standard sequential ultracentrifugation methods in a Beckman 1.-70 ultracentrifuge equipped with a 70 Ti rotor at 4°C to obtain LDL (d=1,006 to 1,063 g/ml) and HDL, (d=1,125 to 1,21 g/ml). All densities were adjusted with solid KBr. Lipoprotein fractions are extensively dialyzed with phosphate-buffered saline (PBS) containing 5 mM EDTA. The final dialysis step was in 0,15 mol/L NaCl in the absence of EDTA. Lipoproteins were made sterile by filtration through a 0.45 μm (pore-size) sterile filter (Sartorius).

LDL was acetylated by repeated addition of acetic anhydride followed by dialysis against PBS [19]. Modified LDL showed enhanced mobility on agarosc gel electrophoresis.

WO 00/18912 PCT/EP99/06991

- 29 -

5

Incubation of monocyte-macrophages with AcLDL and HDL,

10

After 12 hours of preincubation cells were grown in the presence or absence (control) of 100 µg protein /ml AcLDL for further 3 day in medium. Then, the incubation medium was replaced with fresh medium and incubated with or without the addition of HDL₁ (100 µg/ml) for another 12 hours

15

25

30

35

40

45

50

55

Differential display

20 10

5

15

25

Differential display screening was performed for new candidate genes that are regulated by cholesterol loading/deloading as described [20: 21]. In brief, 0.2 μg of total RNA isolated from monocytes at various incubations was reverse transcribed with specific anchored oligo-dT primers, using a commercially available kit (GeneAmp RNA PCR Core Kit, Perkin Elmer, Germany). The oligo-dT primers used had two additional nucleotides at their 3' end consisting of an invariable A at the second last position (3'-end) and A, C, G or T at the last position to allow a subset of mRNAs to be reverse transcribed. Here, a 13-mer oligo-dT (T101: 5'T11AG-2') was used in a 20- μ l reaction at 2,5 μ M concentration. One tenth of the cDNA was

upstream primer (D20 5'-GATCAATCGC-3'). 2,5 µM each, using 2,5 units of TAQ

DNA Polymerase and 1.25 mM MgCl2. Amplification was for 40 cycles with denaturation at 94°C for 30 sec, annealing at 41°C for 1 min and elongation at 72°C

for 30 sec with a 5 min extension at 72°C following the last cycle. All PCF reactions were carried out in a Perkin Elmer 9600 thermocycler (Perkin Elmer, Germany). PCR-products were separated on ready to use 10% polyacrylamide gels with a 5%

amplified in a 20-µl PCR reaction using the same oligo-dT and an arbitrary 10-mer

stacking gel (CleanGel Large-10/40 ETC, Germany) under non-denaturating conditions using the Multiphor II electrophoresis apparatus (Pharmacia, Germany). The DNA fragments were visualized by silverstaining of the gel as previously

described [22].

10

15

25

30

35

40

45

Cloning and sequencing of differentially expressed cDNAs

cDNA bands of interest were cut out of the gel and DNA was isolated by boiling the gel slice for 10 min in 20 ul of water. A 4 µl aliquot was used for the following PCR-reaction in a 20µl volume. The cDNA was reamplified using the same primer set and PCR conditions as above, except, that the final dNTP concentration was ImM each. Reamplified cDNAs were cloned in the pUC18-vector using ABCC8 (SUR)eClone-Kit (Pharmacia), sequenced on an automated fluorescence DNA sequencer using the AutoRead Sequencing Kit (Pharmacia, Germany) and used as probes for Northern blot analysis [23].

20 10

5

1.5

20

25

30

Example 2

Northern Blot analyses of monocytes and macrophages after 3 days AcLDL incubation followed by 12 hours HDL_3 incubation

Elutriated monocytes were incubated with AcLDL (100 µg/ml medium) for 2.5 days or differentiated for the same time without the addition of AcLDL as control ABCG1 (ABC8) expression is 4 times stronger upregulated with AcLDL incubation than in differentiated monocytes .After the AcLDL incubation period cells were washed and incubated with HDL3 for the next 12 hours or with medium alone as control. ABCG1 expression is almost completely downregulated by HDL3 incubation and only moderatly decreased in control incubation as confirmed by Northern blot. For effective cholesterol loading monocytes must be differentiated to macrophage like cells. During this period scavenger receptors are upregulated and promote AcLDL uptake leading to cholesteryl ester accumulation. To differentiated the cells prior to AcLDL-dependent cholesterol loading, we cultured the cells for four days in standard medium. At day four, cells were washed and incubated with AcLDI. (100µg/ml medium) or in the absence of AcLDL as control for further one, two and three days to load the cells with cholesterol. At each timepoint cells were lybed with 0.1 % SDS and lipid was extracted as described in materials and methods and cellular cholesteryl ester was determined by HPTLC-separation. Cells were loaded time

50

dependently up to 120 nmol/ing cell protein after 3 days AcLDL loading, whereas in unloaded cells no choicsteryl ester accumulation could be observed

To distinguish HDL₁ dependent and independent cholesterol efflux cells were pulsed with AcLDL (100 μg/ml) for three days with the coincubation of ¹⁴C-cholesterol (1.5 μCi/ml medium). Cells were washed and deloaded with HDL₃ (100 μg/ml) for 12 hours, 24 hours and 48 hours, respectively. Cells were incubated without the addition of exogenous lipid-acceptors as a control. After chase period the content of ¹⁴C-cholesterol was determined in the medium and in the cells by liquid scintillation as described in material and methods. The efflux of cholesterol is expressed in percent of cellular DPMs of total DPMs (counts in the cells plus medium). With HDL₃ the efflux is faster and more intense, than the efflux without the addition of HDL₃ as an endogenous lipid acceptor. After 12 hours cellular cholesterol content was reduced to 68 % with HDL₃-dependent deloading, and 86 % in HDL₃-independent deloading. After 48 hours only 35 % of loaded 14C-cholesterol was observed in the cells treated

After 48 hours only 35 % of loaded 14C-cholesterol was observed in the cells treate with HDL₃. In contrast, 70 % of loaded ¹³C-cholesterol was found in unreated cells

In AcLDL pulsed cells the RNA-expression of ABCG is upregulated whereas no upregulation appears in the cells that were not loaded with AcLDL. Cells that were loaded for two days with AcLDL were deloaded with HDL, for 12, 24 and 48 hour. (12h; 24h; 48h), and in the absence of exogenous lipid acceptors. The RNA-expression is downregulated again, in HDL, treated cells more intense than in cell-treated without any exogenous lipid acceptor.

Materials:

Macrophage medium (Macrophage-SFM) was obtained from Gibco Life Technologies, Germany. Human recombinant M-CSF was obtained from Genzyme Diagnostics. Germany, and antisense phosphorothioate obgonucleotides were supplied by Biognostics, Germany. All other chemicals were purchased from Sigma. Nylon membranes and a32P-dCTP were obtained from Amersham, Germany. 14C-

10

15

20

25

5

cholesterol and 3H-choline chloride from NFN. Germany, and cell custure dishes are Beeton Dickinson, Germany

10

Isolation of total RNA and northern blotting

decreases the expression to normal levels again

15

Total RNA was isolated at each time-point, before and after AcLDL incubation, and after HDL, incubation, respectivly. Washed cells were solubilized in guanidine isothiocyanate followed by sedimentation of the extract through cesium chloride [24]. For Northern analysis, 10 μg/lane of total RNA samples were fractionated by electrophoresis in 1.2% agarous agarose gel containing 6% formaldehyde and blotted onto nylon membranes (Schleicher & Schüll, Germany). After crosslinking with UV-irradiation (Stratalinker model 1800, Stratagene, USA), the memoranes were hybridized with a cDNA probe for ABC(i) (ABC8). Hybridization and washing

20

conditions were performed as recommended by the manufacturer of the membrane.

25

Example 3

30

Westernblot analysis of monocytes and macrophages after cholesterol loading and deloading

35

Protein expression of ABCG! (ABC8) is upregulated in AcLD! -loaded and down-regulated in HDL₃-deloaded monocyte-derived macrophages. Western blotting with a peptide antibody against ABCGI as described in materials and methods is performed with 40 µg of total protein for each lane of SDS-PAGE. ABCGI-protein expression is shown in freshly isolated monocytes (day zero) and in differentiated monocytes (day four). From day four to day seven (5d, 6d; 7d) monocyte-derived macrophages were loaded with AcLDL or without AcLDL as control. AcLDL loaded cells from day 6 (6d) were deloaded with HDL, for 12, 24, and 48 hours and without exogenous added HDL lipid-acceptor. AcLDL increases the protein-expression, whereas HDL

45

40

50

Protein isolation and determination

At each timepoint cells were lysed with 0.1% SDS and the protein content was determined by the method of Lowry et al. [25].

10

5 Generation of ABCG1 specific antibodies

15

rabbits with a synthetic peptide (Fa. Pineda, Berlin). The peptide sequence was chosen from the extracellular domain exIII amino acid residues 613-628 of ABCG; comprising the amino acids REDLHCDIDETCHFQ (see sequence listing 1D No 53). After 58 days of immunization western blotting was performed with 1:1000

SDS-polyaerylamide gelelectrophoresis was performed with 40µg total cellular protein per lane. Proteins were transferred to Immobilion as reported. Transfer was

confirmed by Coomassic Blue staining of the get after the electroblot. After blocking for at least 2 hours in 5% nonfat dry milk the blot was washed 3 times for 15 minutes

in PBS. Antiserum generated as described was used at 1:1000 dilution in 5% nonfat dry milk in PBS. The blot was incubated for 1 hour. After 4 times washing with PBS

at room-temperature a secondary peroxidase-labelled rabbit anti chicken IgG-

antibody (1:10000 diluted, Sigma) was incubated in 5% nonfat dry milk in PBS for 1 hour. After 2 times washing with PBS, detection of the immune complexes was carried out with the ECL Western blot detection system (Amersham International

ABCG1 specific peptide antibodies were generated by immunization of chickens and

diluted serum and 1:10000 secondary peroxidase labelled antibody.

20

Electrophoresis and immunoblotting

25

15

20

10

30

35

40

25

PLC, UK).

minutes.

Fluorescence resonance energy transfer:

45

Monocytes were labelled with the specific antibodies for 15 minutes on ice, one antibody is labelled by biotin, the other one is labelled by phycocrythrin. After washing the cells were incubated with a Cy5-conjugated streptavidin for another 15

30

50

WO 00/18912 PCT/EP99/06991

- 34 -

Distances between antibody labelled proteins on the cell surface is measured by energy transfer with a FACScan (Becton Dickinson). Following single laser excitation at 488 nm the Cy5 specific emmission represents an indirect excitation of Cy5 10 dependent on the proximity of the PE-conjugated antibody. The relative transfer

> efficiency was calculated following standardisation for the intensity of PE and Cv5 labelling and nonspecific overlap of fluorescence based on dual laser excitation and

comparison to separately stained control samples.

Example 4

5

10

20

25

30

5

15

25

30

35

40

45

50

55

20 Cholesterol sensitivity of ABCG1 (ABC8) and other members of the ABCtransporter family

> The influence of cholesterol loading and deloading on other members of the ABCfamily was also investigated to find out the potential second half-size ABC

15 transporter.

> Further analysis has been performed to examine the expression pattern of all human ABC transporters in monocytes and monocyte derived macrophages as well as in

cholesterol loaden and deloaden mononuclear phagocytes.

The experiments were performed by RT-PCR with cycle-variation to compare the expression in the quantitative part of the distinct PCR. Primer sets were generated from the published sequences of the ABC-transporters. A RT-PCR with GAPDH primers was used as control.

Several ABC-transporters are also cholestered sensitive which further supports the function of ABC-transporters in cellular lipid trafficking (Table 2)

Semi-quantitative RT-PCR

All known ABC-transporters are tested for AcLDL/HDL, sensitive regulation of expression using RT-PCR with cycle-variation to compare the expression in the

quantitative part of the distinct PCR. I µg of total RNA was used in a 40 µl reverse transcription reaction, using the Reverse Transkription System (Promega, Corp. WI. USA). Aliquots of 5 µl of this RT-reaction was used in 50µl PCR reaction. After denaturing for 1,5 min at 94°C, 35 or less cycles of PCR were performed with 92,3°C for 44s. 60,8°C for 40s (standard unnealing temperature differs in certain primer-combinations), 71,5°C for 46s followed by a final 5-min extension at 72°C. The Primer sets were generated from the published sequences of the ABC-transporters. A RT-PCR with primers specific for GAPDH was performed as control.

The expression pattern of ABC-transporters in monocytes, monocyte derived macrophages (3 days cultivated monocytes in serum thee macrophage-SFM medium containing 50 ng/ml M-CSF), AcLDL incubated monocytes (3 days with 100 µg/ml) followed by HDL₃ (100 µg/ml) incubated monocytes is shown in Table 2. Expressed genes are tested for cholesterol sensitivity by senti-quantitative PCR

15 Example 5:

Functional analyses of the cholesterol sensitive ABCG1 (ABC8) transporter gene by antisense oligonucleotide experiments

Antisense experiments were conducted in order to address the question, that beyond being regulated by cholesterol loading and deloading ABCG1 is directly involved in lipid loading and deloading processes.

In various experiments antisense obgonucieotides decreased the efflux of choiesterol and phosphatidylcholine to HDL₂. During the loading period with AcLDL the cells were coincubated with 17 different antisense obgonucleotides. To measure the efflux of cholesterol and phospholipids the cells were pulsed in the loading period with 1.5 μCi/ml ¹⁴C-cholesterol and 3αCi/ml ³H-choline chloride. The medium was changed and during the chase period cells were incubated with or without HDL₃ for 12 hours. The ¹⁴C-cholesterol and ³H-choline content in the medium and in the cell lysate was measured and the efflux was determined in percent of total ¹⁴C-cholesterol and ³H-choline loading.

WO 00/18912 PCT/EP99/06991

- 36 -

5

The most effective antisense oligonucleotide (AS Nr.2) inhibited cholesterol and phospholipids efflux relative to cells that were treated with control antisense (AS control). A dose dependent decrease in cholesterol efflux of 16,79% (5nmol AS) and 32.01% (10 nmol AS) could be shown, respectively.

15

10

Antisense incubation

20

oligonucleotides targeting ABCG1 or one scrambled control-antisense oligonucleotide during the AeLDL-incubation period

To inhibit the induction of ABCG1 cells were treated with three different anusense

Determination of cholesterol and phosphatidylcholine efflux from monocytes in dependency of antisense oligonucleotide treatment

25

10

15

20

To measure the efflux of cholesterol and phospholipids the cells were pulsed in addition to AcLDL-incubation with 1,5 μ Ci/ml ¹⁴C-cholesterol and 3μ Ci/ml ¹⁴C-cholesterol and 3μ Ci/ml ¹⁴C-cholesterol and 3μ Ci/ml ¹⁴C-cholesterol and 3μ Ci/ml ¹⁶C-cholesterol and 3μ Ci/ml ¹⁷C-cholesterol and 3μ Ci/ml ¹⁸C-cholesterol and 3μ Ci/m

35

30

Computer analyses

40

DNA and protein sequence analyses were conducted using programs provided by HUSAR, Heidelberg, Germany: http://genius.embnet.dkfz-heidelberg.dc:8080.

45

50

Example 6

5

10

15

20

25

10

Complete cDNA sequence of the human ATP binding cassette transporter 1 (ABCA1 (ABC1)) and assessing the cholesterol sensitive regulation of ABCA1 mRNA expression

15

cDNA Cloning and Primary Protein Structure

20

We have cloned a 6880-bp cDNA containing the complete coding region of the human ABCA1 gene (Figure 8) The open reading frame of 6603 bp encodes a 2201-amino acid protein with a predicted molecular weight of 220 kDa. This protein displays a 94% identity on the amino acid level in an alignment with mouse ABCA1

and can therefore be considered as the human ortholog.

25

Tissue Distribution of ABCA1 mRNA Expression

30

master blot containing poly A* RNA from 50 human tissues was carried out Northern Blot analysis demonstrates the presence of a ABCA1 specific signal in all tissues. It is mostly prominent in adrenal gland, liver, lung, placenta and all fetal tissues examined so far (Table 1). The weakest signals are found in kidney, pancreas.

In order to examine the tissue-specific expression of ABCA! a multiple tissue ENA

pituitary gland, mammary gland and bone marrow.

35

Sterol Regulation of ABCA1 mRNA Expression

40

In order to determine the regulation of ABCA1 in monocytes/macrophages during cholesterol loading/depletion Northern Blot analysis was performed. The cloned 1000-bp DNA fragment derived from PCR amplification of RNA from five day differentiated monocytes with primers ABCA1 3622f (CGTCAGCACTCTGATGATGGCCTG-3') and ABCA1 4620r (TCTCTGCTATCTCCAACCTCA-3') was hybridized to Northern Blots containing

five, the ABCA1 mRNA is increased during in vitro differentiation of freshly isolated monocytes until day five. Longer cultivation results in a total loss of

RNA of differentially cultivated monocytes (figure 12) As can be seen in lanes one to

55

45

expression. When the cells were incubated in the presence of AcLDL to induce sterol loading (lanes 6-8) beginning at day four, a much stronger accumulation of mRNA can be detected in comparison to control cells (lanes 2-5). When these cells were cultured with HDL₁ as cholesterol acceptor for 12h, 24h and 48h (lanes 9-11) the ABCA1 signal significantly decreases with respect to control cells incubated in the absence of HDL₃ (lanes 12-14). Taken together, these results indicate that ABCA1 is a sterol-sensitive gene which is induced by cholesterol loading and downregulated by cholesterol depletion.

Cell culture

Peripheral blood monocytes were isolated by leukapheresis and counterflow elutriation (19JBC). To obtain fractions containing, >90% CD 14 positive mononuclear phagocytes, cells were pooled and cultured on plastic Petri dishes in macrophage SFM medium (Gibco BRL) containing 25 U/ml recombinant human M-CSF (Genzyme) for various times in 5% CO₂ in air at 37° C. The cells were incubated in the absence (differentiation control) or presence of AcLDL (100 µg/ml) to induce sterol loading. Following this incubation the cells were cultured in fresh medium supplemented with or without HDL₃ (100 µg/ml) for additional times in order to achieve cholesterol efflux from the cells to its acceptor HDL₃.

Preparation of RNA and Northern blot analysis.

Total cellular RNA was isolated from the cells by guanidium isothiocyanate lysis and CsCl centrifugation (Chirgwin). The RNA isolated was quantitated spectrophotometrically and 15 μg samples were separated on a 1.2% agarose-formaldehyde gel and transferred to a nylon membrane (Schleicher & Schüll). After crosslinking with UV-irradiation (Stratalinker model 1800. Stratagene), the membranes were hybridized with a 1000 bp DNA fragment derived from PCR amplification with primers ABCA1 3622f and ABCA1 4620r, stripped and subsequently hybridized with a human β-actin probe. In order to determine the tissue-specific expression of ABCA1 a multiple tissue RNA master blot containing

5	
v	

poly A* RNA from 50 human tissues was purchased from Clontech. The probes were radiolabeled with $[\gamma^{-22}P]dCTP$ (Amersham) using the Oligolabeling kit from Pharmacia. Hybridization and washing conditions were performed following the method described previously (Virea).

10

5 cDNA cloning of human ABCA1

15

Based on sequence information of mouse ABCA1 cDNA we designed primers for RT-PCR analysis in order to amplify the human ABCA1 (ABC1) cDNA. Approximately 1µg of RNA from five day differentiated mononuclear phagocytes was reverse transcribed in a 20 ul reaction using the ENA PCR Core Kit from Perkin

20

10

20

Elmer, An aliquot of the cDNA was used in a 100 pd PCR reaction performed with Amplitaq Gold (Perkin Elmer) and the following primer combinations (primer names indicate the position in the corresponding mouse cDNA sequence).

25

mABC1-144f (5 -CAAACATGTCAGCTGTTACTGGA-3') and mABC1-643r (5 -TAGCCTTGCAAA-AATACCTTCTG-3').

30

15 mABC1-1221f (5"-GTTGGAAAGATTCTCTATACACCTG-3") and mABC1-1910r (5"-CGTCAGCACTCTGATGATGGCCTG-3"), mABC1-3622f (5"-TCTCTGCTATCTCCAACCTCA-3") and mABC1-4620r (5"-ACGTCTTCACCAGGTAATCTGAA-3").

35

mABC1-5056f (5'-CTATCTGTGTCATCTTTGCGATG-3') and

40

mABC1-5857r (5'-CGCTTCCTCCTATAGATCTTGGT-3'),
mABC1-6093f (5'-AAGAGAGCATGTGGA-GTTCTTTG-3') and
mABC1-7051r (5'-CCCTGTAATGGAATTGTGTTCTC'-3').

45

hABC1-540f (5'-AACCTTCTCTGGGTICCTGTATC-5') and hABC1-1300r (5'-AGTTCCTGGAA-GGTCTTGTT(AC-3').

50

25 hABC1-1831f (5"-GCTGACCCCTTTGAGGACATGCG-3") and

WO 00/18912 PCT/EP99/06991

		- 40 -
5		
		hABC1-3701r (5'-ATAGGTCAGCTCATGCCCTATGT-3'),
		hABC1-4532f '5 -GCTGCC-TCCTCCACAAAGAAAAC.3') and
10		hABC1-5134r (5'-GCTTTGCTGACCCGCTCC-TGGATC-3 /
		hABCI-5800j (5 -GAGGCCAGAATGACATCTTAGAA-3) and
15	5	hABCI-6259r (5'-UTTGACAACACTTAGGGCACAAT-3')
20		All PCR products were cloned into the pUC18 plasmid vector and the nucleotide sequences were determined on a Pharmacia ALF-express sequencer using the dideoxy chain-termination method and fluorescent dye-labeled primers
25	10	Example 7
		Identification of the 5'end of ABCGI
30	15	We could partially prove the 5'-end of ABCG1 published by Chen [7] that differs from the 5'-end published by Croop [6] obtained from the mRNA of human monocytes/macrophages using a 5' RACE approach. In detail the sequence according
35		to Chen et al. downstream of position 25 was in agreement with our own data. In contrast, our identified sequence differs from the one reported by Chen [7] and Croop [6] at a site upstream of position 25 (Chen [7]). The sequence SEQ ID NO: 32 shows the newly identified 5'-end followed by the sequence published by Chen [7] from
40	20	position 25.
4 5		Molecular cloning and characterisation of the ABCGI 5'UTR
		We identified several fragments by screening of a λ phage library which contained a
50	25	total of app. 3 kb of the 5' UTR upstream sequence of the human ABCG1 gene. The

WO 00/18912 PCT/EP99/06991 -41-5 sequence that comprises the 5'UTR and part of exon 1 (described above) are given in SEQ ID NO: 54. 10 The promoter activity of this sequence was proven by luciferase reporter gene assays in transiently transfected CHO cells. 5 Putative transcription factor binding sites within the promoter region with the highest 15 likelihood ratio for the matched sequence as deduced from the TransFac database, GFB, Braunschweig, Germany. Multiple binding sites for SP-1, AP-1, AP-2 and CCAAT-binding factor (C/EBP family) are present within the first 1 kb of the putative promoter region. 20 10 Additionally, a transcription factor binding site involved in the regulation of apolipoprotein B was identified. 25 Example 8 30 15 Characterization of the human ABCA8 full length cDNA The putative ABCA8 coding sequence is app. 6.5 kb in size. We successfully cloned 35 and sequenced a 1kb segment of the human ABCA8 cDNA that encodes the putative second nucleotide binding site of the mature polypeptide (the sequence is shown in 20 the sequence listing). The nucleotide sequence exhibits a 73% homology with the 40 known human ABCA1 (ABC1) cDNA sequence.

> We identified an alternative transcript in the cloned I kb coding region which consists of a 72 bp segment (see sequence listing). Genomic analysis of this region revealed that the alternative sequence is identical with a complete intron suggesting that the alternative mRNA is generated by intron retention. The retained intron introduces a preterminal stop codon and thus may code for a truncated ABCA8 variant.

45

50

55

ABCA8 also shows a cholesterol sensitive regulation of the mRNA expression (Table 2).

.5 Tissue expression of ABCA8 is shown in table 1.

15

Example 9

Characterisation of the regulation of ABC transporter during differentiation of keratinocytic cells (HaCaT)

20

25

15

20

25

30

10

30

35

40

45

50

55

Differentiation of epidermal keratinoeytes is accompanied by the synthesis of specific lipids composed mainly of sphingolipids (SL), free fatty acids (FFA), cholesterol (CH), and cholesterol sulfate, all involved in the establishment of the epidermal permeability barrier. The skin and, in particular, the proliferating layer of the epidermis is one of the most active sites of lipid synthesis in the entire organism Cholesterol synthesis in normal human epidermis is LDL-independent, and circulating cholesterol levels do not affect the cutaneous de novo cholesterol synthesis. Fully differentiated normal human keratinocytes lack LDL receptors or its expression is very low, whereas in the normal human epidermis only basal cells express LDI. receptors.

During keratinocyte differentiation a shift from polar glycerophospholipids to neutral lipids (FFA, TG) and also a replacement of short chain FFA by long chain highly saturated FFA is observed. The most important lipids for the barrier function of the skin are sphingolipids that account for one third of the lipids in the cornified layer. and consist of a large ceramide fraction as a result of glucosylceramide degradation by intercellular glycosidases and de novo synthesis of ceramide.

Glucosylceramide is synthesized intracellulary and stored in lamellar bodies and glucosylceramide synthase expression was found up-regulated during the differentiation of human keratinocytes.

10

15

keratinox sulfatase 5 stratum corneum sulfate ro desquam

Cholesterol sulfate is formed by the action of cholesterol sulfotransferase during keratinocyte differentiation. Cholesterol sulfate and the degrading enzyme steroid sulfatase are present in all viable epidermal layers, with the highest levels in the stratum granulosum. The gradient of cholesterol sulfate content across the stratum corneum (from inner to outer layers), and progressive desulfation of cholesterol sulfate regulate cell cohesiveness and normal stratum corneum keratinization and desquamation, respectively. Cholesterol sulfate induces transglutaminase 1 and the coordinate regulation of both factors is essential for normal keratinization.

20 10

The final step in fipid barrier formation involves fameliar body secretion tine the subsequent post-secretory processing of polar lipids into their nonpolar lipid products through the action of bydrolytic enzymes that are simultaneously released (β-glucocerebrosidase, phospholipases, steroid sulfatase, acid sphingomyelinase). Disruption of the permeability barrier results in an increased cholesterol, fatty acid, and ceramide synthesis in the underlying epidermis. It has been shown that mRNA levels for the key enzymes required for cholesterol, fatty acid, and ceramide synthesis increased rapidly after artificial barrier disruption.

25

30

35

40

20 Cu Se

25

30

15

Currently the lipid transport systems in keratinocytes are poorly characterized. Several fatty acid transport related proteins have been identified in keratinocytes: plasma membrane fatty acid transport proteins (FATP) and intracellular fatty acid binding proteins (FABPs), most of them exhibiting high affinity for essential fatty acids. The expression of epidermal FABPs is up-regulated in hyperproliferative and inflammatory skin diseases, during keratinocyte differentiation, and barrier disruption

45

Based on our data on macrophages, we propose several ABC transporters as putative candidates for cellular lipid export in keratinocytes. We have examined the expression of all known ABC transporters during HaCaT cells differentiation. The human HaCaT cell line has a full epidermal differentiation capacity. Keratinocytes grown in

50

WO 00/18912 PCT/EP99/06991

vitro as a monolayer at low calcium concentration (< 0.1 mM) can be differentiated by increasing calcium concentration in the culture medium (1-2 mM). We cultured HaCaT cells as a monolayer in calcium-free RMPI (Gibco) medium mixed with standard Ham's F12 medium at a ratio 3:1 supplemented with 10% chelex-treated FCS, Penicillin and Streptomycin. The final concentration of calcium in above medium was 0.06 mM. When the cells reached confluence (usually on 5° day of the culture), calcium concentration was enhanced up to the level of 1.2 mM. The cells were seeded at a density of $2 \times 10^{3} / \text{ cm}^{-2}$ in 60 mm culture dishes. The culture medium was replaced every two day and the cells were harvested after 24 h. 48h h, 4 d, 6 da, 8 d and 10 d in culture, respectively. Total RNA from HaCaT cells was isolated using the isothiocyanate/cesium chloride-ultracentrifugation method.

The expression of all known human ABC transporters was examined during HaCaT cell differentiation (24 h, 48 h, 4 d, 6 d, 8 d, 10d, respectively) using a semi-quantitative RT-PCR approach (Table 6). The primer sets were generated from the published sequences of the ABC-transporters. Primers specific for GAPDH were used as a control. As a marker of keratimocyte differentiation CGT (ceramide glucosyl transferase) gene expression was assessed. Three of the transporters examined, ABCB1 (MDR1), ABCB4 (MDR3), ABCD3 (PMP70), were not expressed. ABCC6 (MRP6), ABCA1 (ABC1), ABCD2 (ALDR and ABCB9 (est122234) were expressed at low levels (Table 6).

Most of the other transporters exhibited a biphasic expression pattern or were downregulated during keratinocyte differentiation. There was, nowever, a high expression of ABCG1 (ABC8), ABCA8 (new) and ABCC3 (MRP3) indicative for their involvement in terminal keratinocyte lipid secretion for cholesterol, FFAs and ceramide-backbone lipids. The two peroxisomal ABC transporters, ABCD2 (ALDR) and ABCD1 (ALDP) that mediate the transport of very long chain fatty acids into peroxisomes were initially expressed at relatively low—levels and subsequently downregulated during differentiation. This is in agreement with the replacement of

WO 00/18912

Example 10:

PCT/EP99/06991

- 45 -

short chain fatty acids by very long chain fatty acids during keratinocyte differentiation.

Sequencing of ABCA1 cDNA and genomic structure in five families of patients with Tangier disease revealed different mutations in the ABCA1 gene locus. These patients have different mutations at different positions in the ABCA1 gene, that result in changes in the protein structure of ABCA1. Family members that are heterozygous for these mutations show lowered levels of serum HDL, whereas the homocygote patients have extremely reduced HDL serum levels.

Claims

Claims:

10		1.	A polynucleotide comprising a member selected from the group consisting of
	5		(a) a polynucleotide encoding the polypeptide as set forth in SEQ III NO:2;
15			(b) a polynucleotide capable of hybridizing to and which is at least 70%
			identical to the polynucleotide of (a); and
	10		(c) a polynucleotide fragment of the polynucleotide of (a) or (b).
20	10	2.	The polynucleotide of claim 1 wherein the polynucleotide is DNA
25		3.	A vector containing one or more of the polynucleotides of claim 1 and 2.
	15	4.	A host cell containing the vector of claim 3
30		5.	A process for producing a polypeptide comprising: expressing from the host cell of claim 4 the polypeptide encoded by said DNA.
35	20	6.	A polypeptide selected from the group consisting of
			(a) a polypeptide having the deduced amino acid sequence of SEQ ID NO:2 and fragments, analogs and derivatives thereot, and
40	25		(b) a polypeptide comprising amine acid 1 to amino acid 2201 of SEQ ID NO:2.
45		7.	An antibody capable to bind to the polypeptide of claim 6.
		8.	A diagnostic kit for the detection of the polypeptide of claim 6.
	30		- 1 7) 4 mm
50			

5			
		9.	Use of a polypeptides encoded by a polynucleotide comprising a member selected from the group consisting of:
10	5		 (a) a polynucleotide as set forth in SEQ ID NO:1, 3, 4 and 6 to 31; (b) a polynucleotide capable of hybridizing to and which is at least 70%
15			identical to the polynucleotide of (a), and (c) a polynucleotide fragment of the polynucleotide of (a) or (b)
20	10		in an assay for for detecting modulators of said polypeptides.
		10.	Modulator of a polypeptides encoded by a polynucleotide comprising a member selected from the group consisting of
25			(a) a polynucleotide as set forth in SEQ ID NO.1, 3, 4 and 6 to 31:
	15		(b) a polynucleotide capable of hybridizing to and which is at least 70% identical to the polynucleotide of (a), and
30			(d) a polynucleotide fragment of the polynucleotide of (a) or (b)
	20	11.	A pharmaceutical comprising the modulator of claim 10
35		12.	An assay for detecting polypeptides encoded by a polynucleotide comprising a member selected from the group consisting of:
40	25		 (a) a polynucleotide as set forth in SEQ ID NO:1, 3, 4 and 6 to 32 and 54: (b) a polynucleotide capable of hybridizing to and which is at least 70%
	23		identical to the polynucleotide of (a) and
45			(c) a polynucleotide fragment of the polynucleotide of (a) or (b)
50			

2588 GA TOANTOGOAT TOATTTTAAG AMATTATACO TITTITAGTAC ""FOOTGAACA

2641 ATSATTCAGG GVAAATCAGA TAGTTTOTTV AMAGAGGGGA GGGGGTUAAAC JCGAGTGAAG

2701 CAGOTIOTOT CATACATABA CAGCACTTRE GAAGGATIGA ATO AGGITE CAGCIGNAGE

2761 GAAGACGTGG ACACCATCIC CACTGAGCCA TGCAGACAIT TTTAAAAGCT ATACACAAAA

2821 TIGIGAGAAG ACATUGGCIA ACTOTITCAN AGICUTTUTT TITUCAG WIG CITCITAUT :

2881 TAAGGGAAAT ATATTGTTIG TITUTTCCTA AAAAAAAAA 2890

Figure 2

Figure 1

1 CAAACATGTCAGCTGTTACTGGAAGTGGCCTGGCCTCTATTTATCTTCCTGATCCTGATC 60 61 TCTGTTCGGCTGAGCTACCCACCCTATGAACAA LATGAATGCCATTTTCCAAATAAAGCC 120 121 ATGCCCTCTGCAGGAACACTTCCTTGGGTTCAGGGGATTATCTGTAATGCCAACAACCCC 180 IMPSAGTLPWVQDIIIDNANNF 20 181 TGTTTCCGTTACCCGACTCCTGGGGAGGCTCCC3GAGTTCTTGGAAACTTTAACAAATCC 240 21 C F R Y P T P G E A P G V V G N F N K S 40 241 ATTGTGGCTCGCCTGTTCTCAGATGCTCGGAGGCTTCTTTTATACAGCCAGAAAGACACC 300 41 I V A R L F S D A R R L L L Y S Q K D T 60 301 AGCATGAAGGACATGCGCAAAGTTCTGAGAACATTACAGCAGATCAAGAAATCCAGCTCA 360 61 S M K D M R K V L R T L Q Q I F K S S S 80 361 AACTTGAAGCTTCAAGATTTCCTGGTGGACAATGAAACCTTCTCTGGGTTCCTGTATCAC 420 81 N L K L Q D F L V D N E T F S G F L Y H 100 421 AACCTCTCTCCCCAAAGTCTACTGTGGACAAGATGCTJAGGGCTGATGTCATTCTCCAC 480 101 N L S L P K S T V D K M L R A D V I L H 120 481 AAGGTATTTTTGCAAGGCTACCAGTTACATTTGACAAGTCTGTGCAATGGATCAAAATCA 540 121 K V F L Q G Y Q L H L T S L C K G S K S 140 541 GAAGAGATGATTCAACTTGGTGACCAAGAGTTTCTGAGCTTTGTCCCCTACCAAGGGAG 600 141 E E M I Q L G D Q E V S E L C C L P R E 160 601 AAACTGGCTGCAGCAGAGCGAGTACTTCGTTCCAACATGGACATCCTGAAGCCAATCCTG 660 161 K L A A A E R V L R S N M D I 1. K P I L 180 661 AGAACACTAAACTCTACATCTSCCTTCCCGAGCAAGGAGCTGGCCGAAGCCACAAAAACA 720 181 R T L N S T S P F P S K E L A F A T K T 200 721 TTGCTGCATAGTCTTGGGACTCTGGCCCAGGAGCTGTTCAGCATGAGAAGCTCGAGTGAC 780 201 L H S L G T L A Q E L F S M F S W S D 220 781 ATGCGACAGGAGGTGATGTTTCTGACCAATGTGAACAGCTCDAGCTCCACCCAAATC 840 221 M R Q E V M F L T N V N S S S S S T Q I 240 241 Y Q A V S R I V C G H P E G G G L K I K 260 901 TCTCTCAACTGGTATGAGGACAACAACTACAAAGCCCTCTTTGGAGGCAATGGCACTGAG 960

261 S L N W Y E D N N Y K A L F G G N G T E 280

- 2/42 -

961 GAAGATGCTGAAACCTTCTATGACAACTCTACAACTCCTTACTGCAATGATTTGATGAAG 1020 281 E D A E T F Y D N S T T P Y C N D L M K 300 1021 AATTTGGAGTCTAGTCCTCTTTCCCGCATTATCTGGAAAGCTCTUAAGCCGCTGCTCGTT 1080 301 N L E S S P L S R I I W K A L K P L L V 320 1081 GGGAAGATCCTGTATACACCTGACACTCCAGCCACAAGGCAGGTCATCGCTGAGGTGAAC 1140 321 G K I L Y T P D T P A T R Q V M A E V N 1141 AAGACCTTCCAGGAACTGGCTGTTCCATGATCTGGAAGGCATGTGGGAGGAACTCAGC 1200 341 K T F Q E L A V F H D L E G M W E E L S 360 1201 CCCAAGATCTGGACCTTCATGGAGAACAGCCAAGAAATGGACCTTGTCCGGATGCTGTTG 1260 361 P K I W T F M E N S Q E M D L V R M L L 380 1261 GACAGCAGGGACAATGACCACTTTTGGGAACAGCAGTTGGATGGCTTAGATTGGACAGCC 1320 381 D S R D N D H F W E Q Q L D G L D W T A 400 1321 CAAGACATCGTGGCGTTTTTGGCCAACCACGCGAGGGATGTCCAGTCCAGTAATGGTTCT 1380 401 Q D I V A F L A K H P E D V Q S S N G S 420 1381 GTGTACACCTGGAGAGAGCTTTCAACGAGACTAACCAGGCAATCCGGGACCATATCTCGC 1440 421 V Y T W R E A F N E T N Q A I R T I S R 1441 TTCATGGAGTGTGTCAACCTGAACAACCTAGAACCCATAGCAACAGAAGTCTCGCTCATC 1500 441 F M E C V N L N K L E P I A T E V W L I 460 1501 AACAAGTCCATGGAGCTGCTGGATGAGAGGAAGTTCTGGGCTGGTATTGTGTTCACTGGA 1560 461 N K S M E L L D E R K F W A G I V F T G 480 1561 ATTACTCCAGGCAGCATTGAGCTGCCCCATCATGTCAAGTACAAGATCCGAATGGACATT 1620 481 I T P G S I E L P H H V K Y K I R M D I 500 1621 GACAATGTGGAGAGCACAATAAAATCAAGGATGGGTACTGGGACCCTGGTCCTCGAGCT 1680 501 D N V E R T N K I K D G Y W D P G P R A 520 1681 GACCCCTTTGAGGACATGCGGTACGTCTGGGGGGGCTTCGCCTACTTGCAGGATGTGGTG 1740 521 D P F E D M R Y V W G G F A Y L Q D V V 540 1741 GAGCAGGCAATCATCAGGGTGCTGACGGGCACCGAGAAGAAAACTGGTGTCTATATGCAA 1800 541 E Q A I I R V L T G T E K K T G V Y M Q 1801 CAGATGCCCTATCCCTGTTACGTTGATGACATCTTTCTCCGGGTGATGAGCCGGTCAATG 1860 561 Q M P Y P C Y V D D I F L R V M S R S M 580 1861 CCCCTCTTCATGACGCTGGCCTGGATTTACTCAGTGGCTGTGATCATCAAGGGCATCGTG 1920 581 P L F M T L A W I Y S V A V I I K G I V 600 1921 TATGAGAAGGAGGCACGGCTGAAAGAGACCATGCGGATCATGCGCCCTGGACAACAGCATC 1980 601 Y E K E A R L K E T M R I M G L D N S I 620 1981 CTCTGGTTTAGCTGGTTCATTAGTAGCCTCATTCCTCTTGTGAGCGCTGGCCTGCTA 2040 621 L W F S W F I S S L I P L L V S A G L L 640 2041 GTGGTCATCCTGAAGTTAGGAAACCTGCTGCCCTACAGTGATCCCAGCGTGGTGTTTGTC 2100 641 V V I L K L G N L L P Y S D P S V V F V 160

2101 TTCCTGTCCGTGTTTGCTGTGGTGACAATCCTGCAGTGCTTCCTGATTAGCACACTCTTC 2160

661 F L S V F A V V T I L Q C F L I S T L F 680 2161 TCCAGAGCCAACCTGGCAGCAGCCTGTGGGGGGCATCATCTACTTCACGCTGTACCTGCCC 2220 681 S R A N L A A A C G G I I Y F T L Y L P 700 2221 TACGTCCTGTGTGTGGCATGGCAGGACTACGTGGGCTTCACACTCAAGATCTTCGCTAGC 2280 701 Y V L C V A W Q D Y V G F T L K I F A S 720 2281 CTGCTGTCTCCTGTGGCTTTTGGGTTTGGCTGTGAGTACTTTGCCCTTTTTGAGGAGCAG 2340 721 L L S P V A F G F G C E Y F A L F E E Q 7402341 GGCATTGGAGTGCAGTGGGACAACCTGTTTGAGAGTCCTGTGGAGGAAGATGGCTTCAAT : 1400 741 G I G V Q W D N L F E S P V E E D G F N 760 2401 CTCACCACTTCGGTCTCCATGATGCTGTTTGACACCTTCCTCTATGGGGTGATGACCTGG 2460 761 L T T S V S M M L F D T F L Y G V M T W 780 2461 TACATTGAGGCTGTTTTCCAGGCCAGTAGGGAATTCCGAGGCCCTGGTATTTTCCTTGC 2520 781 Y I E A V F P G Q Y G I P R P W Y F P C 800 2521 ACCAAGTCCTACTGCTTTGGCGAGGAAAGTGATGAGAAJAGCCACCCTGGTTCCAACCAG 2580 801 T K S Y W F G E E S D E K S H P G S N Q 821 K R I S E I C M E E E P T H L K L G V S 640 2641 ATTCAGAACCTGGTAAAAGTCTACCGAGATGGGATGAAGGTGGCTGTCGATGGCCTGGCA 2700 841 I Q N L V K V Y R D G M K V A V D G L A EGC 2701 CTGAATTTTATGAGGGCCAGATCACCTCCTTCCTGGGCCACAATGGAGCGGGGGAAGACG 2760 861 L N F Y E G Q I T S F L G H N G A G K T 880 2761 ACCACCATGTCAATCCTGACCGGGTTGTTCCCCCCGACCTCGGGCACCGCCTACATCCTG 2820 881 T T M S I L T G L F P P T S G T A Y I L 900 2821 GGAAAAGACATTCGCTCTGAGATGAGCACCATCCGGCAGAACCTGGGGGTCTGTCCCCAG 2880 901 G K D I R S E M S T I R Q N L G V C P Q 920 2881 CATAACGTGCTGTTTGACATGCTGACTGTCGAAGAACACATCTGGTTCTATGCCCGCTTG 2940 921 <u>H N V L F D M L T V E E H I W F Y A R L</u> 940 2941 AAAGGGCTCTCTGAGAAGCACGTGAAGGCGGAGATGGAGCAGATGGCCCTGGATGTTGGT 3000 941 K G L S E K H V K A E M E Q M A L D V C 960 3001 TTGCCATCAAGCAAGCTGAAAAGCAAACAAGCCAGCTGTCAGGTGGAATGCAGAGAAAG 3060 961 L P S S K L K S K T S Q L S G G M Q R K 980 3061 CTATCTGTGGCCTTGGCCTTTGTCGGGGGGATCTAAGGTTGTCATTCTGGATGAACCCACA 3120 981 L S V A L A F V G G S K V V I L D E P T 1000 3121 GCTGGTGTGGACCCTTACTCCCGCAGGGGAATATGGGAGCTGCTGCAAATACCGACAA 3180 1001 A G V D P Y S R R G I W E L L L K Y R Q 1020 3181 GGCCGCACCATTATTCTCTCTACACACCACATGGATGAAGCGGACGTCCTGGGGGGACACG 3240 1021 G R T I I L S T H H M D E A D V L G D R 1040 3241 ATTGCCATCATCTCCCATGGGAAGCTGTGCTGTGTGGGCTCCTCCCTGTTTCTGAAGAAC 3300 1041 I A I I S H G K L C C V G S S L F L K N 1060

1061 Q L G T G Y Y L T L V K K D V E S S L S 3361 TCCTGCAGAAACAGTAGCACTGTGTCATACCTGAAAAAGGAGGACAGTGTTTCTCAG 3420 1081 S C R N S S S T V S Y L K K E D S V S Q 1100 3421 AGCAGTTCTGATGCTGGCCTGGGCAGCGACCATGAGAGTGACACCGCTGACCATCGATGTC 3480 1101 S S S D A G L G S D H E S D T L T I D V 3481 TCTCCTATCTCCAACCTCATCAGGAAGCATGTGTCTGAAGCCCGGCTGGTGGAAGACATA 3540 1121 S A I S N L I R K H V S E A R L V E D I 1140 1141 G H E L T Y V L P Y E A A K E G A F V E 1160 3601 CTCTTTCATGAGATTGATGACCGGCTCTCAGACCTGGGCATTTCTAGTTATGGCATCTCA 3660 1161 L F H E I D D R L S D L G I S S Y G I S 1180 3661 GAGACGACCCTGGAAGAATATTCCTCAAGGTGGCCGAAGAGTGGGGTGGATGCTGAG 3720 1181 E T T L E E I F L K V A E E S G V D A E 1200 3721 ACCTCAGATGGTACCTTGCCAGCAAGACGAAACAGUCGGGCCTTCGGGGACAAGCAGAGC 3780 1201 T S D G T L P A R R N R R A F G D K Q S 1220 3781 TGTCTTCGCCCGTTCACTGAAGATGATGCTGCTGATCCAAATGATTCTGACATAGACCCA 3840 1221 C L R P F T E D D A A D P N D S D I D P 3841 GAATCCAGAGACAGACTTGCTCAGTGGGATGGCAAAGGGTCCTACCAGGTGAAA 3900 1241 E S R E T D L L S G M D G K G S Y Q V K 1260 3901 GGCTGGAAACTTACACAGCAACAGTTTGTGGCCCTTTTGTGGAAGAGACT3CTAATTGCC 3960 1261 G W K L T Q Q Q F V A L L W K R L L I A 1280 3961 ACACGGAGTCGGAAAGGATTTTTTGCTCAGATTGTCTTGCCAGCTGTGTTTGTCTGCATT 4020 1281 R R S R K G F F A Q I V L P A V F V C I 1300 4021 GCCCTTGTGTTCAGCCTCATCGTGCCACCCTTTGGGAAGTACCCCAGCCT3GAACTTCAG 4060 1301 A L V F S L I V P P F G K Y P S L E L Q 1310 4081 CCCTGGATGTACAACGAACAGTACACATTTGTCAGCAATGATGCTCCTGAGGACACCGGA 4140 1321 P W M Y N E Q Y T F V S N D A P E D T G 4141 ACCCTGGAACTCTTAAACGCCCTCACCAAAGACCCTGGCTTCGGGACCCGGTGTATGGAA 4200 1341 T L E L L N A L T K D P G F G T R C M E 1360 4201 GGAAACCCAATCCCAGACACGCCCTGCCAGGCAGGGAGGAAGAGTGGACCACTGCCCCA 4260 1361 G N P I P D T P C Q A G E E E W T T A P 1380 4261 GTTCCCCAGACCATCATGGACCTCTTCCAGAATGGGAACTGGACAATGGAGAACCCTTCA 4320 1381 V P Q T I M D L F Q N G N W T M Q N P S 1400 4321 CCTGCATGCCAGTGTAGCAGCGACAAAATCAAGAAGATGCTGCCTGTGTGTCCCCCAGGG 4380 1401 P A C Q C S S D K I K K M L P V C P P G 1410 4381 GCAGGGGGGCTGCCTCCACAAAGAAACAAACACTGCAGATATCCTTCAGGACCTG 4440 1421 A G G L P P P Q R K Q N T A D I L Q D L 1440 4441 ACAGGAAGAACATTTCGGATTATCTGGTGAAGACGTATGTGCAGATCATAGCCAAAAGC 4500 1441 T G R N I S D Y L V K T Y V Q I I A K S

4501 TTAAAGAACAAGATCTGGGTGAATGAGTTTAGGTATGGCGGGTTTTCCCTGGGTGTCAGT 4560

- 5/42 -

1461 L K N K I W V N E F R Y G G F S L G V S 1481 N T Q A L P P S Q E V N D A T K Q M K K 4621 CACCTAAAGCTGGCCAAGGACAGTTCTGCAGATCGATTTCTCAACAGCTTGGGAAGATTT 4680 1501 H L K L A K D S S A D R F L N S L G R F 1520 4681 ATGACAGGACTGGACACCAGAAATAATGTCAAGGTGTGGTTCAATAACAAGGGCTGGCAT 4770 1521 M T G L D T R N N V K V W F N N K G W H 1540 4741 GCAATCAGCTCTTTCCTGAATGTCATCAACAATGCCATTCTCCCGGCCCAACCTCCAAAAG 4800 1541 A I S S F L N V I N N A I L R A N L Q K 1560 4801 GGAGAGAACCCTAGCCATTATGGAATTACTGCTTTCAATCATCCCCTGAATCTCACCAAG 4850 1561 G E N P S H Y G I T A F N H P L N L T K 1580 4861 CAGCAGCTCTCAGAGGTGGCTCCGATGACCACATCAGTGGATGTCCTTGTGTCCATCTGT 4920 1581 Q Q L S E V A P M T T S V D V L V S I C 4921 GTCATCTTTGCAATGTCCTTCGTCCCAGCCAGCTTTGTCGTATTCCTGATCCAGGAGCGG 4980 1601 V I F A M S F V P A S F V V F L I Q E R 1620 4981 GTCAGCAAAGCAAAACACCTGCAGTTCATCAGTGGAGTGAAGCCTGTCATCTACTGGCTC 5040 1621 V S K A K H L Q F I S G V K P V I Y W L 1640 5041 TCTAATTTTGTCTGGGATATGTGCAATTACGTTGTCCCTGCCACACTGGTCATTATCATC 5100 1641 S N F V W D M C N Y V V P A T L V I I I 1660 5101 TTCATCTGCTTCCAGCAGAAGTCCTATGTGTCCTCCACCAATCTGCCTGTGCTAGCCCTT 5160 1661 F I C F Q Q K S Y V S S T N L P V L A L 1680 5161 CTACTTTTGCTGTATGGGTGGTCAATCACACCTCTCATGTACCCAGCCTCCTTTGTGTTC 5220 1681 L L L Y G W S I T P L M Y P A S F V F 5221 AAGATCCCCAGGACAGCCTATGTGGTGCTCACCAGCGTGAACCTCTTCATTGGCATTAAT 5280 1701 K I P S T A Y V V L T S V N L F I G I N 1720 5281 GGCAGCGTGGCCACCTTTGTGCTGGAGCTGTTCACCGACAATAAGCTGAATAATATCAAT 5340 1721 G S V A T F V L E L F T D N K L N N I N 1740 5341 CATATCCTGAAGTCCGTGTTCTTGATCTTCCCACATTTTTGCCTGGGACGAGGGCTCATC 5400 1741 D I L K S V F L I F P H F C L G R G L I 1760 5401 GACATGGTGAAAAACCAGGCAATGGCTGATGCCCTGGAAAGGTTTGGGGAAAATCGCTTT 5460 1761 D M V K N Q A M A D A L E R F G E N R F 1780 5461 GTGTCACCATTATCTTGGGACTTCGTGGGACGAAACCTCTTCGCCATGGCCGTGGAAGGG 5520 1781 V S P L S W D L V G R N L F A M A V E G 5521 GTGGTGTTCTTCCTCATTACTGTTCTGATCCAGTACAGATTCTTCATCAGGCCCAGACCT 5580 1801 V V F F L I T V L I Q Y R F F I R P R P 1820 5581 GTAAATGCAAAGCTATCTCCTCTGAATGATGAAGATGAAGATGTGAGGCGGGAAAGACAG 5640 1821 V N A K L S P L N D E D E D V R R E R Q 1840 $5641\ \mathtt{AGAATTCTTGATGGTGGAGGCCAGAATGACATCTTAGAAATCAAGGAGTTGACGAAGATA}\ 5700$ 1841 R I L D G G G Q N D I L E I K E L T K I 1860 5701 TATAGAAGGAAGCCTGCTGTTGACAGGATTTGCGTGGGCATTCCTCCTGGTGAG 5760

WO 00/18912 PCT/EP99/06991

1861	Y	R	R	ĸ	R	к	₽	Α	v	D	R	I	С	v	G	I	P	P	G	E	1880
5761	T	CTI	TGG	GCT	CCI	'GGC	AGI	TAA	TGO	GGC	TGG	AAA	ATC	ATC	AAC	TTT	CAA	GAT	GTT	AACA	5820
1881	С	F	G	L	L	G	v	N	G	A	G	ĸ	S	s	T	F	К	М	L	T	1900
5821	G	AGA	TAC	CAC	TGT	TAC	CAC	AGG	AGA	TGC	TTT	CCI	A AT'	CAG	AAA	TAG	TAT	CTT	ATC	AAAC	5880
1901	G	D	T	Т	v	Т	R	G	D	Α	F	L	N	R	И	s	I	L	s	N	1920
5881	A.	CCA	TGA	AGT	ACA	TCA	GA	CAI	'GGG	CTA	CTG	CCC	TCA	GTI	TGA	TGC	CAT	CAC	AGA	GCTG	5940
1921	<u> </u>	н	E	v	H	Q	N	М	G	Y	С	P	Q	F	D	Α	I	т	Е	L	1940
5941	T	GAC	TGG	CAG	AGA	ACA	CGI	GCA	GTI	CTI	TGC	CCI	TTI	GAG	AGG	AGT	CCC	AGA	GAA	AGAA	6000
1941	<u>L</u>	Т	G	R	E	Н	<u>v</u>	E	F	F	A	L	L	R	G	v	P	E	K	E	1960
6001	G	TGG	CAA	.GGT	TGG	TGA	GTC	GGC	CAT	TCG	GAA	ACT	'GGC	CCI	CGT	GAA	GTA	TGG	AGA	АААА	6060
1961	<u>v</u>	G	к	v	G	Ę	W	A	Ĭ	R	ĸ	L	G	L	v	К	Y	G	E	<u>K</u>	1980
6061	T	TGC	TGG	TAA	CTA	TAG	TG	AGG	CAA	CAA	ACG	CAA	GCT	CTC	TAC	AGC	CAT	GGC	TTT	GATC	6120
1981	Y	A	G	N	Y	S	G	G	N	К	R	K	L	S	T	A	М	A	L	<u>I</u>	2000
6121	G	CGG	GCC	TCC	TGI	GGT	GTI	TCT	GGA	TÇ.	ACC	CAC	CAC	AGG	CAT	GGA	TCC	САА	AGC	CCGG	6180
2001	G	G	P	Р	<u>v</u>	V	F	L	D	E	P	T	T	G	M	Э	P	K	A	K	2020
6181	C	GTT	CTT	GTG	GAA	TTG	TGC	CCI	'AAC	TGI	TGT	CAA	GGA	.GGG	GAG	ATC	AGT	AGT	GCT	TACA	6240
2021	R	F	L	W	N	С	Α	L	s	v	v	к	E	G	R	s	v	V	L	T	2040
6241	T	TCA	TAG	TAT	GGA	ACA	ATO	TCA	AGC	TCI	TTG	CAC	TAG	GAT	GGC	AAT	CAT	GGT	CAA	TGGA	6300
2041	s	Н	s	М	E	E	С	E	Α	L	С	T	R	М	A	1	М	V	И	G	2060
6301	A	GTT	CAG	GTG	CCI	TGG	CAC	TGT	CCA	GCA	TCT	AAA	AAA	TAG	GTT	TGG	AGA	TGG	TTA	TACA	6360
2061	R	F	R	С	L	G	s	V	Q	Н	L	к	N	R	F	G	D	G	Y	T	2080
6361	A?	AGT	TGT	ACG	AAT	AGC	AGG	GTC	CAA	CCC	GGA	CCT	'GAA	.GCC	TGT	CCA	GGA	TTT	CTT	TGGA	6420
2081	Ι	V	v	R	I	A	G	S	N	P	D	L	K	P	V	Q	D	F	F	G	2100
6421	CI	TGC	ATT	TCC	TGG	AAG	TGT	TCC	AAA	AGA	GAA	ACA	CCG	GAA	CAT	GCT	ACA	ATA	CCA	GCTT	6480
2101	L	A	F	P	G	s	v	Þ	K	E	K	Н	R	И	M	L	Q	Y	Q	L	2120
6481	CC	ATC	TTC	ATT	ATC	TTC	TCI	'GGC	CAG	GAI	ATT	CAG	CAT	CCI	CTC	CCA	GAG	CAA	AAA	GCGA	6540
2121	р	8	s	L	s	s	L	Α	R	I	F	s	I	L	S	Q	s	ĸ	K	R	2140
6541	CI	CCA	CAT	AGA	AGA	CTA	CTC	TGT	TTC	TCA	GAC	AAC	ACT	TGA	.CCA	AGT	ATT	TGT	GAA	CTTT	6600
2141	L	Н	I	E	D	Y	s	V	S	Q	T	Т	L	D	Q	V	F	v	N	£	2160
6601	GC	CAA	GGA	.CCA	AAG	TGA	TGA	ADT	CCA	CTI	AAA'	AGA	CCI	CTC	TTA	ACA	.CAA	AAA	CCA	GACA	6660
2161	A	K	D	Q	S	D	D	D	H	L	ĸ	D	L	S	L	Н	К	N	Q	T	2180
6661	G".	TAGT	GGA	CGT	TGC	AGT	TC1	CAC	ATC	TTT	TCT	ACA	.GGA	TGA	GAA	AGT	GAA	AGA	AAG	CTAT	6720
2181	V	V	D	V	A	v	L	T	S	F	L	Q	D	E	ĸ	V	K	E	s	Y	2200
6721	G1	CATG	AAG	AAT	CCI	GTI	CAT	ACG	GGG	TGG	CTG	AAA	GTA	AAG	AGG	GAC	TAG	ACT	TTC	CTTT	6780
2201		*																			
6781															TGT	GGG	AAG	AAG	TAA	ACTG	6840
6841	G	ATAC	TGT	ACT	GAI	ACI	ATT	CAA	TGC	:AAI	IGCA	ATI	CAA	TG							6880

Figure 3

5' 1 GTACCCCCT TGCCTGGTTG ATCCTCAGGG TTCTACTTAG AATGCCTCGA

2.1	MAMATELLING	GI-MIN. HUU	ATOCCCA TO	TTTCTGCAGC	CTCCCA1Tuc
101	GUT FAAC DIT	CTCATTTCAL	CCHATGTGAA	CUADSCIAGS	CCCATCAGG
151	TTT3GCAACC	CCCT CATGCA	ST SGTTG ST S	COAPSTSACA	SUAGCAAGCC
201	IGCAGCTGCT	GUBBBBBCCAT	GCAGAGAGAG	COTGODASA:	JIGGA JAUWAC
251	CTGBBBBBBB	CAGADONGTO	SAGACAGCAA	3A6A00A333	SOFHARBADA
301	UAGTAGTAGA	GUTUTTTGGT	COCAGTAGTC	CTGAAACCAT	TOCALTCOGA
31(1	ACCTTTCTGT	AUTTAGCTTA	AGCCAGTTGG	AGTTT-CTGTC	STTTACAASS
401	AAGAGCCTTG	ATAGGAATGG	GRECTGTSC	TACOCTACTS	דיוכים ווכ כיב דד
451	randgatess	GOCOTGRAGE	GGAACACAS:	NUT DARTA DA	SPHSWATER
501	PACT DGGT 30	T 3G 3DATGOT	AGAAAJTGET	TGCCATGCC	PATTICOGN
531	GTGGTGGGGA	TTTT 3A 1000	ACCIBIATAS	ACAGA FAA ST	GAGGAD: TI
60.1	TTCACCTTAT	COTO IAAITAG	AAAAT CA DO	AG DOAAAG DO	AACAA 3-3-3-1-1
65	CAGCATAGCA	TO THE CONTRACT	DECEMBER TO SACTO	parcadeapa	7A-0A 2A 2-0A II
α . 1	2000000300	ATTOLICIONA	DRUM ITAAB	347:37-074	(April 1935
7.1	17036A00A0	20003001333	78 3 30 70 3A F	DOUBLE TART	IA PETELAA
801	AGCCAATTG:	PRATECTORA	GOTGAAGUNG	AAT DAATOO 1	CATAAATUL
8:1	T DB/JG DA/JA/J	AA DON GOGT G	God-Delta JAA	GAG 3-3 3CAA1	-TOTAGAN 30
901	AANTTOTOGG	GCACA HIGHT	G JAAGT SAGG	ABGAT JUATA	TTGGACASAA
9:1	AUTATGTDAT	TODAGGCARG	GTGAGIRAJI	CRASSEASAT	13000 00000
1001	TOOCCOGGC 16	THIT DOGNED	d recommendate	GOTODACUE.	ITGT OT GT CO
1051	CTGGAGCGAG	ATGGGTCCCA	duggerra ag ca	COMPTOCODA	rottodagoda
1101	TICAG 3CACTIT	TRUTCHITTET	37 7 7 7 63-1 17	AUG SACHTOS	CRADUTTOS
11:1	GGATUTGAAT	COTOTTICON	A DAMAGIT DAA	GOT FROM THE	0000000000
1201	AGIGTATGTT	TAAGGCACUA	CACABODTOD	$\Delta M \approx 3.00 10.000$	A 000 936 0Act
1251	#13/3/0/0A/00/03	CHANACACAS	CASTCAGAR	TOTAL SATTON	SCHOOL DESCRIPTION
13:1	AAMATCAAG	TAATGGATOT	ACNOTIFIE	PETERINITE	TITTITAGIGS
1311	ישרוין זיצווזיאט	TTTTGALACC	JA EPOTOA DE	OT STICANO 1	0.361.27034/1
1401	TOCAGT 3G CT	CAMBUTUGGO	TOAN DOG 3 0.A	AG-17.00-300T	COCAGRITICA
14:1	TGCCATTC::	CIPCUST SAGE	AT SATIASATO	GOTGGGACTA	CAG STIGODOS
1561	CCACCACACA	TAGCTAATTI	TTTGTATTTT	ragtagaga 1	GGG STTT DAT
1551	CATGTTAGCC	$\Delta GGACC \Sigma TCT$	GGATOTOOTS	ACCTOCCAAA	GTG 3TGG3AG
1601	TTACAGGTGT	GAGC TACTIGG	земескаета	SATSACTOTI	GAGA JAATAC
1651	CATTGAGAGA	AAGG DANGG D	PTROCACTIA	AACTOA SAAT	COTSTOTICT
1701	TTOTOTOTT	COATOT ANGL	GOOTGAACTC	GUTTACAGTO	ATCT BAC DTG
1751	TGGGTGAA	NUTCOA CITU	CCTGGCATAA	AAA ICTGTGC	CTCCTTTCTA
1801	GGTGAGGAGA	AAJABABABA	COT BUILT DAT	DV SAGBTGTG	SIT HIAGS
18:1	GGGACHITAGG	TBTGCTGBAA	AA.CAA.AA.TA	TOUTTACETA	GPTTTTT OG U
1901	UCCAACATGI	AAADAAC I IA	ACAAAAGCAT	FAGGGCCTGA	CACT 3 3GAG II
1951	AAA SAATTOO	TTGIDAC AT	3GATA/DCAGG	AMYGGOCCI	TATACATAT
2001	AATAAGGGO!	TINGAGATGO	TGGAG JATCT	SATATTOCAG	pare secicA
20:1	CATEGGAGTS	TGCC ITGGT3	ATTEMITATT	FACAGTTUCA	TGAACATGGC
2101	TCTGGAAACA	CCTCTGTCT3	LAGAAAATGA	GGCTTTTCTT	TTTTTGTTGG

2151	GGGGTGAACA	GAGGGC AGAG	GCCTC3G3AT	STICACICAG	CACCCCTTCC
2201	TAACCCAGCA	CTTAGCACCA	Taggracese	ACAGCAATGT	CARACHTGTS
.4351	AGT ROACAIL	ATGCCTCACT	JUDAG 33/3TC	ACTICAÇÃCO	JIFGCTSTT:
2301	GGGGCGTT35	AGTGGT PATC	TITTITITAG	TOOTCAAGCT	CUTACUTEGE
2351	AGAGAG DT GC	CCAACACCCC	odinaraded	TGC JCTHGAA	GUJAA JAAGO
24.01	AGCAGCAAGA	COCCDAADAA	CTRSCCCTCA	ITITO TOTOS	01/03/42/03/03
45.1	COTOTT ICAC	SCCATCA :AC	AGCCGCTTGA	GCCTT GGACN	TELACETE AC
.501	CCCAGCCTGG	GAACCCCCCGG	-06 Fall 3T 000	GGTGT03000	GEAGU STICAE
51.1	CONTGREETS	4000AG0000	CCCSASTICS	GGACCCGGGG	Traccesser
601	G SCAGSGSST	TODUATION	CONGULAÇÃO	OT DISSITTO SU	300301100003
2651	GAACCTGCAC	TTCAUGGGTT	CTGGTC 7GC 2	GDDCCCAGCA	G SA SCAAAAC
27 (41	AAGAGAAGA	GCACCT-SCC-3	000000000000000000000000000000000000000	COCCTTGGTG	ACGGCCAATC
0.51	303430T036	G 30 3 30 3 0 3 3	3000000000	AACCAA 900	FRAGO HIGAT
0.601	COCAGODGGA	GCCCAAGCGC	AG DU DOUA DO	003170A003	3013434763
1811	SA SCOA SOGO	AUJUTOSUOS	AC TOGIADE DE	Addittodico	000003000
1901	COAC DC DAGG	003030300	3200000191	30 <u>ATG</u> GGTAP	DIEGAT NGCC (
		63	MOSERNIALNES		
2.601	CTTTCTCGGT	00371400300	ATGGTTAGTG	AGCGCAPUUT	TOSTOUSCOG
3001	G JAACGGTTT	TATITICAAG	GAGAGCAGGA	AACACACAA	HACTOGOANG
3051	CTOGADOTSA	CAUSCOTOSS	AGBAGCGCGT	OCTUT SGGG C	SATVIJA NODAG
0101	639"ADOCTA		00.30.100377.	ממכמר מתנוא	19461 30 TM 200
3151	CCARGROOMS	CTGGGAAGCCT	OG 3G (ATGC)	20 TTG 0A 00 3	FCA BAGNGCA
5201	-OG SACTAG JT	G 3A-36-38-0.2	EDECTTALD:	7:53:7(0:10:0A:0	FOA STTG DOC
7751	TA DAAGT 130	ACCGATE 3C 1	TTRACITSAT	12TTOT333	2021/21/20 007
5001	ECCEAGOTES	GGAC 2010A3	GCCACIOGE :	ACTREGGAAGE	COLOGRAGOT
5351	TGGGCCGGAG	GGAA 3A 3 3G 3	AGUTGAAGAA	39-34A(31000	00.303c/G0G/3
3401	CT 37 366077	GG3GACC3333	GACTOCTOGG	0.50AT65533A	GUNA JG DOA 3
2451	GCAN JGT DTG	GGGANCAAAA	GAGGAAGU II I	110000AGAJA	: 10GGAGCTO
3501	GACTIGNALTER	00 31			

Figure 4

c, *i*

- 1 CTTGGTG: CG (LAPGCATOST GSTGCTCATO TETCTGGCCT ECCAGCAGAG
- \$1 GGCATATUTG GOOGGTGOGA ADMIGGOTTGT TOTOMORT; TTGCTACTAT
- 101 TGTAT3G TG GTOGATCACA CODETCATST ADSCRIBEDT DITTORTORT
- 151 TCCGTGC/CA GCACAGCITA TITGGTGCTC ADCTGCATAA ACCTUTTTAT
- POI TGGCATCHART BRANGER PRO CONDUCTION CONTRACTE OF FOR SATO
- 251 AGAAGCTOCA GGAGGIGAGO CGGATCTTGA AACAGGTWTY CCITATCTTL
- 301 CCCACTTOTS CTISGGCCGG GGGCTTATTG ACATGGTGC: GNAACCAGGC
- 351 CATGGCTGAT GCCTTTGANG CCTTGGGAAA AAGCCAGTTC AAGTACDCTG

WO 00/18912 PCT/EP99/06991

- 9/42 -

401	NCTTGGAAGG	TGGCGGAAGA	ACCTTTTGGC	ATGGGAACAJ	J JCC JCTTTT
451	CCTTCTCTTC	ACACTANTGT	TCAAGCACCG	AAGCCAACTC	NIGCONCANG
501	CCCAGGTAAG	GICTCTGCCA	CTCCTGGAGA	GAGAGGAGGA	TGTA3CCCGT
551	GAACGGGA3C	GGGTGGTCCA	AGGAGCCACC	CAGGGGGATS	THITTIGTGOT
681	GAGGAACTTG	ACCAAGGTAT	ACCGTGGGCA	GAGGATGUCA	JOIGITGACC
651	GCTTGTGCCT	GEGGATTCCC	COTGGTGAGP	GTTTTG3GCT	CTRACGTUTG
701	AACGGAGCAG	GUAAGACGTC	CACGTTTCGC	ATGGTGACGG	GGGACACATT
751	GGOCAGCA:3G	GGCGAGGCTG	TUCTGGCAGG	CCACAGDG 3G	CONTRACTO
801	CASTISTICC DC	ACCTONAGGG	CAGGCNCA FIT	סכים בים בים בים מידים	AACCMAGTHC
951	TGOGCACCTA	AGCATGGGAT	A-JTGCCCTNA	ATCCGATGCC	ALCITTGAGC
901	TGTTGACGGG	CCGCGAGCAC	CIGGAGCT3C	TTGCGCGCCT	COGOGGTGTC
951	CCGGAGGCCC	AGGTTCCCCA	NACCGNTGUC	TOGGGCCT3G	CGCGTCTGGG
1001	ACTOTOATGG	TACGCAGASC	GBCCTGCAGB	CACCTACAGG	AADDTGCCCS
105 1	KGTG300GCI	CGAGCC INTA	NNTGAAGTA	3'	

Figure 4b

...CTCCTGCCAC AGTTAGTGAR CCCTATCCAG AGGGTGGCAG GRGCCAAGGA NOTACTTTAA GCCCACAGAT ATTCTGTCCC CAGGGCCGAGG GTGAGGTLTC...

- 10/42 -

Figure 5

CDNA-sequences of lipid sensitive Genes:

ABCB9. ABCB4, ABCC4, ABCB1, ABCB1, ABCB4, ABCC2, ABCD1, ABCC1, ABCB6, ABCB11, ABCG2, ABCC5, ABCB5, ABCG1, ABCB3

ABCB3 GENBANK: U66676

GUCAATGNCACGGTTTCATCATGGAACTCCAGGACGGCTACAGCACAGAGACAGGGGAGAC AGGGGGCCAGCTGTCAGGTGSCCAGAAGCASCGGGTGGCCATGGCCGNGGCTCTGSTGC GGAACCCCCAGTCCTCATCCTGGATGAGCCACCAGCGCTTTGGATGCCGAGAGCGAGT A TOTGA TOUAGCAGGO CA TOCA TOGGA A COTGT CA GAAGCA COGTA OTCA TOA TOGGO CACCGGCTGAGCACGCTGGAGCACGCGCACCTCATTGTGGTGCTGGACAAGGGCCGCGTA ${\it GTGCAGCAGGGGCACCCAGCAGGGGGTTGCTTGCCCCAGGGGGGGTTTTACGGGGAAGGTN}$ GITGCAGCGGCAGATGTGGGGTTTCAAGGCCGCAGACTTCACAGCIGGCCACAACGAGCC TOTA JOCA ACGGGTCA CA AGGGCTGA TGGGGGGGCCCCTCCTCCCCCGG GTGGCA GA GAC DOGGTGCCTGCCTGGCAGATGTGCDCACGGAGGTTTCCAGDTGCDCTACCGAGGC JIGCAGUA ETGAAAGAEGACOTGOCATETECEATGATCACEGETTNTGCAATETTGOCCE TGGTUCCTGCCCCATTCCCAGGGCACTCTTACCCCNNNCTGGGGGGATGTCCAAGAGCATA GTCCTCTCCCCATACCCCTCCAGAGAAGGGCTTCCCTGTCCGGAGGGGAGACACGGGGAA CGGGATTTTCCGTCTCTCCCTCTTGCCAGCTCTGTGAGTCTGGCCAGGGCGGGTAGGGAA PUTGGAGGGCATCTUTETGCCAATTGCECGCTGCCAATCTAAGCCAGTCTCACTGTGACC ACACGAAACCTCAACTGGGGGGTGAGGAGCTGGCCAGGTGTGGAGGGGCCCTCAGGTGGC COMAGGOOGGAACCOAGATTTOGOOGOTOGTCAATGAACCCCTTGGOTGGCAGCCGCCCCTC CCCACACCEGECCTGTGCTGTGTTETEGAGGCCACGTGGACETTCATGAGATG LATT CTCTTCTGTCTTTGGTGGANGGGATGGTGCAAAGCCCA GGATCTGGCTTTGCCAGAGGTT $\verb"JCAACATGTTSAGAJAACCCGGTCAATAAAGTGTACTAGCTGTTACCCGGT"$

ABCA6 GENBANK: U66680

ABCC4 GENBANK: U66682

ABCA1 Acc.Nr.: AJ012376 GENBANK:H3A012376

 ${\it CAAACATGTCAGCTGTTACTGGAAGTGGCCTGGCCTGATTTATCTTCCTGATCCTGATC}$ ${\tt TCTGTTCGGCTGAGCTACCCACCCTATGAACAACATGAATGCCATTTTCCAAATAAAGCC}$ ATGCCCTCTGCAGGAACACTTCCTTGGGTTCAG3GGATTATCTGTAATGCDAACAACOJC TGTTTCCGTTACCCGACTCCTGGGGAGGCTCCCGGAGTTGTTGGAAACTTTAACAAATCCATTGTGGCTCGCCTGTTCTCAGATGCTCGGAGGCTTCTTTTATACAGCCAGAAAGACACC AGCATGAAGGACATGCGCAAAGTTCTGAGAACATTACAGCAGATCAAGAAATCCAGCTCA AACTTGAAGCTTCAAGATTTCCTGGTGGACAATGAAACCTTCTCTGGGTTCCTGTATCAC AACCTCTCTCCCAAAGTETACTGTGGACAAGATGETGAGGGETCATGTCATTCTCCA AAGGTATTTTTGCAAGGCTACCAGTTACATTTGACAAGTCTGTGCAATGGATCAAAATCA GAAGAGATGATTCAACTTGGTGACCAAGAAGTTTCTGAGCTTTGTGGCCTACCAAGGGAG AAACTGGCTGCAGCAGAGCGAGTACTTCGTTCCAACATGGACATCCTGAAGCCAATCCT3 AGAACACTAAACTCTACATCTCCCTTCCCGAGCAAGGAGCTGGCCGAAGCCACAAAAACA TTGCTGCATAGTCTTGGGACTCTGGCCCAGGAGCTGTTCAGCATGAGAAGCTGGAGTGAC ATGCGACAGGAGGTGATGTTTCTGACCAATGTGAACAGCTCCAGCTCCTCCACCCAAATC TCTCTCAACTGGTATGAGGACAACAACTACAAAGCCCTCTTTGGAGGCAATGGCACTGAG

GAAGATGCTGAAACCTTCTATGACAACTCTACAACTCCTTACTGCAATGATTTGATGAAG AATTTGGAGTCTAGTCCTCTTTCCCGCATTATCTGGAAAGCTCTGAAGCCGCTGCTCGTT GGGAAGA TUUTGTATACACUTGACAUTCUAGUUACAAGGUAGGTCATGGUTGAGGTGAAC AAGACCTTCCAGGAACTGGCTGTSTTCCATGATCTGSAAGGCATGTGGSAGGAACTCAGC CCCAAGA TOTGGACOTTCA TGGAGAACA GOCAAGAAA TGGAC OTTGTCCGGA TG DTGTTG JACAGCAGGGACAATGACCACTTTTGGGAACAGCAGTTGGAT 3GCTTAGATTGGACAGCC CAAGACATCGTGGCGTTTTTGGCCAAGCACCCAGAGGATGTCCAGTCCAGTAATGGTTCT GTGTACACCTGGAGAGAAGCTTTCAACGAGACTAACCAGGCAATCCGGGACCATATCT030 TTCATGGAGTGTGTCAACCTGAACAAGCTAGAACCCATAGCAACAGAAGTCTGGCTCATC nacaagtocatggagjtgctggatgaggaagttstgggctggtattgtgttcactgga ATTACTCCAGGCAGCATTGAGCTGCCCCATCATGTCAAGTACAAGATCC YAATGGACATT gacaatgtggagagacaaataaaatcaaggatgggtactgggaccctggtcctcgagct GACCCCTTTGAGGACATGCGGTACGTCTGGGGGGGCTTCGCCTACTTGCAGGATGTGGT HAGCAHGCAATCATCAGGGTGCTGACGBGCACCGAGAA LAAAACTGGTGTCTATATGCAA CAGATGCCCTATCCCTGTTACGTTGATGACATCTTTCTGCGGGTEATGAGCCGGTCAATG COCCTCTTCATGACGCTGGGCTGGATTTAGTCAGTGGCTGTGATCATCAA GGGCATCGTG TATGAGAAGGAGGCACGGCTGAAAGAGACCATGCGGATCATGGGGCCTGGACAACAGCATC CTCTGGTTTAGCTGGTTCATTAGTAGCCTCATTCCTCTTGTGAGCGCTGGCCTGCTA GTGGTCATCCTGAAGTTAGGAAACCTGCTGCCCTACAGTGATCCCAGCGTGGTGTTTTGTC PTOCTGTCCGTGTTTGCTGTGGTGACAATCCTGCAGTGCTTCCTGATTAGCACACTCTTAC TCCAGAGCCAACCT 3GCAGCAGCCTGTGGGGGCATCATCTACTTCACGCTGTACCTGCCC TACGTCCTGTGTGTGCCATGGCAGGACTACGTGGGCTTCACACTCAGATCTTCGCTAGC CTGCTGTGTGTGTGTTTTGGGTTTTGGCTGTGAGTACTTTGGCCTTTTTGAGGAGCAG GGCATTGGAGTGCAGTGGGACAACCTGTTTGAGAGTCCTGTGGAGGAAGATGGCTTCAAT CTCACCACTTCGGTCTCCATGATGCTGTTTGACACCTTCCTCTATGGGGTGATGACCTGG TACATTGAGGCTGTCTTTCCNGGCCAGTACGGAATTCCCAGGCCCTGGTATTTTCCTTGC ACCAAGTCCTACTGGTTTGGCGAGGAAGTGATGAGAAGAGCCLACCCTGGTTCCAACCAG ATTCAGAACCTGGTAAAAGTCTACCGAGATGGGATGAAGGTGGCTGTCGATGGCATGGCA CTGAATTTTTATGAGGGCCAGATCACCTCCTTCCTGGGCCACAATGGAGCCGGGGAAGAAIG GGAAAAGACATTCGCTCTGAGATGAGCACUATCCGGCAGAACCTG GGUGTCTGTCCCCCAG CATAACGTGCTGTTTGACATGCTGACTGTCGAAGAACACATCTGGTTCTATGCCCGCTTT AAAGGGCTCTCTGAGAAGCACGTGAA GGCGGAGATGGAGCAGATGCCCCTGGATGTTGGT TTGCCATCAAGCAAGCTGAAAAGCAAAACAAGCCAGCTGTCAGGTGGAATGCAGAGAAAG CTATCTGTGGCCTTGGCCTTTGTCGGGGGGGATCTAAGGTTGTCATTCTGGATGAACCAAA GCTGGTGTGGACCCTTACTCCCGCAGGGGAAATATGGGAGCTGCTGCTGAAATACCGACAA GGCCGCACCATTATTCTCTCTACAUACCACATGGATGAAGCGGGACGTCCTGGGGGACAGG ATTGCCATCATCTCCCATGGGAAGCTGTGTGTGTGTGGGCTCCTGCTGTTTCTGAAGAAC

TCCTGCAGAAACAGTAGTAGCACTGTGTCATACCTGAAAAASGAGGACAGTGTTTCTEAG AGCAGTTCTGATGCTGGCCTGGGCAGCGACCATGAGAGTGACAACGATGACAATGTC TCTGCTATCTCCAACCTCATCAGGAAGCATGTGTCTGAAGCCCGGCTGGTGGAAGACATA CTCTTTCATGAGATTGATGACCUGCTCTCAGACCTGGGCATTTCTAGTTATGGCATDTCA GAGACGACCCTGGAAGAAATATTCCTCAAGGTGGCCGAAGAGAGTGGGGGTGGATGCTGAG ACCTCAGATGGTACCTTGCCAGCAAGACGAAACAGGCGGGCCTTCGGGGACAAGCAGAGC TGTCTTUGCCCGTTCACTGAAGATGATGCTGCTGATCCAAA FGA FTCTGACATAGACCCA GAATCCAGAGAGACAGACTTGCTCAGTGGGATGGATGGAAAGGGGTCCTACCAGGTGAAA SGCTGGAAASTTACACAGCAACAGTTTGTGGCCCTTTTGTGGAAGAGACCTCTAATTGS AGACGGAGTCGGAAAGGATTTTTTDCTCAGATTGTCTTGCCAGDTGTGTTTGTCTGCATT SCCOTTGTGTTCAGGGTGATGGTGGCAGCGTTTFFCAAGTAGGGCAGGGTGGGAAGTTCAF CCCTGGATGTACAACGAACAGTA CACATTTGTCAGCAATGATGCTCCCTGAGCACGGGGA A SCOTGGAACTOTTAAACGCCCCTCACCAAAGACCCCTGGCTT SEGEACCCCCCTATA TGCAA GGAAABCCAATCCCAGACACGCCCTGCCAGGCAGGGGAGGAAGAATAGTGGACCACTGCCCCA GTTCCCCAGACCATCATGGACCTCTTCCAGAATGGGACAATGGACAATGGAGACCTTCA CCTGCATGCCAGTGTAGCAGCGNCAAAATCNAGAAGATGCTGCCTGTCTGTCTGTCCCCCAGGG GCAGGGGGGCTGCCTCCACAAAGAAACAAAACACTGCA EATATCCTTCAGGACCTG ACAGGAAGAAACATTTCGGATTATCTGGTGAAGACGTATGTGAGATCATAGCCAAAAGC TTAAAGAACAAGATCTGGGTGAATGAGTTINGGTATGGCGGCTTTTCCCTGGGTGTCAGT AATACTCAAGCACTTCCTCCGAGTCAAGAAGTTAATGATGCCGACCAAAACAAATGAAGAAA CACCTAAAGCTGGCCAAGGACAJTTCTGCAGATEGATTTCTEAACAGCTTGGGAAGATTT ATGACAGGACTGGACACCAGAAATAATGTCAAGGTGTGGTTCAATAACAAGGGCTGGCAT GCAATCAGCTCTTTCCTGAATGTCATCAACAATGCCATTCTCCGGGGCCAACCTGCAAAAG GGAGAGAACCCTAGCCATTATGGAATTACTGCTTTCAATCATCCCCTGAATCTCACCAAG CAGCAGCTCTCAGAGGTGGCTCCGATGACCACATCAGTGGATGTCCTTGTGTCCATCTGT GTCATUTTTGCAATGTCCTTOGTCOCAGCCAGCTTTGTCGTATTOCTGATCCAGGAGOGG GTCAGCAAAGCAAAACACCTGCAGTTCATCAGTGGAGTGAAGCCTGTCATCTACTGGCTC TCTAATTTTGTCTGGGATATGTGCAATTACGTTJTCCCTGCCACACTGGTCATTATCATC TTCATCTGCTTCCAGCAGAAGTCCTATGTGTCCTCCAGCAATGTGCGTGTGCTAGGCCTT CTACTTTTGCTGTATGGGTGGTCAATCACACCTCTCATUTACCCAGCCTCCTTTGTGTTC AAGATCCCCAGCACAGCCTATGTGGTGCTCACCAGCGTGAACCTCTTCATTGGCATTAAT GGCAGCGTGGCCACCTTTGTGCTGGAGCTGTTCACCGACAATAAGCTGAATAATATCAAT GATATCCTGAAGTCCGTGTTCTTGATCTTCCCACATITTIGCCTGGGACGAGGGCTCATC GACATGGTGAAAAACCAGGCAATGGCTGATGCCCTGGAAAGGTTTTGGGGGAGAATCGCTTT GTGTCACCATTATCTTGGGACTTGGTGGGAGGAACCTCTTCGCCATGGCCGTGGAAGGG GTGGTGTTCTTCCTCATTACTGTTCTGATCCAGTACAGATTCTTCATCAGGCCCAGACCT GTAAATGCAAAGCTATCTCCTCTGAATGATGAAGATGAAGATGTGAGGCGGGAAAGACAG

AGAATTCTTGATGGTGGAGGCCAGAATGACATCTTAGAAATCAASGAGTTGACGAAGATA ${\tt TATAGAAGGAAGCCGGAAGCCTGCTGTTGACAGGATTTGCGTGGGCATTCCTCCTGGTGAG}$ TGCTTTGGGCTCCTGGGAGTTAATGGGGCTGGAAAATCATCAACTTTCAAGATGTTAACAGGAGATACCACTGTTACCAGAGGAGATGCTTTCCTTAACAGAAATAGTATCTTATCAAAC ATCCATGAAGTACATCAGAACATGGGCTACTGCCCTCAGTTTGATGCCATCACAGAGCTG TTGACTGGGAGAGAACACGT3GAGTTCTTTGCCCTTTTGAGAGGAGTCCCAGAGAAAGAA GTTGGCAAGGTTGGTGAGTGGGCGATTCGGAAACTGGGCCTCGTGAAGTATGGAGAAAAA TATGCTGGTAACTATAGTGGAGGCAACAAACGCAAGCTCTCTACAGCCATGGCTTTGATC GGCGGGCCTCCTGTGGTGTTTCTGGATGAACCCACCACAGGCATGEATCCCAAAGCCCGG CBBTTCTTGTGGAATTGTGCCCTAAGTGTTGTCAAGGAGGGGGAGATCAGTABTGCTTACA TETCATAGTATGGAAGAATGTGAAGCTETTTGCACTAGGATGGCAATCATGGTCAATGGA AGGTTCAGGTGCCTTGGCAGTGTCCAGGATCTAAAAATAGGTTTGGAGATGGTTATACA A l'AGTTGTACGAATA GCAGGGTCCAACCCGGACCTGAAGCCTGTUCAGGAT L'TCTTTGGA STTGCATTTCCTGGAAGTGTTCCAAAAGAGAAAACACCGGAASATGSTACAATACCASCTT JCATCTTCATTATCTTCTGGGCCAGGATATTCAGCATGCTGTCCCAGAGCAAAAAGCGA STOCACATAGAAGASTACTSTTTTTTCAGACAACACTTGASCAAGTATTTGTGAASTTT GCCAAGGACCAAAGTGATGATGACCACTTAAAAGACCTCTCATTACACAAAAAACCAGACA $\tt GTATGAAGAATCCTGTTCATACGGGGTGCCTGAAAGTAAGAGGGACTAGACTTTCCTTT$ GCACCAT STGAAGTGTTGTGGAGAAAAGA SCCAGAAGTTUAT STGSGAAGAAGTAAACTG GATACTGTACTGATACTATTCAATGCAATGCAATTCAATG

ABCD2 Acc.Nr.: AJ000327 GENRANK: HSALDR

CATTTGCTGGGGATTTCTGTGAAGLATGATCTTTTAAACGAATTCTTTTGGAAGCCGGTT TGGGTAACTGGGAAAATGACACATATGCTAAATGCAGCAGCTGATCGAGTGAAATGGACC AGATCGAGTGCTGAGAGGGGCTGCCTGCTGGTGGGTGCGGGATATGCTCTGAAAACC $\tt CTCTATCCCATCATTGGCAAGCGTTTAAAGCAATCTGGCCACGGGAAGAAAAAAGCAGCA$ GCTTACCCTGCTGCAGAGAACACAGAAATACTGCATTGCAGGGAGACCATTTGTGAAAAA ${\tt CCTTCGCCTGGAGTGAATGCAGATTTCTTCAAACAGCTACTAGAACTTCGGAAAATTTTG}$ ${\tt TCAAGAACCTTTCTTTCTATCTATGTUGCTGGTCTGGATGJAAAATCGTGAAAAGCATT}$ GTGGAAAAGAAGCCTCGGACTTCATCATCAAATTAATCAAGTGGCTTATGATTGCCATC ${\tt CCTGCTACCTTCGTCAACAGTGCAATAAGGTACCTGGAATGCAAATTGGCTTTGGCCTTC}$ AGAACTCGCCTAGTAGACCACGCCTATGAAACCTATTTTACAAATCAGACTTATTATAAA $\tt GTGATCAATATGGATGGGAGGCTGGCAAACCCTGACCAATCTCTTACGGACGATATTATG$ ATGTTCTCCCAATCTGTGGCTCACTTGTATTCCAATCTGACCAAACCTATTTTAGATGTA ATGCTGACCTCCTATACACTCATTCAAACTGCTACATCCAGAGGAGCAAGCCCCAATTGGG $\tt CCCACCCTACTAGCAGGACTTGTGGTGTATGCCACTGCTAAAGTGTTAAAAGCCTGTTCT$ $\tt CCCAAATTTGGCAAACTGGTGGCAGAGGAAGCACATAGAAAAGGCTATTTGCGSTATGTG$

- 15/42 -

CACTCGAGAATTATAGCCAATGTAGAAGAAATTGCCTTTTACAGAGGACATAAGGTAGAA ATGAAACAACTTCAGAAAAGTTACAAAGCTTTAGCAGATCAGATGAACCTCATTTTATCC AAACGTTTGTGGTACATCATGATAGAACAGTTCCTGATGAAGTATGTTTGGAGCAGCAGT GGACTAATTATGGTGGCTATACCTATTATCACTGCAACTGGCTTTGCAGATGGTGAGGAT -BGCCAAAAGCAAGTTATGGTTAGTGAACGGACAGAAGCCTTTACCACTBCTCGAAATTTA CTGGCCTCTGGAGCTGATGCTATTGAAAGGATTATGTCTTCATACAAAGAGGTCACTGAA TTAGCAGGCTACACTGCTCGAGTGTACAATATGTTTTGGGTCTTTGATGAAGTAAAAAGA GGCATTTATAAGAGAACTGCTGTCATTCAAGAATCTGAAAGCCATAGCAAGAATGGAGCT AAGGTAGAATTACCTCTCAGTGACACATTGGCAATTAAAGGAAAAGTTATTGATGTGGAT CACGGAATTATTTGTGAAAATGTTCCCATAATTACACCAGCAGGAGAAGTGGTGGCTTCC AGGCTAAACTTCAAAGTAGAAGAAGGAATJCATCTTTTGATAACTJGTCCCAATGGTTST GGGAAAAGTTCTCTCTCAGAATTCTAAGTGGGCTCTGGCCTGTGTATGAAGGAGTCCTC TATAAACCACCTCCTCAACATATGTTTTATATTCCACAAAGGCCATATATGTCTCTTTGGA AG FOTTOGGGATCAAGTCATT FACOOT SATT EA GTGGATGATATGLATGATAAAG GTTAT ACAGACDAAGATOTGGAADGTATOCTA DADAATGTOCATOTOTATOADATAGTTOMAAGA GAAGGAGGATGGGATGCTGTTATGGACTGGAAAGATGTCCTGTCAGGAGGGGAAAAGCAA AGAATGGGCATGGCTCGTATGTTTTATCATAAACCAAAATATGCCTTGCTGGATGAATGT ACCAGTGCTGTCAGCATTGATGTCGAAGGAAAGATATTTCAGGGTGCAAAAAGGGGGTGCA CAGTTTGATGGTGAAGGAGGTTGGCGCTTTBAALAATTGGATACTGCTATCCGTTTGACA TTGAGTGAAGAAAACAAAAGCTAGAATCTCAGCTAGCTGGAATTCCCAAAATGCAGCAG AGACTCAATGAACTATGTAAAATTTT3GGAJAAGACTCAGT3CTGAAAACAATTAAAAAT GAAGATGAGACATCTTAATTTGTTTTGACATATTTTAAAAAGTTAATTATTAGATAAAGG CAGCAAGACATGTTTTATAAGATTTTAGCATTAAGGAAGTATATGATCTGACTTTTCAGA AGAAAATAAACAAATGCATTATGTAAGGTCAGTCATTATGACTTATACTAATTCCTAGTG AAGGCCTAATGCACTTGTAAAACAGGATTTTCTAGGTGAATTCCTGATGAATACCAGATT AAACAAGTTATAACTGAGCACCATTTGGGTTGATACCAAGTGCATAAGATTCAAACTTTG AGTGACATTTAGTCCATTTATGGTTGATATTAGGTTTAATACCTAGAATTCAAATTGATT ATTGCTAGTGGCCAACTAAACCTGTACAAAATAGCTGACAGTTTTAYTAACTAATTTCAAT ATAAAAATTGTTTTAATGGCATTTGTTGAAAGAAAAAGCATGGCTAAAATGTATCAAAT TAGTACAATCTTAAATATTTTTAATAAATCCTTTCATTTTAAAAAGAGAATTGCCAATACAGAAAAGGAGTATCCAAACAATGTCTCAACUTGATAATTTCCTTAGCAGAATTACCTATT ${\tt GCAACTTCTGTTCAGAAATACACAGCTTGTTTTTTTGCCCAAGGATGAGTCTACATTTTA}$ A GAACT GCAATGGTATAAAGGAACT TAAGGATTCT GAGAATCATAGTAATAACATACATTGGAATAGTACTTTATAATTTACAATCCCCATTTACATCATTTCACCTTAATGTTGAGGAC AATGTTTTGAAACAAATACTATTTTCCTACTTTGCTTTTGAGAAAATTGACACTCAGAC

ABCB1 Acc.Nr. M14758 GENBANK: HUMMDR1

CCTACTCTATTCAGATATTCTCCAGATTCCTAAAGATTAGAGATCATTTCTCATTCTCCT AGGAGTACTCACTTCAGGAAGCAACCAGATAAAASAGAGSTGCAACGGAAGCCAGAACAT TCCTCCT-SGAAATTCAACCTGTTTCGCASTTTCTCGAGGAATCAGCATTCAGTCAATCCG GGCCGGGAGCAGCATCTGTGGTGAGGGTGATTGGCTGGGCAGGAACAGCGCCGGGGCGT GGGCTGAGCACAGCGCTTCGCTCTCTTTGCCACAGGAAGCCTGAGCTCATTCGAGTAGCG GCTCTTCCAAGCTCAAAGAAGCAGAGGCCGCTGTTCGTTTCCTTTAGGTCTTTCCACTAA AGTOGGAGTATCTTCTTCCAAGATTTCACGTCTTGGTGGCCGTTCCAAGGAGCGCGAGGT OGGGATGGATCTTGAAGGGGACGGAATGGAGGAGGAAAGAAGAACTTTTTAAAGT gaacaataaaagtgaaaaa sataasaa sgaaaa saaaccaa st s foagts ia tittcaa t GTTTCGCTATTCAAATTGGCTTGACAAGTTGTATATGGTSGTGGGAACTTTGGCTGCCAT CATCCATGGGGCTGGACTTCCTCTCATGATGCTGGTGTTT5GAGAAATGACAGATATCTT TGCAAATGCAGGAAATTTAGAAGATCTEATGTCAAACATCACTAATAGAAGTGATATCAA TGATACAGGGTTCTTCATGAATCTBBAGGAAGACATGACCAGGTATGACGTATTATTACAG TGGAATTGGTGCTGGGTGGTGGTTGCTTACATTCAGGTTTCATTTTGGTGCCTGGC AGCTGGAAGACAAATACACAAAATTAGAAAACAGTTTTTTCATGCTATAATGCGACAGGA GATAGGCTGGTTTGATGTGCACGATGTTGGGGGAGCTTACACCCGACTTACAGATGATGT CTCTAAGATTAATGAAGTTATTGGTGACAAAATTGGAATGTTCTTTCAGTCAATGCCAAC ATTTTTCACTGGGTTTATAGTAGGATTTACACGTGGTTGGAAGGTAACCCTTGTGATTTT GGCCATCAGTECTGTTCTTGGAC FETCAG STGCTG FORGGGCAAAGATACTAT ST FCA FT ${\tt TACTGATAAAGAACTCTTAGCGTATGCAAAAGCTGGAGCAGTAGCTGAAGAGGTCTTGGC}$ AGCAATTAGAACTGTGATTGCATTTGEAGGACMMAGAAAGAACTTGAAAGGTACAACAA AAATTTAGAAGAAGCTAAAAGAATTGGGATMAGAAAGUTNTTACAGCCAATATTTCTAT AGGTGCTGCTTCCTGCTGATCTATGCATCTTATGCTCTGGCCTTCTGGTATGGGACCAC CTTGGTCCTCTCAGGGGAATATTCTATTGGACAAGTACTCACTGTATTCTTTTCTGTATT AATTGGGGCTTTTAGTGTTGGACAGGCATJTCCAAGCATTGAAGCATTTGCAAATGCAAG AGGAGCAGCTTATGAAATCTTCAAGATAATTGATAATAAGCCAAGTATTGACAGCTATTC GAAGAGTGGGCACAAACCAGATAATATTAAGGGAAATTTGGAATTCAGAAATGTTCACTT CAGTTACCCATCTCGAAAGAAGTTAAGATCTTGAAGGGCCTGAACCTGAAGGTGCAGAG TGGGCAGACGGTGGCCCTGGTTGGAAACAGTGGCTGTGGGAAGAGAGCACAACAGTCCAGCT GATGCAGAGGCTCTATGACCCCACAGAGGGGATGTTCAGTGTTGATGGACAGGATATTAG GACCATAAA TGTAAGGTTTCTACGGGAAA TCATTGGTG IGGTGAGTCAGGAACCTGTATT GTTTGCCACCACGATAGCTGAAAACATTCGCTATGGCCGTGAAAATGTCACCATGGATGA GATTGAGAAAGCTGTCAAGGAAGCCAATGCCTATGACTTTATCATGAAACTGCCTCATAA ATTTGACACCCTGGTTGGAGAGAGGGGGCCCAGTTGAGTGGTGGGCAGAAGCAGAGGAT

CGCCATTGCACGTGCCCTGGTTCGCAACCCCAAGATCUTCCTGCTCGATGAGGCCACGTC AGCCTTGGACACAGAAGCGAAGCAGT3GTTCAGGTGGCTCTGGATAAGGCCAGAAAAGG TCGGACCACCATTGTGATAGCTCATCGTTTGTCTACAGTTCGTAATGCTGACGTCATCGC TGGTTTCGATGATGGGGTCATTGTGGAGAAAGGAAATJATGATGAACTCATGAAAGAGAAA AGGCATTTACTTCAAACTTGTCACAATGCAGACAGCAJGAAATGAAGTTGAATTAJAAAA TGCAGCTGATGAATCCAAAAGTGAAATTGATGCCTTGJAAATGTCTTCAAATGATTCAAG ATCCAGTCTAATAAGAAAAAGATCAACTCGTAGGAGTGTCCGTGGATCACAAGCCCAAGA CAGAAAGCTTAGTACCAAAGAGGCTCT5GATGAAAGTATACCTCCAGTTTCCTTTTGGAGTATAAATGGAGGCCTGCAACCAGGATTTGCAATAATATTTTCAAAGATTATAGGGGTTTTTACAAGAATTGATGATCCTGAAACAAAACGACAGAATAGTAACTTGTTTTCACTATTGTT TCTAGCCCTTGGAATTATTTCTTTTATTACATTTTCCTTCAGGGTTTCACATTTGGCAA AGCTGGAGAGATCCTCACCAA SUGGCTCOGATACATGGTTTTCCGATCCATGCTCAGACA GGA TGTGAG TTGGTTTGA TGA DOCTAAAAA CACCA DTGGA GCA TTGA CTA CCAGG DTCG D CAATGATGCTGCTCAAGTTAAAGGGGCTATAGGTTCCAGGCTTGCTGTAATTACCCAGAA TATAGCAAATCTTGGGACAGGAATMATTATATCSTTCATCTATGGTTGGCAACTAACAST gttmotottagcaa ttstacuca tcattucaa tascassa sttsttoaaa tsaaaa tst GTCTGGACAAGCACTGAAAGATAA GAAAGAACTAGAAGGTGCT GGGAAGA TGGCTACTGA AGCAATAGAAAACTTCCGAACCSTTGTTTCTTTGACTEAGGAGEAGAASTTTGAACATAT GTATGCTCAGAGTTTGCAGGTAJCATACAGAAACTCTTTGAGGAAAGCACACATCTTTGJ AATTACATTTTCCTTCACCCAGGGAATGATGTATTTTTCCTATGGTGGATGTTTTCCGTT TGGAGCCTACTTGGTGGCACATAAACTCATGAGCTTTGAGGATGTTGTGTTAGTATTTT AGCTGTTGTCTTTGGTGCCATGGCCGTG 3GGCAAGTCAGTTCATTT3CTCJTGACTATGC AGTTGTATTCAACTATCCCACCCGACCGGACATCCCAGTGCTTCAGGGAACTGAGCCTGGA ggtgaagaagggccagacgctggctctggtgggcagcagtggctgtgggaagaagacagt AGAAATAAAGCGACTGAATGTTCAGTGGCTCCGAGCACACCTGGGCATCGTGTCCCAGGA GCCCATCCTGTTTGACTGCAGCATTGCTGAGAACATTGCCTATGGAGACAACAGCLGGGT GTCACTGCCTAATAAATATAGCACTAAAGTAGGAJACAAAGGAACTJAJCTCTCTJGTGG CCAGAAACAACGCATTGCCATAGCTCGTGCCCTTGTTAGACAGCCTCATATTTTGCTTTT GGATGAAGCCACGTCAGCTCTG JATACAGAAAGTGAAAAGGTTGTCCAAGAAGCCCTGJA CANAGCCAGAGANGGCCGCACCTGCATTGTGATTGCTCACCGCCTGTCCACCATCCAGAA TUCAGACTTAATAGTGGTGTTTCAGAATGGCAGAGTCAAGGAGCATGGCACGCATCAGCA GCTGCTGGCACAGAAAGGCATCTATTTTCAATGGTCAGTGTCCAGGCTGGAACAAAGGG ${\tt CCAGTGAACTCTGACTGTATGAGATGTTAAATACTTTTTAATATTTTTTTAGATATGAGA$ TTTATTCAAAGTTAAAAGCAAACACTTACAGAATTATGAAGAGGTATCTGTTTAACATTT

CCTCAGTCAAGTTCAGAGTCTTCAGAGACTTCGTAATTAAAGGAACAGAGTGAGAGACAT
CATCAAGTGGAGAGAATCATAGTTTAAACTGCATTATAAATTTTATAACAGAATTAAAG
TAGATTTTAAAAGATAAAATGTGTAATTTTGTTTATATTTTCCCATTTGGACTGTAACTG
ACTGCCTTGCTAAAAGATTATAGAAGTAGCAAAAAGTATTCAAATGTTTGCATAAAGTGT
CTATAATAAAACTAAAACTTCATGTG

ABCB4 Acc. Nr.: M23234 GENBANK: HUMMDR3

CCTGCCAGACACGCGCGAGGTTCGAGGCTGAGATGGATCTTGAGGCUGCAAAGAACGGAA AAAGGAAAAAACGAAGACAGTGAAAATGATTGGAGTATTAACATTGTTTCGATACTCCG ATTGGCAGGATAAATTGTTTATGTCGCTGGGTACCATCAT 3GCCATAGCTCACGGATCAG GAAAJTTCTCCTTTCCAGTGAACTTTTCCTTGTCGCTGJTAAATCCAGJCAAAATTCTG3 AAGAAGAAATGACTAGATATGCATATTACTACTCAGGATTGGGGGCTGCAGTTCTTGTTG CTGCCTA FATACAAGTTTCATTTTGGACTTTGGCAGCTGG FCGACAGATCAGGAAAAT FA GGCAGAAGTTTTTCATGCTATTCTACGACA FGAAATAGGATGGTTTGACATCAATGACA CCACTGAACTCAATACGCGGCTAACAGATGA CATCTCCAAAATCAGTGAAGGAATTGGTG ACAAGGTTGGAATGTTCTTTCAAGCAGTAGCCACGTTTTTTGCAGGATTCATAGTGGGAT TCATCAGAGGATGGAAGCTCACCCTTGTGATAATGGCCATCAGCCCTATTCTAGGACTCT CTSCAGCCGTTTGGGCAAAGATACTCTCGGCATTTASTGACAAAGAACTASCTGCTTATG CANAAGCAGGCGCCGTGGCAGAAGAGGCTCTGGGGGCCATCAGGACTGTTAAGCTTTAG GGGGCCAGAACAAAGAGCTGGAAAGGTATCAGAAACATTTAGAAAATGCCAAAGAGATTG GAATTAAAAAAGCTATTTCAGCAAACATTTCAATGGGTATTGCCTTCCTGTTAATATATC CATCATATGCACTGGCCTTCTGGTATGGATCCACTCTAGTCATATCAAAA GAATATACTA TTGGAAATGCAATGACAGTTTTTTTTTCAATCCTAATTGGAGCTTTCAGTCTTGGCCAGG CTGCCCCATGTATTGATGCTTTTGCCAATGCAAGAGGAGCAGCATATGTGATCTTTGATA TCAAAGGGAATTTGGAGTTCAATGATGTTCACTTTTCTTACCCTTCTCCAAGCTAACGTCA AGATCTTGAAGGGCCTCAACCTGAAGGTGCAGAGTGGGCAGACGGTUGCCCTGGTTGGAA GTAGTGGCTGTGGGAAGAGCACAACSGTCCAGCTGATACAGAGGCTCTATGACCCTGATG AGGGCACAATTAACATTGATGGGCAGGATATTAGGAACTTTAATGTAAACTATCTGAGGG AAATCATTGGTGTGAGTGAGGAGCCGGTGCTGTTTTCCACCA EAATTGCTGAAAATA TTTGTTATGGCCGTGGAAATGTAACCATGGATGAGATAAAGAAGJTGTCAAAGAGGGCCA GGGCCCAGCTGAGTGGTGGGCAGAAGCAGAGGATDGCCATTGCACGTGCCCTGGTTCGCA ACCCCAAGATCCTTCTGCTGGATGAGGCCACGTCAGCATTJGACACAGAAAGTGAAGCTS AGGTACAGGCAGCTCTGGATAAGGCCAGAGAAGGCCGGACCACCCATTGTGATAGCACACC CACTGTCTACGGTCCGAAATGCAGATGTCATCGCTGGGTTTGAGGATGGAGTAATTGTGG AGCAAGGAAGCCACAGCGAACTGATGAAGAAGGAAGGGTGTACTTCAAACTTGTCAACATGCAGACATCAGGAAGCCAGATCCAGTCAGAAGAATTTGAACTAAATGATGAAAAGGCTG

- 19/42 -

CCACTAGAA TGGCCCCAAATGGCTGGAAATCTCGCCTATTTAGGCATTCTACTCAGAAAA ACCTTAAAAATTCACAAATGTGTCAGAAGAGCCTTGATGTGGAAACCGATGGACTTGAAG CAAATGTGCCACCAGTGTCCTTTCTGAAGGTCCTGAAACTGAATAAAACA JAA PGGCCCT ACTTTGTCGTGGGAACAGTATGTGCCATTGCCAATGGGGGGCTTCAGCCGGCATTTTCAG TCATATTCTCAGAGATCATAGCGATTTTTGGACCAGGCGATGATGCAGTGAAGCAGCAGA AGTGCAACATATTCTCTTTGATTTTCTTATTTCTGGGAATTATTTCTTTTTTACTTTCT TCCTTCAGGGTTTCACGTTTGGGAAAGCTGGGGAGATCCTCACCAGAAGACTGGGGTCAA TGGCTTTTAAAGCAATGCTAAGACAGGACATGAGCTGGTTTGATGACCATAAAAACAGTA CTGGTGCACTTCTACAAGACTTGCCACAGATGCTGCCCAAGTCCAAGGAGCCACGCAA CCAGGTTGGCTTTAATTGCACAGAATATAGCTAACCTTGGAACTGGTATTATCATATCAT TTATCTACGGTTGGCAGTTAACCCTATTGCTATTAGCAGTTGTTCCAATTATTGCTGTGTCAGGAATTGTTGAAATGAAATTGTTGGCTJGAAATGCCAAAAGAGATAAAAAAGAACTGG AAGCTGCTGGAAAGATTGCAACAGAJGCAATAGAAAATATTAGGACAGTTGTGTTTTGA CCCAGGAAAGAAATTTGAATCAATGTATGTTGAAAAATTGTATGGACCTTACA 3GAATT CTGTGCAGAAGGCACACCTCTATGGAATTACTTTTAGTATCTCACAAGCATTTATGTATT TTTCCTATGCCGGTTGTTTTCGATTTGGTGCATATCTCATTGTGAATGGACATATGCGCT TCAGAGATGTTATTCTGGTGTTTTTCTGCAATTGTATTTGGTGCAGTGGCTUTAGGACATGCCAGTTCATTTGCTCCAGACTATGCTAAAGCTAAGCTGTCTGCAGCCCACTTATTCATGC TGTTTGAAAGACAACCTCTGATTGACAGCTACAGTGAAGAGGGGGGTGAAGCCTGATAAAT TTGAAGGAAATATAACATTTAATGAAGTCGTGTTCAACTATCCCACCCGAGCAAACGTGC CAGTGCTTCAGGGGCTGAGCCTGGAGGTGAAGAAAGGCCAGACACTAGCCCTGGTGGGCA GCAGTGGCTGTGGGAAGAGCACGGTGGTCCAGCTCCTGGAGCGGTTCTACGACCCCTTGG CGGGGACAGTGCTTCTCGATGGTCAAGAAGCAAAGAAACTCAATGTCCAGT3GCTCAGAG CTCAACTCGGAATCGTGTCTCAGGAGCCTATCCTATTTGACTGCAGCATTGCCGAGAATATTGCCTATGGAGACAACAGCCGGGTTGTATCACAGGATGAAATTGTGAGTGCAGJCAAAG CTGCCAACATACATCCTTTCATCGAGACGTTACCCCACAAATATGAAACAAGAGTGGGAG ATAAGGGGACTCAGCTCTCAGGAGGTCAAAAACAGAGGATTGCTATTGCCCGAGCCCTCA ${\tt TCAGACAACCTCAAATCCTCCTGTTGGATGAAGCTACATCAGCTCTGGATACTGAAAGTS}$ AAAAGGTTGTCCAAGAAGCCCTGGACAAAGCCAGAGAAGGCCGCACCTGCATTGTGATTJ CTCACCGCCTGTCCACCATCCAGAATGCAGACTTAATASTGGTGTTTCAGAATGGGAGAS TCAAGGAGCATGGCACGCATCAGCAGCTGCTGGCACAGAAAGGCATCTATTTTTCAATG3 TCAGTGTCCAGGCTGGGACACAGAACTTATGAACTTTTGCTACAGTATATTTTAAAAATAAATTCAAATTATTCTACCCATTTT

ABCC2 Acc. Nr.: U49248 GENBANK: HSU49248

AGGATAATTCCTGTTCCACTTTCTTTGATGAAACAAGTAAAGAAGAAACAACAACAATCAT ATTAATAGAAGAGTCTTCGTTCCAGACGCAGTCCAGGAATCATGCTGGAGAAGTTCTGCA ACTCTACTTTTGGAATTCCTCATTCCTGGACAGTCCGGAGGCAGACCTGCCACTTTGTT TTGAGCAAACTGTTCTGGTGTGGATTCCCTTGGGCTTCCTATGGCTCCTGGCCCCCTGGC AGCTTCTCCACGTGTATAAATCCAGGACCAAGAGATCCTCTACCACCAAACTCTATCTTG

CTAAGCAGGTATTCGTTGGTTTTCTTCTTATTCTAGCAGCCATAGAGCTGGCCCTTGTACTCACAGAAGACTCTGGACAAGCCACAGTCCCTGCTGTTCGATATACCAATCCAAGCCTCT ACC TAGGCA CATGGCTCCTGGTTTTGCTGATCCAATACAGCAGACAATGGTGTGTACA GA AAAACTCCTGGTTCCTGTCCCTATTCTGGATTCTCTGGATACTCTGTGGCACTTTCCAAT TTCAGACTCTGATCCGGACACTCTTACAGGGTGACAATTCTAATCTAGGCTACTCCTGCC ${\tt TGTTCTTCATCTCCTACGGATTCCAGATCCTGATCTTTTCAGCATTTTCAGAAA}$ ATAATGAGTCATCAAATAATCCATCATCCATAGCTTCATTCCTGAGTAGCATTACCTACA GCTGGTATGACAGCATCATTCTGAAAGGCTACAAGCGTCCTCTGACACTCGAGGATGTCT GGGAAGTTGATGAAGAGATGAAAACCAAGACATTAGTGAGCAAGTTTGAAACGCACATGA AGAGAGAGCTGCAGAAAGCCAGGCGGGCACTCCAGAGACGGCAGGAGAAGAGCTCCCAGC AGAACTCTGGAGCCAGGCTGCCTGGCTTGAACAAGAATCAGAGTCAAAGCCAAGATGCCC TTGTCCTGGAAGATGTTGAAAAGAAAAAAAGAAGTCTGGGACCAAAAAAGATGTTCCAA AATECTGGTTGATGAAGGCTCTGTTCAAAACTTTCTACATGGTGCTCCTGAAATCATTCC TACTGAAGCTAGTGAATGACATUTTCACGTTTGTGAGTCCTCAGCTGCTGAAATTGCTGA TCTCCTTTGCAAGTGACCGTGACACATATTTGTGGATTGGATATCTCTGTGCAATCCTCT TATTCACTGCG 3CTCTCATTCAGTCTTTCTGCCTTCAGTCTTATTTCCAACTGTGCTTCA AGCTGGGTGTAAAAGTACGGACAGCTATCATGGCTTCTGTATATAAGAAGGCATTGACCC TATCCAACTTGGCCAGGAAGGAGTACACCGTTGGAGAAACAGTGAACCTGATGTCTGTGG ATGCCCAGAAGCTCATGGATGTGACCAACTTCATGCACATGCTGTGGTCAAGTGTTCTAC AGATTGTCTTATCTATCTTCTTCCTAT3GAGAGAGTTU3GACCCTCAGTCTTAGCAGGT3 TTGGGGTGATGGTGCTTGTAATCCCAATTAATGGGATACTGTCCACCAAGAGTAAGAJCA ACCTCCGGAAGAAGAGCTCAAGAACCTGCTGGCCTTTAGTCAACTACAGTGTGTAGTAA TATTCGTCTTCCAGTTAACTCCAGTCCTGGTATCTGTGGTCACATTTTCTGTTTATGTCC TGGTGGATAGCAACAATATTTTGGATGCACAAAAGGCCTTCACCTTCATTACCCTCTTLA ATATCCTG3GCTTTCCCCTGAGCATGCTTCCCATGA (GATCTCCT3CATGCTCCAGGCCA GTGTTTCCACAGAGCGGCTAGAGAAGTACTTGGGAGGGGGATGACTTGGACACATCTGCCA TTCGACATGACTGCAATTTTGACAAAGCCATGCAGTTTTCTGAGGCCTCCTTTACCTGGG AACATGATTCGGAAGCCACAGTUCGAGATGTGAACUTGGACATTATGGCAGGCCAACTTG TGGCTGTGATAGGCCCTGTCGGUTUTGGGAAATJCTCCTFGATATGAGCCATGCTGGGAG AAATGGAAAATGTCCACGGGCACATCACCATCAAGGGCACCACTGCCTATGTCCCACAGJ AGTCCTGGATTCAGAATGGCACCATAAAGGACAACATCCTTTTTGGAACAGAGTTTAATG AAAAGAGGTACCAGCAAGTACTGGAGGCCTGTGCTCCTCCCCAGACTTGGAAATGCTG J CTGGAGGAGATTTGGCTGAGATTGGAGAGAGGGTATAAATCTTAGTGGGGGTCAGAAGT CCCTGTCTGCAGTGGATGCTCATGTAGGAAAACATATTTTTAATAAGGTCTTGGGCCCCCA ATGGCCTGTTGAAAGGCAAGACTCGACTCTTGGTTACACATAGCATGCACTTTCTTCCTCAAGTGGATGAGATTGTAGTTCTGGGGAATGGAACAATTGTAGAGAAAGGATCCTACAGTG

CTCTCCTGGCCAAAAAAGGAGAGTTTGCTAAGAATCTGAAGACATTTCTAAGACATACAJ ${\tt GCCCTGAAGAGGGAAGCCACACTCCATGATGGCAGTGAAGAAGAAGAAGAAGAAGATCACTATGGGC}$ TGATATCCAGTGTGGAAGAGATCCCCGAAGATGCAGCCTCCATAACCATGAGAAGAGAGA AAGGACAAAAACTAATTAAGAAGGAATTCATAGAAACTGGAAAGGTGAAGTTCTCCATCTACCTGGAGTACCTACAAGCAATAGGATTGTTTTCGATATTCTTCATCATCCTTGCGTTTG TGATGAATTCTGTGGCTTTTATTGGATCCAACCTCTGGCTCAGTGCTTGGACCAGTGAC! CTAAAATCTTCAATAGCACCGACTATCCAGCATCTCAGAGGGACATGAGAGTTGGAGTCT ACGGAGCTCTGGGATTAGCCCAAGGTATATTTGTGTTCATAGCACATTTCTGGAGTGCCT TTGGTTTCGTCCATGCATCAAATATCTTGCACAAJCAACTGCTGGAACAATATCCTTCGAG CACCTATGAGATTTTTTGACACAACACCCCACAGGCCGGATTGTGAACAGGTTTGCCGGCG ATATTTECACAGTGGATGACACCCTGCCTCAGTCCTTGCGCAGCTGGATTAGATGCTTCC TGGGGATMATCAGCACCCTTGTCATGATGTGTGTGTGTGTGTGTGTGAGCATGA TCATTCCTCTTGGCATTATTTATGTATCTGTTCAGATGTTTTATGTGTTACCTCCCGCCC AGCTGAGGGGTCTGGACTCTGTCACCAGGTCCCCAATCTACTCTCACTTCAGGGAGAGGG TATCAGGTTTGCCAGTTATCCGTGCCTTTGAGCAGCAGCAGCAGCATTCTGAAACACAATJ AGGAGAGGATTSACACCAACCAGAAATGTGTCTTTTCCTGGA FCACCTCCAACAGGTGGC TTGCAATTCGCCTGGAGCTGGTTGGGAACCTGACTGTCTTCTTTCAGCCTTGATGATGG TTATTTATAGAGATAGCCTAAGTGGGGGACACTGTTGGCTTTGTTGTGTGCAATGCACTCA ATATCACACAAACCCTGAACTGGCTGGTGAGGATGACATCAGAAATAGAGACCAACATTU TGGCTGTTGAGCGAATAACTGAGTACACAAAAGTGGAAAATGAGGCACCCTGGGTGACTG ATAAGAGGCCTCCGCCAGATTGGCCCAGCAAAGGCAAGATCCAGTTTAACAACTACCAAG TGCGGTACCGACCTGAGCTGGATCT3GTC3TCAGAGGGATCACTTGTGACATCGGTAGCA TGGAGAAGATTGGTGTGGGGGGGGAGGACAGGAGGTGGAAAGTCATCCCTCACAAACTGCC TCTTCAGAATCTTAGAGGCTGCCGGTGGTCAGATTATCATTGATGGAGTAGATATTGCTT CCATTGGGCTCCACGACCTCCGAGAGAAGCTGACCATCATCCCCCCAGGGACCCCATCCTGT TCTCTGGAAGCCTGAGGATGAATCTCGACCCTTTCAACAACTACTCAGATGAGGAGTTT ${\it GGAAGGCCTTGGAGCTGGCTCACCTCAAGTCTTTTGTGGCCAGCCTGCAACTTGGGTTAT}$ CCCACGAAGTTACAGAGGCTGGTGGCAACCTGAGCATAGGCCAGAGGCAGCTGCTGTGCC TGGGCAGGGCTCTGCTTCJGAAATCCAAGATCCTGGTCCTGGATGAGGCCACTGCTGCGG TGGATCTAGAGACAGACAACCTCATTCAGACGACCATCCAAAACGAGTTCGCCCCACTGCA CAGTGATCACCATCGCCCACAGGUTGCATACCATCATGGACAGTGACAAGGTAATGGTCC TAGACAACGGGAAGATTATAGAGTACGGCAGCCCTGAAGAAC IGCTACAAATCCCTGGAC CCTTTTACTTTATGGCTAAGGAAJCTGGCATTGAGAATGTGAACAGCACAAAATTCTAGC TATAAAATACAGAATACATACAAAAGIGTGTATAAAATGTAGGTTTTAAAAAAGGATAAG

ABCD1 Acc.Nr.: Z21876 GENBANK: HSXLALDA

AGGTGGAGAGAGAGACCCCCCCCTCTGCCCGAGACCTCTCAAGGCCCTGACCTCAGGGG CCAGGGCACTGACAGGACAGGAGAGCCAAGTTCCTCCACTTGGGCTGCCCGAAGAGGCCG DBACCCTBGAGGGCCCTGAGCCCACCGGAGCAGGGGGGCCCAGCACCACCCCEBGGGCCTA AAGCGACAGTCTCAGGGGCCATCGCAAGGTTTCCAGTTGCCTAGACAACAGGGCCAGGGT CAGAGCAACAATCCTTCCAGCCACCTGCCTCAACTGCTGCCCCAGGCACCAGCCCCAGTC DETA EGCEGECAGECAGOCCAGETBA DATGEOGGTGCINOTICALIGEOGGEGGCING COLORGIA (1936) GGAACACG ETGAAGCGCACGGECG IGETOCT EGO DOTGGGGGCCTATGGAGGCCCAAAAG PCTACCCCTTGGTGCGCCAGTGCCTGGCCCCGGCCAGTGTTCAGGCGCCCCACCGGGG AGOCCACGCAGGAGGCCTCCGGGGTCGCGGCCGAAGCTGGCATGAACCGGGTATTCC TGCAGCGGCTCCTGTGGCTCCTGCGGGCTGCTGTTCCCCGGGTCCCTGTGCCGGGAGACGG GGCTGCTGGCCCTGCACTCGGCCGCCTTGGTGAGCCGCACJTTCCTGTCGGTGTATGTGG CCCCCTGBACGCAAGGCTGCCCCCCTGCATCGCCCGCAAGGACCCGCGGGGTTTTTGGCT GGCAGCTGCTGCAGTGGCTCCTCATCGCCCTCCCTGCTACCTTCGTCAACAGTGCCATCC GTTACCTGGAGGGCCAACTGGCCCTGTCGTTCCGCAGCCGTCTGGTGGCCCACGCCTACC GCCTCTACTTCTCCCAGCAGACCTACTACCGGGTCAGCAACATGGACGGGCGGCTTCGCA ACCCTGACCAGTCTCTGACGGAGGAGGTGGTGGCCTTTGCGGCCTCTGTGGCCCACCTCT ACTCCAACCTGACCAAGCCACTCCTGGACGTGGCTGTGACTTCCTACACCCTGCTTCGGG CGGCCGGTCCCGTGGAGCCGGCACAGCCTGGCCCATCGCCGGGCCTCGTGGTGT TCCTCACGGCCAACGTGCTGCGGGGGCCTTCTCGCCCAAGTTCGGGGAGCTGGTGGCAGAGG ASGCGCGCGAAGGGGGAGCTGCGCTACATGCACTCGCGTGTGGTGGCCAACTCGGAGG ASATEGECTTETATGGGGGCCATGAGGTGGCCCTGCTACAGGGGCCTGCTACGAGG ACCTGGCCTCGCAGATCAACCTCATCCTTCTGGAACGCCTGTSGTATGTTATGCTGGAGC TOACTGCCACTGGCTACTCAGAGTCAGATGCAGAGGCCGTGAAGATGCCAGCCTTAGAAA AGAAGGAGGAGGAGCTGGTGAGCGAGCGCACAGAGCCTTCACTATTGCCCGGCAACCTCC TGACAGCGGCTGCAGATGCCATTGAGCGGATCATGTCGTCGTACAAGGAGGTGACGGAGCTGGCTGGCTACACAGCCCGGGTGCAEGAGATETTCCAEGTATTTGAAGATGTTCAGCGCT GSTCTGGTGTCCGTGTGGAGGGCCCCCTGAAGATCCGAGGCCAGGTGGTGGATGTGGAACAGGGGATCATCTGCGAGACATCCCCATCGTCACGCCCTCAGGAGAGGTGGTGGTGGCCA GCCTCAACATCAGGGTGGAGGAAGGCATGCATCTGCTCATCA LAGGCCCCAATGGCTGCG

ABCC1 Acc. Nr. L05628 GENBANK: HUMMRPX

TSCCCGGCGCCGCCGCCCASCAACCGGGGCCGATCACCGGCGCGCGGGTGCCGGC CGCCCGCGCCACCGGCATGGCGCTCCGGGGGCTCTCTGCAGCGCGGATGGCTCCGACCCGGCT OTGGGACTGGAATGTCACGTGGAATAOOA GCAACCCCGACTTCACCAAGTGCTTCAGAA CACGGTCCTCGTGTGGGTGCCTTGTTTTACCTCTGGGCCTGTTTCCCTTCTACTTCCT CITA TOTO TOCOGACA TGACOGA GGOTACA TITOAGA TGA DACOTOTOAA CAAAAACCAAAAAC TGCCTTGGGATTTTTGCTGTGGATCGTCTGCTGGGCAGACCTCTTCTACTCTTTCTGGGA AAGAAGTCGGGGCATATTCCTGGCCCCAJTSTTTCTGGTCAGCCCAACTCTCTTGGGCAT CACCACGCTGCTTGCTACCTTTTTAATTCAGCTGGAGAGGAGGAGGAAGGGAGTTCAGTCTTC AGGISATICATGCTCACTTTCTGGCTGGTAGCCCTAGTGTGTGCCCTAGCCATCCTGAGATC CAAAATTATGACAGCCTTAAAAGAGGGATGCCCAGGTGGACCTGTTTCGTGACATCACTTT CTACGTCTACTTTCCCTCTTACTCATTCAGCTCGTCTTGTCCTGTTTCTCAGATCGCTC ACCCCTGTTCTCGGAAACCATCCACGACCCTAATCCCTGCCCAGAGTCCAGCGCTTCCTT CCTGTCGAGGATCACCTTCTGGTGGAT CACAGGGTTGATTGTCCGGGGGCTACCGCCAGCC CCTGGAGGGCAGTGACCTCTGGTCCTTAAACAAGGAGGACACGTCGGAACAAGTCGTGCC TGTTTTGGTAAAGAACTGGAAGAAGGAATGCGCCAAGACTAGGAAGCAGCCGGTGAAGGT TGTGTACTCCTCCAAGGATCCTGCCCAGCCGAAAGAGAGTTCCAAGGTGGATGCGAATGA GGAGGTGGAGGCTTTGATCGTCAAGTCCCCACAGAAGGAGTGGAACCCCTCTCTGTTTAA GGTGTTATACAAGACCTTTGGGCCCTASTTCCTCATGAGCTTCTTCTTCAAGCCCATCCA CGACCTGATGATGTTTTCCGGGCCGCAGATCTTAAAGTTGCTCATCAAGTTCJTGAATGA CACGAAGGCCCCAGACTGCCAGAGGCTACTTCTACACCGTSCTGCTSTTT3 NCACTGCCTG CCTGCAGACCCTCGTGCTGCACCAGTACTTCCACATCTGCTTCGTCAGTGGCATGAGGAT CAAGAUCGCTGTCATTGGGGCTGTCTATCGGAAGGCCCTGGTGATCACCAATTCAGCCAG

GGACTTGGCCACGTACATTAACATGATCTTGGTCAGCCCCCTGCAAGTCATTCTTGCTCTCATGGTGCCCGTCAATGCTGTGATGGCCATGAAGACCAAGACGTATCAGGTGGCCCACAT GAAGAGCAAAGACAATCGGATCAAGCTGATGAACGAAATTCTCAATGGGATCAAAGTGCT GCTGAAGGTGCTGAAGAAGTCTGCCTACCTGTCAGCCTGGGTACCTTCAGCTGGGTCTG CACGCCCTTTCTGGTGGCCTTGTGCACATTTGCCGTCTACGTGACCATTGACGAGAACAA CATCCTGGATGCCCAGACAGCCTTCGTGTCTTTGGCCTTGTTCAACATCCTCCGGTTTCC COTGAGGATOTTUTOTCCCATGAGGAGOTGAAACCTGACAGCATCGAGAGCGCCTGT CAAAGACGGGGGGGGCACGAACAGCATEACCGTGAGEAATGCCACATTCACCTGGGCCAG GAGCGACCCTCCCACACTGAATGGCATCACCTTCTCCATCCCCEAAGGTGCTTTGGTGGC CSTSGTG 3GCCAG 5TGGGCTGC3GAAA 5TCGTCCCTGCTCT EA 3CCCTCTT 5GCTGAGAT GGACAAAGTGGAGGGGCACGTGGCTATCAAGGGCTCCGTGGCCTATGTGCCACAGCAGGC OTGGATT DAGAATGATTCTCTCCGAGAAAA DATUUTTTTTGGATGTCA GCTGGAGGAA DU ATATTACAGGTCCGTGATACAGGCCTGTGCCCTCCTCCCAGAGCTGGAAATCCTGCCCAG TIGGGGA TICGEA CA GAGA TTIGGEGGA GAA BAGGGGTGAA CETGTGTGTGGGGCA GAA BCA GCG CGTGAGCCTGCCCGGGCCGTGTACTCCAACGCTGACATTTACCTCTTCGATGATCCCCT otcagcagtgeatgeceatgtgegaaaacacatotttgaaaatgteattggegegaaggg GATGCTGAAGAACAAGACGCGGATCTTGGTCACGCACAGCATGAGCTACTTGCCGCAGGT GGACGTCATCGTCATGAGTGGCGGCAAGATCTCTGAGATGGGCTCCTACCAGEAGCT SCTGGCTCGAGACGCCCTTCCCTGAGTTCCTTGCTGCTATGCCAGACACAGACCAGA AATGGAGAATGGCATGCTG/FTGACGGACAGTGCAGGGAAGCAACTGCAGAGAGCTCAG CAGCTCCTCCTATAGTGGGGACATCAGCAGGCACGCACAACAGCACCCGCAGAACTGCA GAAAGCTGAGGCCAAGAAGGAGGAGACCTGGAAGCTGATGGAGGCTGACAAGGCGCAGAC AGGGCAGGTCAAGCTTTCCGTGTACTGGGACTACATGAAGGCCATCGGACTCTTCATCTC $\tt CTTCCTCAGCATCTTCCTTTTCATGTGTAACCATGTGTCCGCGCTGGCTTCCAACTATTG$ GCTCAGCCTCTGGACTGATGACCCCATCGTCAACGGGACTCAGGAGCA. MCGAAAGTCCG GCTGAGCGTCTATGGAGCCCTGGGCATTTCACAAGGGATCGCCGTGTTTTGGCTACTCCAT GGCCGTGTCCATCGGGGGGATCTTGGCTTCCGGCTGTCTGCACGTGCACCTGCACAG CATCCTGCGGTCACCCATGAGCTTCTTTGAGCGGACCCCCAGTGGGAACCTGGTGAACCG CTTCTCCAAGGAGCTGGACACAGTGGAUTCCATGATCCCGGAGGTCATCAAGATGTTCAT GGGCTCCCTGTTCAACGTCATTGGTGCCTGCATCGTTATCCTGCTGCCACGCCCATCGC CGCCATCATCCCGCCCCTTGGCCTCATCTACTTCTTCGTCCAGAGGTTCTACGTGGC TTCCTCCCGGCAGCTGAAGCGCCTCGAGTCGGTCAGCCGCTCCCCGGTCTATTCCCATTT CAACGAGACCTTGCTGGGGGTCAGCGTCATTCGAGCCTTCGAGGAGCAJGAGCGCTTCAT CCACCAGAGTGACCTGAAGGTUGACGAGAACCAGAAGGCCTATTACCCCAGCATCGTGGC

CCTGTTTGCGGTGATCTCCAGGCACAGCCTCAGTGCTGGCTTGGTGGGCCTCTCAGTGTC TTACTCATTGCAGGTCACCACGTACTTGAACTGGCTGGTTJGGATGTCATCTGAAATGGA AACCAACATCGTGGCCGTGGAGAGGCTCAAGGAGTATTCAGAGACTGAGAAGGAGGCGCC CTGGCAAATCCAGGAGACAGCTCCGCCCAGCAGCTGCCCCAGGTGGGCCCAGTGGAATT $\tt CCGGAACTACTGCCTGCGCTACGGAGGAGGACCTGGACTTCGTTCTCAGGCACATCAATGT$ CCTGACCCTGGGCTTATTTCGGATCACGAGTCTGCCGAAGGAGAGATCATCATCATGG CATCAACATCGCCAAGATCGGCCTGCACGACCTCCGCTTCAAGATCACCATCATCCCCCA JGACCCTGTTTTGTTTTCGGGTTCCCTCCGAATGAACCTGGACCCATTCAGCCAGTACTC GGATGAAGAAGTCTGGACGTCCCTGGAGCTGGCCCACCTGAAGGACTTCGTGTCAGCCCT TCCTGACAAGCTAGACCATGAA IGTGCAGAAGGCGGGGAGAACCTCAGTGTCGGGCAGCG CCAGCTTGTGTGCCTAGCCCGGGCCCTGCTGAGGAAGAAGAAGATCCTTGTGTTGGATGA GGCCAUGGCAGCCGTGGACCTGGAAAGGGACCTCATCCAGCTCAGCCCACACAACA STTCGAGGACTGCACCGTCCTCACCATCGCCCACCGGCTCAACACCATCATGGACTACAC AAGGGTGATCGTCTTGGACAAAGGAGAATCCAGGGACTA NGGCGCCCCATCGGACCTCCT GCAGCAGAGAGGTCTTTCTACAGCATGGCCAAAGACGCCGGCTTGGTGTGAGCCCCAGA GCTGGCATATCTGGTCAGAACTGCAGGGGCCTATATGCCAGGGCCCCAGGGAGGAGTCAGTA AGACCCAGGAGAGACAGAGATGCGAACCACC

ABCB6 GENBANK: AF070598

ABCB11 GENBANK: AF091582

GAATGATGAAAACCGAGGTTGGAAAAGGTTGTGAAACCTTTTAACTCTCCACAGTGGAGT CCATTATTTCCTCTGGCTTCCTCAAATTCATATTCACAGGGTCGTTGGCTGTGGGTTGCA ATTACCATGTCTGACTCAGTAATTCTTCGAAGTATAAAGAAATTTGGAGAGGAGAATGAT GGTTTTGAGTCAGATAAATCATATAATAATGATAAGAAATCAAGGTTACAAGATCAGAAG AAAGGTGATGGCGTTAGAGTTJGCTTCTTTCAATTGTTTCGGTTTTCTTCATCAACTGAC GTGCTACTCATTTTTGGCACAATGACAGATGTTTTTATTGACTACGACGTTGAGTTACAA GAACTCCAGA TTCCAGGAAAAGCATGTGTGAATAACACCATTGTATGGACTAACAGTTCC CTCAACCAGAACATGACAAATGGAACACGTTGTGGGTTGCTGAACATCGAGAGCGAAATG ATCAAATTTGCCAGTTACTATGCTGGAATTGCTGTCGCAGTATTATCACAGGATATATT CARATATGCTTTTGGGTCATTGCCGCAGCTCGTCAGATACAGAAAATGAGAAAATTTTAC $\tt TTTAGGAGAATGAGAATGGAAATAGGGTGGTTTGACTGCAATTCAGTGGGGGAGCTG$ AATACAAGATTCTCTGATGATATTAATAAAATCAATGATUJCATAGCTGACQAAATGUCQ ${\tt CTTTCATTCAGCGCATGACCTCGACCATCTGTGGTTTCCTGTTGGGATTTTTCAGGGGT}$ TGGAAACTGACCTTGGTTATTATTTCTGTCMGCCCTCTCATTGGGGTTTGGAGCAGCCACC ATTGGTCTGAGTGTCCAAGTTTACGGACTATGAGCTGAAGGCCTATGCCAAAGCAGGG $\tt GTGGTGGCTGATGAAGTCATTTCATCAATGAGAACAGTGGGTGCTTTTTGGTGGTGAGAAA$ AGAGAGGTTGAAAGGTATGAGAAAATCTTGTGTTCGCCCAGCGTTGGGGAATTAGAAAA GGAATAGTGATGGGATTCTTTACTGGATTCGTGTGTGTCTCATCTTTTTGTGTTATGCAGTGGCCTTCTGGTACGGCTCCACACTTGTCCTGGATGAAGGAGAATATACACCAGGAACC CTTGTCCAGATTTTCCTCAGTGTCATAGTAGGAGCTTTAAATCTTGGCAATGCCTCTCCTTGTTTGGAAGCCTTTGCAACTGGACGTGCAGCAGCAGCAGCATTTTTGAGACAATAGAC AGGAAACCCATCATTGACTGCATGTCAGAAGATGGTTACAAGTTGGATCGAATCAAGGGT GAAATTGAATTCCATAATGTGACCTTCCATTATCCTTCCAGACCAGAGGTGAAGATTCTA

AATGACCTCAACATGGTCATTAAACCAGGGGAAATGACAGCTCTGGTAGGACCCAGTGGA GCTGGAAAAAGTACAGCACTGCAACTCATTCAGCGATTCTATGACCCCTGTGAAGGAATG GTGACCGTGGATGGCCATGACATTCGUTCTCTTAACATTCAGTGGUTTAGAGATCAGATT GGGATAGTGGAGCAAGAGCCAGTTCTGTTCTCTACCACCATTGCAGAAAATATTCGCTAT GGCAGAGAAGATGCAACAATGGAAGACATAGTCCAAGCTGCCAAGGAGGCCAATGCCTAC AACTTCATCATGGACCTGCCACAGCAATTTGACACCCTTSTTGGAGAAGGAGGAGGCCAG ATGAGTGGTGGCCAGAACAAAGGGTAGCTATCGCCAGAGCCCTCATCCGAAATCCCAAG ATTCTGCTTTTGGACATGGCCACCTCAGCTCTGGACAATGAGAGTGAAGCCATGGTGCAA GAAGTGCTGAGTAAGATTCAGCATGGGCACACAATCATTTCAGTTGCTCATCGCTTGTCT ACGGTCAGAGCTGCAGATACCATCATTGGTTTTGAACATGGCACTGCAGTGGAAAGAGGG ACCEATGAAGAATTACTGGAAAGGAAAGGTGTTTACTTCACTCTAGTGACTTTGCAAAGC CAGGGAAATCAAGCTCTTAATGAAGAGGACATAAAGGATGCAACTGAAGATGACATGCTT GUBAGBACCTTTAGCAGAGGGAGCTACLAGGATABTTTAAGBBCTTCCATBCGGCAACGC TUCAAUTCTCAGCTTTCTTACCTUUTUUCAGACCTCCATTAGCTUTTUTAGATCATAAG TCTACCTATGAAGAAGATAGAAAGGACAAGGACATTCCTGTGCAGGAAGAAGTTGAACCT ${\tt GCCCCASTTAGGAGGATTCTGAAATTCAGTGCTCCAGAATGGCCCTACATGCTGGTAGGG}$ TCTGTGGGTGCAGCTGTGAACGGGACAGTCACACCCTTGTATGCCTTTTTATTCAGCCAG ATTCTTGGGACTTTTCAATTCCTGATAAAGAGGGAACAAAGGTCACAGATCAATGJTGTG TGCCTACTTTTGTAGCAATGGGCTGTGTATCTCTTTTCACCCAATTTCTACAGGGATAT GCCTTTGCTAAATCTGGGGAGCTCCTAACAAAAAGGCTACGTAAATTTGGTTTCAGGGCA ATGCTGGGGCAAGATATTGCCTGGTTTGATGACCTCAGAAATAGCCCTGGAGCATTGACA ACAAGACTTGCTACAGATGCTTCCCAAGTTCAAGGGGGCTGCCGGGCTCTCAGATCGGGATG ATAGTCAATTCCTTCACTAACGTCACTGTGGCCATGATCATTGCCTTCTCCTTTAGCTGG AAGCTGAGCCTGGTCATCTTGTGCTTCTTCCCCTTCTTGGCTTTATCAGGACCCCACAC ACCAGGA TGTTGACAGGATTTGCCTCTCGA GATAAGCAGGGCCCTGGAGA TGGTGGGACAG ATTACAAATGAAGCCCTCAGTAACATCCGCACTGTTGCTGGAATTGGAAAGGAGAGGCGG TTCATTGAAGCACTTGAGACTGAGCTGGAGAAGCCCTTCAAGACAGCCATTCAGAAAGCC AATATTTACGGATTCTGCCTTTGCCCTTGCCCAGTGCATCATGTTTATTGCGAATTCTGCT TCCTACAGATATGGAGGTTACTTAATCTCCAATGAGGGGCTCCATTTCAGCTATGTCTTC AGGGTGATCTCTGCAGTTGTACTGAGTGCAACAGCTCTTGGAAGAGCCTTCTCTTACACC ${\tt CCAAGTTATGCAAAAGCTAAAATATCAGCTGCACGCTTTTTTCAACTGCTGGACCGACAA}$ CCCCCAATCAGTGTATACAATACTGCAGGTGAAAAATGGGACAACTTCCAGGGGAAGATT GATTTTGTTGATTGTAAATTTACATATCCTTCTCGACCTGACCTGCCAAGTTCTGAATGGT CTCTCAGTGTCGATTAGTCCAGGGCAGACACTGGCGTTTGTTGGGAGCAGTGGATGTGGC AAAAGCACTAGCATTCAGCTGTTGGAACGTTTCTATGATCCTGATCAAGGGAAGGTGATG ATAGATGGTCATGACAGCAAAAAGTAAATGTCLAGTTCCTCCGCTCAAACATTGGAATI GTTTCCCAGGAACCAGTGTTGTTTGCCTGTAGCATAATGGACAATATCAAGTATGGAGAC AACACCAAAGAAATTCCCATGGAAAGAGTCATAGCAGCTGCAAAACAGGCTCAGCTGCAT GATTTTGTCATGTCACTCCCAGAGAAATATGAAACTAACGTTGGGTCCCAGGGGTCTCAA

CTCTCTAGAGGGGAGAACAACGCATTGCTATTGCTGGGGCCATTGTACGAGATCCTAAA ATCTTGCTACTAGATGAAGCCACTTCTGCCTTAGACACAGAAAGTGAAAAGACGGTGCAG GTTGCTCTAGACAAAGCCAGAGAGGGTCGGACCTGCATTGTCATTGCCCATCGCTTGTCC ACCATCCAGAACGCGGATATCATTGCTGTCATGGCACAGGGGGTGGTGATTGAAAAGGGG ACCCATGAAGAACTGATGGCCCAAAAAGGAGCCTACTACAAACTAGTCACCAUTGGATCC GAAGAATNTNNNTATTTTACTTTTACNNNCNTTTTCCTACATCGGAATCCAANCTAATTT GGTCCATGTGAGGGAAAACCCAATGTCAAGTGGCAGCTCAGCCACTCAGTGCTTCTC TGTGCAGGGGCCAGTCCTGATTAATATGTGGGAATTAGTGAGACATCAGGGAGTAAGTGA CACTTTGAACTCCTCAAGGACAGAGAAGTGTCTTTCATTTTTGAACCGTCGGTGTACACA GAGGCGGGTCTGTAACAGGCAATCAACAACGTTTCTTGAGCTAGACCAAGGTCAGATTT GAAAAGAACAGAAGGACTGAAGACCAGTTGTTTCTTAACTAAATTTGTCTTTCAAGTG AAACCAGCTTCCTTCATCTCTAAGGCTAAGGATAGGGAAAGGGTGGGGATGCTCTCANGCT GAGGGAGGCANAAAGGGAAAGTATTANCATGAGCTTTCCANTTAGGGCTGTTGATTTATS CTT TANCT TCANANTGAGTGTAGGGTGGT GANN STA

ABCG2 GENBANK: AF103796

TTTAGGAACGCACCGTGCACATGCTTGGTGGTCTTGTTAAGTGGAAACTGCTGTTTAGA GTTTGTTTGGAAGGTCCGGGTGACTCATCCCAACATTTACATCCTTAATTGTTAAAGCGC TGCCTCJGAGCGCACGCATCCTGAGATCCTGAGCCTTTJGTTAAGACCGAGCTJTATTAA GCTGAAAAGATAAAAACTCTCCAGATGTCTTCCAGTAATGTCGAAGTTTTTATCCCAGTG ${\tt TCACAAGGAAACACCAATGGCTTCCCCGCGACAGTTTCCAATGACCTGAAGGCATTTACT}$ GAAGGAGCTGTGTTAAGTTTTCATAACATETGCTATCGAGTAAAAETGAAGAGTGGCTTT CTACCTTGTCGAAAACCAGTTGAGAAAGAAATATTATCGAATATCAATGGGATCATGAAA CCTGGTCTCAACGCCATCCTGGGACCCACAGGTGGAGGCAAATCTTCGTTATTAGATGTC TTAGCTGCAAGGAAAGATCCAAGTGGATTATCTGGAGATGTTCTGATAAATGGAGCACCG CGA SCTGCCAATTTCAAATGTAATTCAGGTTACGTGGTACAA GATGATGTTGTGATGGGG ACTCTGACGGTGAGAGAAACTTACAGTTTTCAGCAGCTTTTCGGCTTGCAACAACTATG ACGAATCATGAAAAAACGAACGGATTAACA 3GSTCATTGAAGAGTTAGGTCTGGATAAA AGGACTAGTATAGGAATGGAGCTTATCACTGATCCTTCCATCTTGTCCTTGGATGAGCCT ACAACTGGCTTAGACTCAAGCACAGCAAATGCTGTCCTTTTGCTCCTGAAAAGGATGTCT AAGCAGGGACGAACAATCATCTCCCATTCATCAGCCTCGATATTCCATCTTCAAGTTG TTTGATAGCCTCACCTTATTGGCCTCAGGAAGACTTATGTTCCACGGGCCTGCTCAGGAG GCCTTGGGATACTTTGAATCAGCTGGTTATCACTGTGAGGCCTATAATAACCCTGCAGAC TTCTTCTTGGACATCATTAATGGAGATTCCACTGCTGTGGCATTAAACAGAGAAGAC TTTAAAGCCACAGAGATCATAGAGCCTTCCAAGGAGATAAGCCACTCATAGAAAATTA GCGGAGATTTATGTCAACTCCTCCTTCTACAAAGAGACAAAAGCTGAATTACATCAACTT

TCCGGGGGTGAGAAGAAGAAGAAGATCACAGTCTTCAAGGAGATCAGCTACACCACCTCC CAGGCCTCTATAGCTCAGATCATTGTCNCAGTCGTACTGGGACTGGTTATAGGTGCCATT TACTTTGGGCTAAAAAATGATTCTACTGGAATCCAGAACAGAGCTGGGGTTCTCTTCTTC CTGACGACCAACCAGTGTTTCAGCAGTGTTTCAGCCGTGGAACTCTTTGTGGTAGAGAAG AAGCTCTTCATACATGAATACATCAGCGGATACTACAGAGTGTCATCTTATTTCCTTGGA $\tt GTGTACTTCATGTTAGGATTGAAGCCAAAGGCAGATGCCTTCTTCGTTATGATGTTTACC$ CTTATGATGGTGGCTTATTCAGCCAGTTCCATGGCACTGGCCATAGCAGCAGGTCAGAGT ${\tt GTGGTTTCTGTAGCAACACTTCTCATGACCATCTGTTTTGTGTTTATGATGATTTTTTCA}$ ${\it GGTCTGTTGGTCAATCTCACAACCATTGCATCTTGGCTGTCATGGCTTCAGTACTTCAGC}$ ATTCCACGATATGGATTTACGGCTTTGCAGCATAATGAATTTTTTGGGACAAAACTTCTGC CCAGGACTCAATGCAACAGGAAACAA IUCTTGTAACTATJCAACATGTACTGGCGAAGAA TATTTGGTAAAGCAGGGCATCGATCTCTCACCCTGGGGGCTTGTGGAAGAATCACGTGGCCTTGGCTTGTATGATTGTTATTTCCTCACAATTGCCTACUTGAAATTGTTATTTCTTAAA AAATATTCTTAAATTTCCCCTTAATTCAGTATGATTTATUCTCACATAAAAAAGGAGCAC TTGCACAGCAGCAATTGTTTTAAAGAGATACATTTTTAGAAATCACAACAAACTGAATTA AACATGAAAGAACCCAAGACATCATGTATCGCATATTAGTTAATUTCCTCAGACAGTAAC CATGGGGAAGAATCTGGTCTAATTTATTAATCTAAAAAAGGAGAATTGAATTCTGGAAA CTCCTGACAAGTTATTACTGTCTCTGGCATTTGTTTCCTCATCTTTAAAATGAATAGGTA GGTTAGTAGCCCTTCAGTCTTAATACTTTATGATGCTATGGTTTGCCATTATTTAATATA TGACAAATGTATTAATGCTATACTGGAAATGTAAAATTGAAAATATGTTGGAAAAAAGAT TCTGTCTTATAGGGTAAAAAAGCCACCGGTGATAGAAAAAAATCTTTTTGATAAGCAC ATTAAAGTTAATAGAACTT

ABCC5 GENBANK: AF104942

TGTTGTTAGTGCTGGGCCTCCTCCTGACGGAAATCGTGCGGTCTTGGTCGCTTGCACTGA ${\tt TTAAGAAGATCCTTAAGTTAAAGAACATTAAAGAGAAATCCCTGGGTGASCTCATCAACA}$ GAGGACCCGTTGTTGCCATCTTAGGCATGATTATAATGTAATTATTCTGGGACCAACAGGCTTCCTGGGATCAGCTGTTTTATCCTCTTTTACCCAGCAATGATGTTTGCATCACGGC ${\tt TCACAGCATATTTCAGGAGAAAATGCGTGGCCGCCACGGATGAACGTGTCCAGAAGATGA}$ ATGAAGTTCTTACTTACATTAAATTTATCAAAATGTATGCCTGGGTCAAAGCATTTTCTCA GAGTGTTCAAAAAATCCGCGAGGAGGAGCGTCGGATATTGGAAAAAGCCGGGTACTTCCAGGGTATCACTGTGGGTGTGGCTCCCATTGTGGTGGTGATTGCCAGCGTGGTGACCTTCTCTGTTCATATGACCCTGGGCTTCGATCTGACAGCAGCAGCAGGCTTTCACAGTGGTGACAG TCTTCAATTCCATGACTTTTGCTTTGAAAGTAACACCGTTTTCAGTAAAGTCCCTCTCAG AAGCCTCAGTGGCTGTTGACAGATTTAAGAGTTTGTTTCTAATGGAAGAGGTTCACATGA TAAAGAACAAACCAGCCAGTCCTCACATCAAGATAGAGATGAAAAATGCCACCTTGGCAT GGGACTCCTCCCACTCCAGTATCCAGAACTCGCCCAAAGCTGACCCCCAAAATGAAAAAAG ACAAGAGGGCTTCCAGGGGCAAGAAGAGAAGGTGAGGCAGCTGCAGCGCACTGAGCATC AGGCGGTGCTGGCAGAGCAGAAAGGCCACCTCCTCCTGGACAGTGACGAGCGGCCCAGTC CCGAAGAGGAAGAAGGCAAGCACATCCACCTGGGCCACCTGCGCTTACAGAGGACACTGC acagcatccatctggagatccaagaggtaaactggttggaatctgjggcagtgtggaa GTGGAAAAACCTCTCTCATTTCAJCCATTTTAGGCCAGATGACJCTTCTAGAGGGCAGCA TTGCAATCAGTGGAACCTTCGCTTATGTGGCCCAGCAGGCCTGGATCCTCAATGCTACTC ACAGCTGCTGCCTGAGGCCTGACCTGGCLATTCTTCCCAGCAGCGALCTGALGGALATTG GAGAGCGAGGAGCCAACCTGAGCGGTGGGCAGCGCCAGAGGATCAGCCTTGCCCGGGCCT TGTATAGTGACAGGAGCATCTACATCCTGGACGACCCCTCAGTGCCTTAGATGCCCATG TGGGCAACCACCTCTCAATAGTGCTATCCGGAAACATCTCAAGTCCAAGACAGTTCTGT TTGTTACCCACCAGTTACAGTACCTGGTTGACTGTGATGAAGTGATCTTCATGAAAGAG ${\tt GCTGTATTACGGAAAGAGGCACCCATGAGGAACTGATGATTAAATGGTGACTATGCTA}$ ${\tt CCATTTTAATAACCTGTTGCTGGGAGAGACACCGCCAGTTGAGATCAATTCAAAAAAGG}$ AAACCAGTGGTTCACAGAAGAGTCACAAGACAAGGGTCCTAAAACAGGATCAGTAAAGAAGGAAAAAGCAGTAAAGCCAGAGGAAGGGCAGCTTGTGCAGCTGGAAGAGAAAGGGCAGG ${\tt GTTCAGTGCCCTGGTCAGTATATGGTGTCTACATCCAGGCTGCTGGGGGCCCCTTGGCAT}$ ${\tt TCCTGGTTATTATGGCCCTTTTCATGCTGAATGTAGGCAGCACCGCCTTCAGCACCTGGT}$ GGTTGAGTTACTGGATCAAGCAAGGAAGCGGGAACACCACTGTCACTCGAGGGAACGAGA ${\tt CCTCGGTGAGTGACAGCATGAAGGACAATCCTCATATGCAGTACTATGCCAGCATCTACG}$ ${\tt CCCTCTCCATGGCAGTCATGCTGATCCTGAAAGCCATTCGAGGAGTTGTCTTTGTCAAGG}$ ${\tt GCACGCTGCGAGCTTCCTCCCGGJTGCATGACGAGCTTTTCCGAAGGATCCTTCGAAGCC}$ CTATGAAGTTTTTTGACACGACCCCCACAGGGGAGCATTCTCAACAGGTTTTCCAAAGACA $\tt TGGATGAAGTTGACGTGCGGCTGCCGTTCCAGGGCCGAGATGTTCATCCAGAACGTTATCC$

TGGTGTTCTTGTGTGGGAATGATCGCAGGAGTCTTCCCGTGGTTCCTTGTGGCAGTGG GGCCCCTTGTCATCCTCTTTCAGTCCTGCACATTGTCTCCAGGGTCCTGATTCGGGAGC TGAAGCGTCTGGACAATATCACGCAGTCACCTTTCCTCTCCCACATCACGTCCAGCATAC AGGGCCTTGCCACCCATCCACGCCTACAATAAAGGGCAGGAGTTTCTGCACAGATACCAGG AGCTGCTGGATGACAACCAAGCTCCTTTTTTTTTTTTTACGTGTGCGATGCGGTGGCTGG CTGTGCGGCTGGACCTCATCAGCATCGCCCTCATCACCACGGGGCTGATGATCGTTC TTATGCACGGGCAGATTCCCCCAGCCTATGCGGGTCTCGCCATCTCTTATGCTGTUCAGI ${\tt TAACGGGGCTGTTCCAGTTTACGGTCAGACTGGCATCTGAGACAGAAGCTCGATTCACCT}$ CGCTGGAGAGCATCACTACATTAAGACTCTGTCCTTGGAAGCACCTGCCAGAATTA AGAACAAGGCTCCCTCCCCTGACTGGCCCCAGGAGGGAGAGGTGACCTTTGAGAACGCAG CTAAAGAGAAGATTGGCATTGTGGGGCGGACAGGATCAGGGAAGTCCTCGCTGGGGATGG CCCTCTTCCGTCTGGTGGAGTTATCTGGAGGCTGCATCAAGATTGATGGAGTGAGAATCA FIGATATTGSCCTTGCCGACCTCCGAAGCAACTCTCTATCATTCCTCAAGAGCCGGTGC TGTTCAGTGGCACTGTCAGATCAAATTTGGACCCCTTCAACCAGTACACTGAAGACCAGA TTGAATCTGAAGTGATGGAGAATGGGGGATAACTTETCAGTGGGGGAACGGCAGCTCTTGT SCATASCTAGAGCCCTGCTCCGCCACTGTAAGATTCTGATTTTAGATGAAGCCACAGCTG CCATGEACACAGAGACAGAUTTATTEATTCAAGAGACTATCUGAGAAGCATTTGCAGACT GTACCATGCTGACCATTGCCCATCGCCTGCACACGGTTGTAGGGCTCCGATAGGATTATGG TECTEGCCCAGGGGACAGGTGGTGGAGTTTGACACCCCATCGGTCCTTCTGTCCAACGACA GTTCCCGATTCTATGCCATGTTTGJTGCTGCAGAGAACAAGGTCGCTGTCAAGGGCTGAC CCCCTCATCGCGTCCTCCTACCGAAACCTTGCCTTTCTCGATTTTATCTTTCGCACAGCA GTTCCGGATTGGCTTGTGTGTTTCACTTTTAGGGAGAGTCATATTTTGATTATTTTATTT ATTCCATATTCATGTAAACAAAATTTAGTTTTTJTTCTTAATTGCAJTCTAAAAGGTTCA GGGAACCGTTATTATAATTYTATCAGAGGCCTATAATGAAGCTTTATAGGTGTAGCTATA TCTA TATATATTCTGTACATAGCCTATATTTACAGTGAAAATGTAAGCTGTTTATTTTA TATTAAAATAAGCACTGTGCTAATAACAGTGCATATTCCTTTCTATCATTTTTGTACAGT TTGCTGTACTAGAGATCTGGTTTTGCTATTAGACTGTAGGAAGAGTAGCATTTCATTCTT CTCTAGCTGGTGGTTCACGGTGCCAGGTTTTCTG3GTGTCCAAAGGAAGACGTGTGGCA ATAGTGGGCCCTCCGACAGCCCCCCCTCTGCCGCCTCCCCACAGCCGCTCCAGGGGTGGCTG $\tt CTGTCCTGGTGTCACTTACTGTTCTGTCAGGAGAGCAGGGGGGGAAGCCCAGGCCCCT$ TTTCACTCCCTCCATCAAGAATGGGGATCACAGAGACATTCCTCCGAGCCGGGGAGTTTC TTTCCTGCCTTCTTCTTTTTGCTGTTGTTTCTAAACAAGAATCAGTCTATCCACAGAGAG TCCCACTGCCTCAGGTTCCTATGGCTGGCCACTGCACAGAGCTCTCCAGGTCCAAGACCT $\tt GTTGGTTCCAAGCCCTGGAGCCAACTGCTGCTTTTTGAGGTGGCACTTTTTCATTTGCCT$ ATTCCCACACCTCCACAGTTCAGTGGCAGGGCTCAGGATTTCGTGGGTCTGTTTTCCTTT

CTCACCGCAGTCGCCCACAGTCTCTCTCTCTCTCTCCCCTCAAAGTCTGCAACTTTAAGCCAGCTCTTGCTAAACAGTCTTCCCCTCACACTCGCGTAGAAGTTTTTGTACTGTAAACAGACCTACCCCGTTGTGCTGTTGGTGTTCCCGGCAAACCCCCTTTGTGCTGTGGGGGTGGTCACTGCTGCATCAGTTGAATGGTCAGCGTTGCATGCTGCATGCTGCACCACTTGTGCAACACCTCTTGGAAGACCCCTTTGGAAGA

AAAAAAAAAAAAAAA

ABCAS Acc. Nr.: AF000148 GENBANK: HSAF000148

GCCAGAGGCGCTCTTAACGGCGTTTATGTCCTTTTGCTGTCTGAGGGGCCTCAGCTCTGAC CAATCTGGTCTTCGTGTGGTCATTAGCATGGGCTTCGTGAGACAGATACAGCTTTTGCTC TUGAAGAACTUGACCCTGCGGAAAAGGCAAAAGATTCGCTTTGTGGTGGAACTCGTGTGG CCTTTATCTTATTTCTGGTCTTGATCTGGTTAAGGAATGCCAACCCGCTCTACAGCCAT CATGAATGCCATTTCCCCAACAAGGCGATGCCCTCAGCAGGAATGCTGCCGTGGCTCCAG GGGATUTTCTGCAATGTGAACAATCCCTGTTTTCAAAGCCCCACCCCAGGAGAATCTCCT GGAATTGTGTGAAACTATAACAACTCCATCTTGGCAAGGGTATATCGAGATTTTCAAGAA CTCCTCATGAATGCACCAGAGAGCCAGCACCTTGGCCGTATTTGGACAGAGCTACACATC TTGTCCCAATTCATGACACCCTCCGGACTCACCCGGAGAGAATTGCAGGAAGA JGAATA CGAATAAGGGATATCTTGAAAJATGAAGAAACAJTGACACTATTTCTCATTAAAAAACATC GCTCATGGAGTCCCGGACCTGCCGCTCAAGGACATCGCCTGCAGCGAGGCCCTCCTGGAG CGCTTCATCATCTTCAGCCAGAGACGCGGGGCAAAGACGGTGCGCTATGCCCTGTGCTCC CTCTCCAGGGCACCCTACAGTGGATAGAAGACACTCTGTATGCCAACGTGGACTTCTTC AAGCTUTTECGTGTGCTTCCCACACTCCTAGACAGCCGTTCTCAAGGTATCAATCTGAGA TCTTGGGGAGGAATATTATCTGATATGTCACCAAGAATTCAAGAGTTTATCCATCGGCCG AG IATGCAGGACTTGCTGTGGGTGACCAGGCCCCTCATGCAGAATGGI'36I'CCAGAGACC TTTACAAAGCTGATGGGCATCCTGTCTGACCTCCTGTGTGGCTACCCCGAGGGGGGC TCTCGGGTGCTCCCTTCAACTGTATGAAGACAATAACTATAAGGCCTTTCTGGGGATT GACTCCACAAGGAAGGATCCTATCTATTCTTATGACAGAAGAACAACATCCTTTTGTAAT GEATTGATCCAGAGCCTGGAGTCAAATCCTTTAACCAAAATCGCTTGGAGGGCGGCAAAG CCTTTGCTGATGGGAAAAATCJTGTACACTCCTGATTCACJTGCAGCAJGAAGGATACTG AAGAATGCCAACTCTTTGAAGAACTGGAACACGTTAGGAAGTTGGTCAAAGCCTGG GAAGAAG TAGGGCCCCAGA TC TGGTACTTCTTTGACAACAGCACACAGA TGAACA TGA TC AGAGATACCCTGGGGAACCCAACAGTAAAAGACTTTTTGAATAGGCAGCTTGGTGAAGAA GGTATTACTGCTGAAGCCATCCTAAACTTCCTCTACAAGGGCCCTCGGGAAAGCCAGGCT JACGACATGGCCAACTTCGACTGGAGGJACATATTTAACATCACTGATCGCACCCTCCGC CTGGTCAATCAATACCTGGAGTGCTTGGTCCTGGATAAGTTTGAAAGCTACAATGATGAA ACTCAGCTCACCCAACGTGCCCTCTCTCTACTGGAGGAAAACATGTTCTGGGCCGGAGTC GTATTCCCTGACATGTATCCCTGGACCAGCTCTCTACCACCCCACGTGAAGTATAAGATC CGAATGGACATAGACGTGGTGGAGAAAACCAATAAGATTAAAGACAGGTATTGGGATTCT

GGTCCCAGAGCTGATCCCGTGGAAGATTTCCGGTACATCTGGGGCGGGTTTGCCTATCTGCAGGACATGGTTGAACAGGGGGATCACAAGGAGCCAGGTGCAGGCGGAGGCTCCAGTTGGA ATCTACCTCCAGCAGATGCCCTACCCCTGCTTCGTGGACGATTCTTTCATGATCATCCTG AACCGCTGTTTCCCTATCTTCATGGTGCTGGCATGGATCTACTCTGTCTCCATGACTGTJ AAGAGCATCGTCTTGGAGAAGGAGTTGCGACTGAAGGAGACCTTGAAAAATCAGGGTGTC TCCAATGCAGTGATTTGGTGTACCTGGTTCCTGGACAGCTTCTCCATCATGTCGATGAGC ATCTTCCTCCTGACGATATTCATCATGCATGTAAGAATCCTACATTACASCGACCCATTC ATCCTCTTCCTGTTGTTGGCTTTCTCCACTGCCACCATCATCATGCTGTGCTTTCTGCTC A GCACCTTCTTCTCCAAGGCCAGTCTGGCAGCCTGTAGTGGTGTCATCTATTTCACCCTCTACCTGCCACACATCCTGTGCTTCGCCTGGCAGGACCGCATGACCGCTLAGCTGAAG ${\tt AAGGCTGTGAGCTTACTGTCTCCGGTGGCATTTGGATTTGGCACTGAGTACCTGGTTCGC}$ ${\tt TTTGAAGAGCAAGGCCTGGGGCTGCAGTGGAGCAGTCGGGAACAGTCGCACGGAAGGG}$ GACGANTTCAGCTTCCTGCTGTCCATGCAGATGATGCTCCTTGATGCTGCTGTCTATGGC TTACTCGCTTGGTACCTTGATCAGGTGTTTCCAGGAGACTATGGAACCCCACTTCCTTGG TACTTTCTTCTACAAGAGTCGTATTGGCTTGGCGGTGAAGGGTGTTCAACCAGAGAAGAA AGAGCCCTGGAAAAGACCGAGCCCCTAACAGAGGAAACGGAGGATCCAGAGCACCCCAGAA GBAATACACGACTCCTTCTTTGAACGTBAGCATCCAGGGTBGGTTCCTGGGGTATGCGTG AAGAATCTGGTAAAGATTTTTGAGCCCTCCGGCCGGCCAGCTGTGGACCJTCTGAACATC ACCTTCTACGAGAACCAGATCACCGCATTCCTGGGCCACAATGGAGCTGGGAAAACCACC ACCTTGTCCATCCTGACGGGTCTGTTGCCACCAACCTCTGGGGACTGTGCTCGTTGGGGGA AGGGACATTGAAACCAGCCTGGATGCAGTCCGGCAGAGCCTTGGCATGTGTCCACAGCAC AACATCCTGTTCCACCACCTCACGGTGGCTGAGCACATGCTGTTCTATGCCCAGCTGAAA GGAAAGTCCCAGGAGGAGGCCCAGCTGGAGATGGAAGCCATGTTGGAGGACACAGGCCTC CACCACAAGCGGAATGAAGAGGCTCA FGACCTATCAGGTGGCATGCAGAGAAAGCTGTCG GTTGCCATTGCCTTTGTGGGAGATGCCAAGGTGGTGATICTGGAAGGAAGCCAACCTCTGGG GTGGACCCTTACTCGAGACGCTCAATCTGGGATCTGCTCCTGAAGTATCGCTCAGGCAGA ACCATCATCATGTCCACTCACCACATGGACGAGGCCGACCTCCTTGGGGACCGCATTGCC ATCATTGCCCAGGGAAGGCTUTACTGCTCAGGCAUUCCACTUTTCCTGAAGAAUTGCTTT GGCACAGGCTTGTACTTAACCTTGGTGCGCAAGATGAAAAACATCEAGAGCAAAGGAAA GGCAGTGAGGGGACCTGCAGCTGCTCGTCTAAGGGTTTCTCCACCACGTGTCCAGCCCAC GTTCTCCACCATGTTCCAGAGGCAAAGCTGGTGGAGTGCATTGGTCAAGAACTTATCTTC CTTCTTCCAAATAAGAACTTCAAGCACAGGCATATGCCAGCCTTTTCAGAGAGCTGGAG GAGACGCTGGCTGGCCTTGGTCTCAGCAGTTTTGGAATTTCTGACACTCCCCTGGAAGAG $A \verb|TTTTCTGAAGGTCACGGAGGATTCTGATTCAGGACCTCTGTTTGCGGGTGGCGCTCAG$ CAGAAAAGAGAAAACGTCAACCCCCGACACCCCTGCTTG FGTCCCAGAGAGAGAAFGCTGGA CAGACACCCCAGGACTCCAATGTCTGCTCCCCAGGGGGGCGCGGCTGCTCACCCAGAGGGC CAGCCTCCCCAGAGCCAGAGTGCCCAGGCCCGCAGCTCAACACGGGGACACAGCTGGT CTCCAGCATGTGCAGGCGCTGCTGGTCAAGAGATTCCAACACCATCCGCAGCCACAAG

GACTTCCTGGCGCAGATCGTGCTCCCGGCTACCTTTGTGTTTTTTGGCTCTGATGCTTTCT ATTGTTATCCCTCCTTTTGGCGAATACCCCGCTTTGACCCTTCACCCCTGGATATATGGC CAGCAGTACACCTTCTTCAGCATGGATGAACCAGGCAGTGAGCAGTTCACGGTACTTGCA GAGTACCCCTGTGGCAACTCAACACCCTGGAAGACTCCTTCTGTGTCCCCAAACATCACC CAGCTGTTCCAGAAGCAGAAATGGACACAGGTCAACCCTTCACCATCCTGCAGGTGCAGC ACCAGGGAGAAGCTCACCATGCTGCCAGAGTGCCCCGAGGGTGCCGGGGGCCTCCCGCCC JCCCAGAGAACACAGCGCAGGAAATTITACAAGACCTGAIGGACAGGAACATUTII SACTTCTTGGTAAAAACGTATCCTGCTCTTATAAGAAGCAGCTTAAAGAGCAAATTCTGG GTCAATGAACAGAGGTATGGAGGAATTTCCATTGGAGGAAAGCTCCCAGTCGTCCCCATC ACGGGGGAAGCACTTGTTGGGTTTTTAAGGGACCTTGGGCGGATGATGAATGTGAGGGGG GGCCCTATCACTAGAGAGGCCCCCTAAAGAAATACCTGATTTCCTTAAACATCTAGAAACT GAAGACAACATTAAGGTGTGGTTTAATAACAAAGGCTGGCATGCCCTGGTCAGCTTCTC TATGGAATCACCGTCATTAGCCAACCCCTGACCTGACCAAGGAGCAGCTCTCAGAGATT TTEGTCCCAGCCAGCTTTGTCCTTTATTTGATCCAGGAGCGGGGGGGACAAATCCAAGCAC CTCCAGTTTATCAGTGGAGTGAGCCCCACCACCTACTGGGTGACCAACTTCCTCTGGGAC ATCGTGAATTATTCCGTGAGTGCTGGGCTGGTGGTGGGCATCTTCATCGGGTTTCAGAAG AAAGCCTACACTTCTCCAGAAAACCTTCCTGCCCTTGTGGCACTGCTCCTGCTGTATGGA TATGTGGCTTTATCTTGTGCTAATCTGTTCATCGGCATCAACAGCAGTGCTATTACCTTC ATCTTGGAATTATTTGAGAATAACCJEACGCTGCTCAGGTTCAACGCCGTGCTGAGGAAG CTGCTCATTGTCTTCCCCCACTTCTGCCTGGGCCGGGGCCTCATTGACCTTGCACTGAGC CAGGCTGTGACAGATGTCTATGCCCGGTTTGGTGAGGAGCACTCTGCAAATCCGTTCCAG TGGGACCTGATTGGGAAGAACCTGTTTGCCATGGTGGTGGTGGTGTGTACTTCCTC CTGACCCTGCTGCTCCAGCGCCACTTCTTCCTCTCCCAATGGATTGCCGAGCCCACTAAG GGAAATAAAACTGACATCTTAAGGCTACATGAACTAACCAAGATTTATCCGGGCACCTCC AGCCCAGCAGTGGACAGGCTGTGTGTCGGAGTTCGCCCTGGAGAGTGCTTTGGCCTCCT3 GGAGTGAATGGTGCCGGCAAAACAACCACATTCAAGATGCTCACTGGGGACAACACAGATG ACCTCAGGGGATGCCACUGTAGCAGGCAAGAG (ATTTTAACCAATATTTCTGAAGTCCAT CAAAATATGGGCTACTGTCCTCAGTTTGATGCAATCGATGAGCTGCTCACAGGACGAGAA CATCTTTACCTTTATGCCCGGCTTCGAGGTGTACCAGCAGAAGAATCGAAAAGGTTECA AACTGGAGTATTAAGAGCCTGGGCCTGACTGTCTACGCCGGACTGCCTGGCACGTAC AGTGGGGGCAACAAGCGGAAACTCTCCACAGCCATCGCACTCATTGGCTGCCCACCGCTG GTCATCGTGAGCATCATCAGAGAAGGJAGGGCTGTGGTCCTCACATCCCACAGCATGGAA ${\tt GAATGTGAGGCACTGTGTACCCGGCTGGCCATCATGGTAAAGGGCGCCTTTCGATGTATG}$

ABCG1 Acc.Nr.: U34919 GENBANK: HSU34919

GAATTCCGGGATGTGGAACGGTCGCAGGAGGCTGCTACAASCCCCATGAGCAAGGCTGTT CCCACTGACAGAGCTTTUCCAGGATGAUAGAGAGTGCSCTCTGCCTCTCTGGGGTGTGCT AGCCTACGAGGGGCAATCGTAAGGCGAATGTCACTGAAAGAACACAAGTGTCCTTAAACA TGGACTATCTGGGCTTTCTAGTGCTGAAATTCTTCCCACTCCCACTGCCCACTGCCCACTTCCCATT AAGAATGCATTCATTTATTCAAAATTGTTTATTGTAGAATAATCAGGCATTGCGTGGATG AGGTGGTGTCCAGCAACATGGAGGCCACTGAGACGGACCTGCTGAATGGACATCTGAAAAA AAGTAGATAATAACCTCACGGAAGCCCACCGCTTCTCCTCCTTGCCTCIGGAGGGCAGCTG TGAACATTGAATTCAGGGACCTTTCCTATTCGGTTCCTGAAGGACCCTGGTGGAGGAAGA AAGGATACAAGACCCTCCTGAAAGGAATTTCCGGGAAGTTCAATAGTGGTGAGTTGGTGG GGGAGACGGGCATGAAGGGGGCCGTCCTCATCAACGGCCTGCCCGGGGACCTGCGCTGCT TCCGGAAGGTGTCCTGCTACATCATGCAGGATGACATGCTGCTGCCGCATCTCACTGT3C AGGAGGCCATGATGGTGTGGGCACATCTGAAGGTTCAGGAGAAGGATGAAGGCAGAAGGG AAATGGTCAAGGAGATACTGACAGCGCTGGGCTTGCTGTCTTGCGCCAACACGCGGACCG GGAGCCTGTCAGGTGGTCAGCGCAAGCGCCTGGCCATCGCGCTGGAGCTGGAGCAACC CTCCAGTCATGTTCTTCGATGAGCCCACCAGCGGCCTGGACAGCGCCTCCTGCTTCCAGG TGGTCTCGCTGATGAAAGGGCTUGCTCAAGGGGGTCGCTCCATCATCTTGCACCATCCACC AGCCCAGCGCCAAACTCTTCGAGCTGTTCGACCAGCTTTACGTCCTGAGTCAAGGACAAT GTGTGTACCGGGGAAAAGTCTGCAATCTTGTGCCATATTTGAGGGATTTGGGTCTGAACT GCCCAACCTACCACAACCCAGCAGATTTTGTCATGGAGGTTGCATCCGGCGAGTACGGTG ATCAGAACAGTCGGCTGGTGAGAGCGGTTCGGGAGGGGCATGTGTGACTCAGACCACAAGA GAGACCTCGGGGGTGATGCCGAGGTGAACCCTTTTCTTTGGCACCGGCCCTCTGAAGAGG TAAAGCAGACAAAACGATTAAAJGGGTTGAJAAAGJACTCCTCGTCCATGGAAGGCTGCC

ACAGCTTCTCTGCCAGCTGCCTCACGCAGTTCTGCATCCTCTTCAAGAGGACCTTCCTCA GCATCATGAGGGACTCGGTCCTGACACCCCCGCCATCACCTCGCACATTGGGATCGGCC ${\tt TCCTCATTGGCCTGCTGTACTTGGGGATCGGGAACGAAGCCAAGAAGGTCTTGAGCAACT}$ ${\tt CCGGCTTCCTCTTCTCCATGCTGTTCCTCATGTTCGCGGCCCTCATGCCTACTGTTC}$ TGACATTTCCCCTGGAGATGGGAGTCTTTCTTCGGGAACACCTGAACTACTGGTACAGCC TGAAGGCCTACTGCCCAAGACCATGGCAGACGTGCCCTTTCAGATCATGTTCCCAG TGGCCTACTGCAGCATCGTGTACTGGATGACGTCGCAGCCGTCCGACGCCGTGGCCTTTG TGCTGTTTGCCGCGCTGGGCACCATGACCTCCCTGGTGGCACAGTCCCTGGGCCTGCTGA TOGGAGOOGCOTOCACGTCCCTGCAGGTGGCCCACTTTCGTGGGCCCAGTGACAGCCATCC CGGTGCTCCTGTTCTCGGGGTTCTTCCTCAGCTTCGACACCATCCCCACGTACCTACAGT GGATGTCCTACATCTCCTATGTCAGGTATGGGTTCGAAGGGGGTCATCCTCTCCATCTATG GCTTAGACCGGGAAGATCTGCACTGTGACATCGACGAGACGTGCCACTTCCAGAAGTCGG AGGCCATCCTGCGGGGGCTGGACGTGGAAAATGCCAAGCTGTACCTGGACTTCATCGTAC PCGGGATTTTCTTCATCTCCCTCCGCCTCATTGCCTATTTTGTCCTCAGGTACAAAATCC gggcagagaggtaaaacacctgaatgccaggaaacaggaagattagacagtgtggccgag GGCACGTCTAGAATCGAGGAGGCAAGCCTUTGCUCGAUUGA UGAUACAGAGACTCTTCIG ATCCARCCCTAGAACCGCGTTGGGTTTGTGGGTGTCTCGTGCTCAGCCACTCTGCCCAG CTGGGTTGGATCTTCTCCATTCCCCTTTCTAGCTTTAACTAGGAAGATGTAGGCAGAT TGGTGGTTTTTTTTTTTTTTTAACATACAGAATTTTAAATACCACAACTGGGGCAGAATTTAAAGCTGCAACACAGCTGGTGATGAGAGGGCTTCCTCAGTCCAGTCGCTGCTTAGCAGCA GGCACCGTGGGTCCTGGATGGGGAACTGCAAGCAGCCTCTCAGCTGATGGCTGCCCAGTC AGATGTCTGGTGGCAGAGAGTCCGAGCATGGAGCGATTCCATTT

ABCA3 Acc.Nr: U78735 GENBANK: HSU78735

 $\tt CCGCCCGGCGCCCAGGCTCGGTGCTGGAGGTCATGCCTGTGAGCCCTGGGCACCTCCT$ GATGTCCTGCGAGGTCACGGTGTTCCCAAACCTCAGGGTTGCCCTGCCCCACTCCAGAGG $\tt CTCTCAGGCCCCACCCCGGAGCCCTUTGTGCGGAGCCGCCTCCTCCTGGCCAGTTCCCCAA$ GTAGTCCTGAAGGGAGACCTGCTGTGTGGGAGCCTCTTCTGGGACCCAGCCATGAGTGTGG AGCTGAGCAACTGAACCTGAAACTCTTCCACTGTGACTCAAAGGAGGCTTTTCCGCACATG AAGGACGCTGAGCGGGAAGGACTCCTCTCTGCCTGCAGTTGTAGCGAGTGGACCAGCACC ${\it CACGTCTGCACACCTCGCCCTCTTTACACTCAGTTTTCAGAGCACGTTTCTCCTATTTCC}$ TGCGGGTTGCAGCGCCTACTTGAACTTACTCAGACCACCTACTTCTCTAGCAGCACTGGG CGTCCCTTTCAGCAAGACGATGGCTGTGCTCAGGCAGCTGGCGCTCCTCCTGGAAGAA CTACACCCTGCAGAAGCGGAAGGTCCTGGTGACGGTCCTGGAACTCTTCCTGCCATTGCT GTTTCCTGGGATCCTCATCTGGCTCCGCTTGAAGATTCAGTCGGAAAATGTGCCCAACGC CACCATCTACCCGCCCCACTCCATCCACGAGCTGCCTCTCTTCTTCACCTTCCCTCCGCC AGGAGACACCTGGGAGCTTGCCTACATCCCTTCTCACAGTGACCCTGCCAAGACCGTCAC TGAGACAGTGCGCAGGGCACTTCTGATCAACATGCGAGTGCGCGGGCTTTCCCTCCGAGAA GGACTTTGAGGACTACATTAGGTACGACAACTGCTCGTCCAGCGTGCTGGCCGCCGTCGT CTTCGAGCACCCCTTCAACCACAGCAAGGAGCCCCTGCCGCTGGCGG TGAAATATCACUT ACGGTTCAGTTACACACGGAGAAATTACATGTGGACCCAAACAGGCTCCTTTTTCCTGAAAGAGACAGAAGGCTGGCACACTACTTCCCTTTTCCCGCTTTTCCCAAACCCAGGACCAAG GGAACTAACATCCCCTGATGGCGGAGAACCTGGGTACATCCGGGAAGGCTTCCTGGCCGT GCAGCATGCTGTGGACCGGGCCATCATGGAGTACCATGCCGATGCCGCCACACGCCAGGT CTTCCTCGTGGCCATCCAGTACCAGCTGCCCCTGCTGCTGCTGCTCAGCTTCACCTACAC ${\tt GCGCATGATGGGGCTCAGCAGCTGCTGCACTGGAGTGCCTGGTTCCTCTTGTTCTTCCT}$ CTTCCTCCTCATCGCCGCCTCCTTCATGACCCTGCTCTTCTGTGTCAAGGTGAAGCCAAA $\tt TGTAGCCGTGCTGCCGCAGCGACCCCTCCCTGGTGCTCGCCTTCCTGCTGTGCTTCGC$ CATCTCTACCATCTCCTTCAGCTTCATGGTCAGCACCTTCTTCAGCAAAGCCAACATGGC AGCAGCCTTCGGAGGCTTCCTCTACTTCTTCACCTACATCCCCTACTTCTTCGTGGCCCC ${\tt TCGGTACAACTGGATGACTCTGAGCCAGAAGCTCTGCTCCTCCTCTCTAATGTCGC}$ CATGGCAATGGGAGCCCAGCTCATTGGGAAATTTGAGGCGAAAGGCATGGGCATCCAGTG GCGAGACCTCCTGAGTCCCGTCAACGTGGACGACGACTTCTGCTTCGGGCAGGTGCTGGG ${\tt CATGCTGCTGGACTCTGTGCTCTATGGCCTGGTGACCTGGTACATGGAGGCCGTCTT}$ $\tt CCCAGGGCAGTTCGGCGTGCCTCAGCCCTGGTACTTCTTCATCATGCCGTCCTATTGGTG$ TGGGAAGCCAAGGGCGGTTGCAGGGAAGGAGGAAGAAGACAGTGACCCCGAGAAAGCACT CAGAAACGAGTACTTTGAAGCCCAGCCACAGCACCTGGTGCCGGGGATCAAGATCAAGCA CCTGTCCAAGGTGTCAGGGTGGGAAATAAGGACAGGGCGGCCGTCAGAGACCTGAACCT CAACCTGTACGAGGGACAGATCACCGTCCTGCTGGGCCACAACGGTGCCGGGAAGACCAC CACCCTCTCCATGCTCACAGGTCTCTTTCCCCCCACCAGTGGACGGGCATACATCAGCGG GTATGAAATTTCCCAGGACATGGTTCAGATCCGGAAGAGCCTGGGCCTGTGCCCGCAGCA ${\tt CGACATCCTGTTTGACAACTTGACAGTCGCAGCAGCAGCTTTATTTCTACGCCCAGCTGAA}$ GGGCCTGTCACGTCAGAAGTGCCCTGAAGAAGTCAAGCAGATGCTGCACATCATCCCCCTT GGAGGACAAGTGGAACTCACGGAGCCGCTTCCTGAGCGGGGGCATGAGGCGCAAGCTCTC CATCGGCATCGCCCTCATCGCAGGCTCCAAGGTGCTGATACTGGACGAGCCCACCTCGGG CATGGACGCCATCTCCAGGAGGGCCATCTGGCATCTTCTTCAGCGGCAGAAAAGTGACCG CACCATCGTGCTGACCACCCACTTCATGGACCAGGCTGACCTGCTGGGAGACCGCATCGC CATCATGGCCAAGGGGGAGCTGCAGTGCTGCGGGTCCTCGCTGTTCCTCAAGCAGAAATA $\tt CGGTGCCGGCTATCACATGACGCTGGTGAAGGAGCCGCACTGCAACCCGGAAGACATCTC$ ${\tt CCAGCTGGTCCACCACCACGTGCCCAACGCCACGCTGGAGAGCAGCGCTGGGGCCGAGCT}$ $\tt GTCTTCATCCTTCCCAGACACAGCACGCACAGGTTTGAAGGTCTCTTTGCTAAACTGGA$ AGTCTTCCTTCGGGTCGGGAAGCTGGTGGACAGCAGTATGGACATCCAGGCCATCCAGCT CCCTGCCCTGCAGTACCAGCACGAGGGGGCGCCAGCGACTGGGCTGTGGACAGCAACCT $\tt CTGTGGGGCCATGGACCCCTCCGACGGCATTGGAGCCCTCATCGAGGAGGAGGAGCGCACCGC$ TGTCAAGCTCAACACTGGGCTCGCCCTGCACTGCCAGCAATTCTGGGCCATGTTCCTGAA

GAAGGCCGCATACAGCTGGCGCGAGTGGAAAATGGTGGCGGCACAGGTCCTGGTGCCTCT GACCTGCGTCACCCTGGCCCTCCTGGCCATCAACTACTCCTCGGAGCTCTTCCACGACCC CATGCTGAGGCTGACCTTGGGCGAGTACGGCAGAACCGTCGTGCCCTTCTCAGTTCCCGG GACCTCCCAGCTGGGTCAGCAGCTGTCAGAGCATCTGAAAGACGCACTGCAGGCTGAGGG ACAGGAGCCCCGCGAGGTGCTCGGTGACCTGGAGGAGTTCTTGATCTTCAGGGCTTCTGT GGAGGGGGGGGCTTTAATGAGCGGTGCCTTGTGGCAGCGTCCTTCAGAGATGTGGGAGA GCGCACGGTCGTCAACGCCTTGTTCAACAACCAGGCGTACCACTCTCCAGCCACTGCCCT GGCCGTCGTGGACAACCTTCTGTTCAAGCTGCTGTGCGGGCCTCACGCCTCCATTGTGGT CTCCAACTTCCCCCAGCCCCGGAGCGCCCTGCAGGCTGCCAAGGACCAGTTTAACGAGGG CCGGAAGGGATTCGACATTGCCCTCAACCTGCTCTTCGCCATGGCATTCTTGGCCAGCAC GTTCTCCATCCTGGCGGTCAGCGAGAGGGCCGTGCAGGCCAAGCATGTGCAGTTTGTGAG GGACGGCCACATGGCTGACACCCTGCTGCTGCTGCTGCTGCTGCGGCTGGGCCATCATGCC CCTCATGTACCTGATGAACTTCTTCTTCTTGGGGGGGGGCGCCACTGCCTACACGAGGCTGAC CATCTTCAACATCCTGTCAGGCATCGCCACCTTCCTGATGGTCACCATCATGCGCATCCC AGCTGTAAAACTGGAAGAACTTTCLAAAACCCTGGATCACGTGTTCCTGGTGCTGCCCAA CCAUTGTCTGGGGATGGCAGTCAGCAGTTTCTACGAGACTACGAGACGCGGGAGGTAGTG CACCTCCTCCGAGGTCGCCGCCCACTACTGCAAGAAATATAACATCCAGTACCAGGAGAA CTTCTATGCCTGGAGCGCCCCGGGGGTCCGGCCGGTTTGTGGCCTCCATGGCCGCCTCAGG CATCCTCTGCGCCCTCCGGAGGAGGCGGACACTGACAGAATTATACACCCGGATGCCTGT GCTTCCTGAGGACCAAGATGTAGCGGACGAGGAGCCCGCATCCTGGCCCCCAGCCCGGA CTCCCTGCTCCACACACCTCTGATTATCAAGGAGCTCTCCAAGGTGTACGAGCAGCGGGGT GCCCCTCCTGGCCGTGGACAGGCTCTCCCTCGCGGTGCAGAAAGGGGAGTGCTTCGGCCT GCTGGGCTTCAATGGAGCCGGGAAGACCACGACTTTCAAAATGCTGACCGGGGAGGAGAG $\tt CCTCACTTCTGGGGATGCCTTTGTCGGGGGTCACAGATCAGCTCTGATGTCGGAAAGGT$ GCGGCAGCGGATCGGCTACTGCCCGCAGTTTGATGCCTTGCTGGACCACATGACAJUCCG GGAGATGCTGGTCATGTACGCTCGGGCTCCGGGGCATCCCTGAGCGCCCACATCGGGGCCTG CGTGGAGAACACTCTGCGGGGCCTGCTGCTGCAGCACATGCCAACAAGCTGGTCAGGACGTACAGTGGTGGTAACAAGCGGAAGCTGAGCACCGGCATCGCCCTGATCGGAGAGCCTGC TGTCATCTTCCTGGACGAGCCGTCCACTGGCATGGACCCCGTGGCCCGGCGCCTCCTTTG GGACACCGTGGCACGAGCCCGAGAGTCTGGCAAGGCCATCATCATCACCTCCCACAGCAT GGAGGAGTGTGAGGCCCTGTGCACCCGGCTGGCCATCATGGTGCAGGGGCAGTTCAAGTG CCTGGGCAGCCCCCAGCACCTCAAGAGCAAGTTCGGCAGCGGCTACTCCCTGCGGGCCAA GGTGCAGAGTGAAGGGCAACAGGAGGCGCTGGAGGAGTTCAAGGCCTTCGTGGACCTGAC $\tt CTTTCCAGGCAGCGTCCTGGAAGATGAGCACCAAGGCATGGTCCATTACCACCTGCCGGG$ ${\tt CCGTGACCTCAGCTGGGCGAAGGTTTTCGGTATTCTGGAGAAAGCCAAGGAAAAGTACGG}$ CGTGGACGACTACTCCGTGAGCCAGATCTCGCTGGAACAGGTCTTCCTGAGCTTCGCCCA

- Fragment 640918
- 1 GAGATCCTGAGGCTTTTCCCCCCAGGCTGCTCAGCAGGAAAGGTTCTCCTCCCTGATGGTC
- 61 TATAAGTTGCCTGTTGAGGATGTGCGACCTTTATCACAGGCTTTCTTCAAATTAGAGATA
- 121 GTTAAACAGAGTTTCGACCTGGAGGAGTACAGCCTCTCACAGTCTACCCTGGAGCAGGTT
- 181 TTCCTGGAGCTCTCCAAGGAGCAGGAGCTGGGTGATCTTGAAGAGACACTTTGATCCCTCG
- $241\ GTGAAGTGGAAACTCCTCCTGCAGGAAGAGCCCTTAAAGCTCCAAATACCCTATATCTTTC$
- 301 TTTAATCCTGTGACTCTTTTAAAGATAATATTTTATAGCCTTAATATGCCTTATATCAGA
- 361 GGTGGTACAAAATGCATTTGAAACTCATGCAATAATTATS

Fragment 698739

- 1 GCTCTCCACACAGAGATTTTGAAGCTTTTCCCACAGGCTGCTTGGCAGGAAAGATATTCC
- 61 TCTTTAATGGCGTATAAGTTACCTGTGGAGGATGTCCACCCTCTATCTCGGGCCTTTTTC
- 121 AAGTTAGAGGCGATGAAACAGACCTTCAACCTGGAGGAATACAGCCTCTCTCAGGCTACC
- 181 TTGGAGCAGGTATTCTTAGAACTCTGTAAAGAGCAGGAGGTGGGAAATGTTGATGATAAA
- 241 ATTGATACAACAGTTGAATGGAAACTTCTCCCACAGGAAGACCCTTAAAATGAAGAACCT
- $301\ CCTAACATTCAATTTTAGGTCCTACTACATTGTTAGTTTCCATAATTCTACAAGAATGTT$
- 361 TCCTTTTACTTCAGTTAACAAAAGAAAACATTTAATAAACATTCAATAATGATTACAGTT
- 421 TTCATTTTAAAAATTTAGGATGAAGGAAACAAGGAAATATAGGGAAAAGTAGTAGACAA 481 AATTAACAAAATCAGACATGTTATTCATCCCCAACATGGGTCTATTTTGTGCTTAAAAAT
- 541 AATTTAAAAATCATACAATATTAGGTTGGTTATCG

Fragment 990006

- 1 GTGGAAGATGTGCAACCTTTAGCCCAAGCTTTCTTCAAATTAGAGAAGGTTAAACAGAGC
- 61 TTTGACCTAGAGGAGTACAGCCTCTCACAGTCTACCCTGGAGCAGGTTTTCCTGGAGCTC
- 121 TCCAAGGAGCAGGAGCTGGGTGATTTTGAGGAGGATTTTGATCCCTCAGTGAAGTGGAAG

- 181 CTCCTCCCCCAGGAAGAGCCTTAAAACCCCAAATTCTGTGTTCCTGTTTAAACCCGTGGT 241 TTTTTTTAAATACATTTATTTTTATAGCAGCAATGTTCTATTTTTAGAAACTATATTATA Fragment 1133530
- : TTTTCAGTTG CATGTAATAC CAAGAAATCG NATTGTTTTC CGGTTCTTAT
- 51 GGGAATTGTT AGCAATGCCC TTATTGGAAT TTTTAACTTC ACAGAGCTTA
- 101 TTCAAATGGA GAGCACCTTA TTTTTTCGTG ATGACATAGT GCTGGATCTT
- 151 GGTTTTATAG ATGGGTCCAT ATTTTTGTTG TTGATCACAA ACTGCATTTC
- 201 TCCTTATATT GGCATAAGCA GCATCAGTGA TTATT

Fragment 1125168

CTGGATT

TGCTCTGCGG CAAGACCCGC GCCACCAGGG GCAGTATCCA GTTCGACGGC
CAGGAACTGA CCAAAATGCG CGAATACAAC ATCGTGCGGG CCGGGGTAGG
GCGCAAGTTT CAGAACCCGT CGATCTACCA AAACCTCACG GTGTTTGAAA
ACCTTGAGAT GTCTTATCCG GCTGGGCGCA AGGTCTGGGG TGCGCTGTT
TTCAAGCGCA ATGCCCAGGT GGTGGCGCGG GTCGAG

Fragment 1203215

- 1 ATCGCCGATA TCTCCCCTTC GGGCTGCGGC AAGAGCACCT TCCTGAAAGT
- 51 GCTCGCCGGG TTCTATGCCC TGGACACCGG GCGCTTCAGG ATCAACGGCC
- 101 AGGCGATGCG GCATTTCGGT TTGCGCTCGT ACCGCCAGAG CGTGGCCTAT
- 151 GTCACGGCCC ACGACGAGAT CATCGCCGGG ACGGTGATCG AGAACATCCT
- 201 GATGGACAGC GACCCGCTGG ACGGCACGGG TTTGCAGAGC TGTGTCGAGC
- 251 AGGCCGGGTT GCTGGAAAGC ATCCTGAAAC TGAGCAATGG CTTCAATACC
- 301 TTGCTCGGAC CCATGGGCGT GCAATTGTCC TCGGGCCAGA AGCAACGCCT
- 351 GTTGATCGCC CGGGGTCGAC GC

Fragment 168043

- 1 AAAACCAAAG ATTCTCCTGG AGTTTTCTCT AAACTGGGTG TTCTCCTGAG
- 51 GAGAGTTGAC AAGAAACTTG GTGAGAAATA AGCTGGCAGT GATTACGCGT
- 101 CTCCTTCAGA ATCTGATCAT GGGTTTGTTC CTCCTTTTCT TCGTTCTGCG
- 151 GGTCCGAAGC AATGTGCTAA AGGGTGCTAT CCAGGACCGC GTAGGTCTCC
- 201 TITACCAGIT IGIGGGCGCC ACCCCGTACA CAGGCATGCI GAACGCIGIG
- 251 AATCTGTTTC CCGTGCTGCG ACCTGTCAGC A

Huwhite2

- 1 ATGGCCGTGA CGCTGGAGGA CGGGGCGGAA CCCCCTGTGC TGACCACGCA
- 51 CCTGAAGAAG GTGGAGAACC ACATCACTGA AGCCCAGCGC TTCTCCCACC
- 101 TGCCCAAGCG CTCAGCCGTG GACATCGAGT TCGTGGAGCT GTCCTATTCC
- 151 GTGCGGGAGG GGCCCTGCTG GCGCAAAAGG GGTTATAAGA CCCTTCTCAA
 201 GTGCCTCTCA GGTAAATTCT GCCGCCGGGA GCTGATTGGC ATCATGGGCC
- 251 CCTCAGGGGC TGGCAAGTCT ACATTCATGA ACATCTTGGC AGGATACAGG
- 301 GAGTCTGGAA TCAAGGGGCA GATCCTGGTT AATGGAAGGC CACGGGAGCT

PCT/EP99/06991

GAGGACCTTC CGCAAGATGT CCTGCTACAT CATGCAAGAT GACATGCTGC 401 TGCCGCACCT CACGGTGTTG GAAGCCATGA TGGTCTCTGC TAACCTGAAT CTTACTGAGA ATCCCGATGT GAAAAACGAT CTCGTGACAG AGATCCTGAC 501 GGCACTGGGC CTGATGTCGT GCTCCCACAC GAGGACAGCC CTGCTCTCTG 551 GCGGGCAGAG GAAGCGTCTG GCCATCGCCC TGGAGCTGGT CAACAACCCG 601 CCTGTCATGT TCTTTGATGA GCCCACCAGT GGTCTGGATA GCGCCTCTTG 651 TTTCCAAGTG GTGTCCCTCA TGAAGTCCCT GGCACAGGGG GGCCGTACCA 701 TCATCTGCAC CATCCACCAG CCCAGTGCCA AGCTCTTTGA GATGTTTGAC 751 AAGCTCTACA TCCTGAGCCA GGGTCAGTGC ATCTTCAAAG GCGTGGTCAC 801 CAACCTGATC CCCTATCTAA AGGGACTCGG CTTGCATTGC CCCACCTACC 851 ACAACCCGGC TGACTTCAGT GAGTGGGGGT CTGTTGCCTC TGGCGAGTAT 901 GGACACCTGA ACCCCATGTT GTTCAGGGCT GTGCAGAATG GGCTGTGCGC 951 TATGGCTGAG AAGAAGAGCA GCCCTGAGAA GAACGAGGTC CCTGCCCCAT 1001 GCCCTCCTTG TCCTCCGGAA GTGGATCCCA TTGAAAGCCA CACCTTTGCC 1051 ACCAGCACCC TCACACAGTT CTGCATCCTC TTCAAGAGGA CCTTCCTGTC 1101 CATCCTCAGG GACACGGTCC TGACCCACCT ACGGTTCATG TCCCACGTGG 1151 TTATTGGCGT GCTCATCGGC CTCCTCTACC TGCATATTGG CGACGATGCC 1201 AGCAAGGTCT TCAACAACAC CGGCTGCCTC TTCTTCTCCA TGCTGTTCCT 1251 CATGTTCGCC GCCCTCATGC CAACTGTGCT CACCTTCCCC TTAGAGATGC 1301 CGGTCTTCAT GAGGGAGCAC CTCAACTACT GGTACAGCUT CAAAGCGTAT 1351 TACCTGGCCA AGACCATGGC TGACGTGCCC TTTCAGGTGG TGTGTCCGGT 1401 GGTCTACTGC AGCATTGTGT ACTGGATGAA CGGCCAGCCC GCTGAGACCA 1451 GCCGCTTCCT GCTCTTCTCA GCCCTGGCCA CCGCCACCGC CTTGGTGGCC 1501 CAATCTTTGG GGCTGCTGAT CGGAGCTGCT TCCAACTCCC TACAGGTGGC 1551 CACTITIGIG GGCCCAGITA CCGCCATCCC TGTCCTCTT3 TTCTCCGGCT 1601 TCTTTGTCAG CTTCAAGACC ATCCCCACTT ACCTGCAATG GAGCTCCTAT 1651 CTCTCCTATG TCAGGTATGG CTTTGAGGGT GTGATCCTGA CGATCTATGG 1701 CATGGAGCGA GGAGACCTGA CATGTTTAGA GGAACGCTGC CCGTTCCGGG 1751 AGCCACAGAG CATCCTCCGA GCGCTGGATG TGGAGGATGC CAAGCTCTAC 1801 ATGGACTICC TGGTCTTGGG CATCTTCTTC CTAGCCCTGC GGCTGCTGGC 1851 CTACCTTGTG CTGCGTTACC GGGTCAAGTC AGAGAGATAG AGGCTTGCCC 1901 CAGCCTGTAC CCCAGCCCCT GCAGCAGGAA GCCCCCAGTC CCAGCCCTTT 1951 GGGACTGTTT TANCTCTATA CACTTGGGCA CTGGTTCCTG GCGGGGCTAT 2001 CCTCTCCTCC CTTGGCTCCT CCACAGGCTG GCTGTCGGAC TGCGCTCCCA 2051 GCCTGGGCTC TGGGAGTGGG GGCTCCAACC CTCCCCACTA TGCCCAGGAG 2101 TCTTCCCAAG TTGATGCGGT TTGTAGCTTC CTCCCTAGTC TCTCCAACAC 2151 CTGCATGCAA AGACTACTGG GAGGCTGCTG CCTCCTTGCT GCCCATGGCA 2201 CCCTCCTCTG CTGTCTGCCT GGGAGCCCTA GGCTCTCTAT GGCCCCACTT 2251 ACAACTGA

- 42/42 -

Fragment 20237

1	TTTAAGGATT	TCAGCCTTTC	CATTCCGTCA	GGATCTGTCA	CGGCACTGGT	TGGCCCAAGT
61	GGTTCTGGCA	AATCAACAGT	GCTTTCACTC	CTGCTGAGGT	TGTACGACCC	TGCTTCTGGA
121	ACTATTAGT C	TTGATGGCCA	TGACAATCCG	TCAGCTAAAC	CCAGTGTGTG	GCTGAGATCC
181	aaaa ttggga	CAGTCAGTCA	GGAACCCATT	TTGTTTTCTT	GCTCTATTGC	TGAGAACATT
241	GCTTATGGTG	CTGATGACCC	TTCCTCTGTG	ACCGCTGAGG	AAATCCA GAG	AGTGGCTGAA
301	GTGGCCAATG	CAGTGGCTTC	TCCGGAATTT	CCCCCAAGGT	TCAACACTGT	GGTTGGAGIA
361	AAGGGTGTTC	TCCTCTCAGG	TGGGCAGAAA	CASCGGATTG	CGATTGCCCG	TGCTCTGCTA
421	AAGAATCCCA	AAATTCTTCT	CCTAGATGAA	GCAACCAGTG	CGCTGGATGC	CCAAAATGAG
481	TACCTTGTTC	AAGAAGCTCT	AGATCGCCTG	ATGGATGGAA	GAACGGTGTT	AGTTATTGCC
541	CATAGCCTGT	CCACCATTAA	GAATGCTAAT	λ TGGTTGCTG	TTCTTGACCA	AGGAAAAATT
601	ACTGAATATG	GAAAACATGA	AGAGCTGCTT	TCAAAACCAA	ATGGGATATA	KI DAAAAEAE
661	ATGAACAAAC	AAAGTTTTAT	TTCAGCATAA	GGAAGCAATT	actggtaaac	AATATGAGAC
721	TTTAATGCAA	AACAGTGTTG	ССААААААА	CTCAGAGACT	ATGAAATACA	TAAAJCATAT
781	ATCAAGTTAT	TTGAAAAATA	CCTATTTTTT	CCAAAGTGTG		

```
SEQUENCE LISTING
31105 Bayer AG
-120 - ATP binding cassette genes and proteins for diagnosis
       and treatment of lipid disorders and inflammatory
      diseases
\pm 130 \pm \text{ATP} binding cassettle genes and protein
- 14) -
1141 -
 150 131706
 151 1998-09-25
 150 - 54
 170 - PatentIn Ver. 2.0
 2.0.-1
 111 - 6380
 \mathbb{D} : \mathbb{D} \times \mathbb{D} \mathbb{K} \mathbb{A}
·27일- Human
2235
2232 cDNA of ABCA1 (ABC1)
(400)> 1
caaaealyte agetgttaet ygaayliggee tggeuterat tratettuu, gateetgäte (0
totgithigh thagotabee asbitatgaa caanaidaat docattiton aaataaagoo 120
atgreentity caggaacaet inciting the cagged into tot gradient caacaaette left
typichogtt accogación ingugagyot chorganity tiguladost taabaald in 140
attytegaste geotgittith ngatgetegg aggintettt taladugeta gadagadate 500
agdatgaagg adatgegesa sigttotgaga adattadago agatgsagaa atesayotda 360
aacttqaaqn ttcaagattt ootggtggac aatmaaacct totechgcgtt botgtatoac 420
```

```
adontetete techaaagte taetgiggae aagaigetga gagetgaigt eatteteene 480
engytattit tgcdaggeta ccagttacat ttgacaagic tctgcaatgg atcaaaatca 545
gangagaiga ticaactigg igaccaagaa gitticigago titigiggoot alcaagggag 60%
haactoyotg caqcagageg agtaettegt tecameateg acateetgaa denominetty 6\%
adaacastaa actotacalo tonottosog agodaqdaso tygesdango saalinsaasi
ttychycara gtottgggau totggodday gagongtudu ghwngagaag 🕻 (jagtya: 7/
atguqueagg aggtgatgtt tetgacuaat gtmaacaget ecagetesic sacceaaxis 810
twiceaggetg tyletogtat tytetgeggg categogagg gaggggggt qaagaludag 900 \,
tototoasen ggtatgagga caanaantad aaageeethit ttggaggdaa tggaudtdag 3\pi r
gaagatgutg asacettota tgacametet acaacteett actgesetga tttmmtgaag 1000
aattiguajt stagtoetet thooogsatt alotggaaag ototjaages yeljetegt: 1681
ggjaagatse tgtatacaem tgacaetsea jucaeaaagge aygtsatgge tgacagtgaae 1110
aagachtto aggaactggd tgtqttocat gauctggaag ghatgtggga maactcagh 1200
torsagatet gyacuttust ggagaasayn maagaastug soottgtung jitgotgtis 1250
ga magbagag amaangadba ottuty\mug \mu magbaguty\mu atgastman) itguadudon 11.00
cangalatey tygogttttt ggoddaydad coagaggaty todayloody twatggroot 1980
gintargent ggagagaage titthaorgag actaacaagg caateeggas 160 mictoge 1440
theatguagt gigitemanet quadrageta gaanooming caunnyaagt eiguntee 1500
aadanijoosa tiggajitigot ggatgajagg nagttitiggy otiggtattigt gilliaotigga 1500
athaccocag graguattgs gotgoodcal catginaagt accaqatoca datagacatt : ()[()
ya maatgigg agagjacaaa taaaat wuu gaigggiani gggacoolgy innologagoi 1887
qawccotttg aggasatqog gtangtrijn gggggdttng dotaettgda gdatgtggtng 1740
gagraggiaa trutragyyt getgawgije accgaganja aaactggtgt ctata/rina .80%
courably cost atcostiginal dythraciae abotitions goginators obeystowing land
occaustica tgacyotgic otggatttac todgicgety tgatbatcac ggg Wilegty 192
targagaagg aygoacggot gaaagagaso atgoogatsa (ggoootggw dwatagmato 1980
clostagetta geogytteat tagtagoete attectessa tigitgagego suggeotgela 20%0
studiestice tonauttagg association coetacaging accessory acceptions NIGO
ttoctdtocg thittgetgt gytgaman'd otgeagthic tootgattog hadachords libe
tonagagosa acutigoago agnorguigo gocateanet actteaegmi quaeutgone 1910
talogicutgi gigtigolatig goaqjadias gitgggotida cacicalagai ottojulago 2050
otgotylota atqtggatht tgggathinga tgtgaghani ttgadartti tgagyaydag 2040
ggdathggag tgcagtggya shadctgttt gagaytdstj tggaggasda tggd (chat 2400
ctrade.ctt eggisteest gatgrigtt gacarrites tetatggggt galgaeetgg 2450
talátomagg etgtetític ággosájtás gganttedes ggesstggta tellesettős 2520
accuangeet actggttteg ogangamagt galqagaaga gocaccetqq ttounnecag 2500
aagagaatat cagaaaletg catggaggag gaacscacce acttgaaget gggegthtee 2640
```

attcagaacc tggtaaaagt claccgagat gggatgaagg tqgclqtcqa tggcctggca 2700 ctgaattttt atgagggeea gateacetee tteetgggee acaatggage ggggaagaeg 2760 accadeatgt caateetgae agggttgttd deceegaedt ogggeaelge otalatabett 2820 ggaaaaagaca ttegnietga datgageand atcoggeagu acetgggggt etgtendnim 2841 cataneging lightingseat golymologic quagrature, tologicities inglicedecing . 940 daaqqqotot olgaquaqoa ugugaaqqoq gagatqqaqo aqatqyoddt qqacqttqqt (000 tijoostoaa goangitgaa magomaaaca ayucagotqt caggugqaat gemijiqaaay .910 ctatotgtgg cottggcott (gtoggggga tomaggtty (datrotgga tgaloccach) .20 gotggtgtgg accottacts legcagggga athtgggags tgstgctgaa atassgacah ligb gguegaacon ttastetoti hitacacaecan ulugatgaag eggacgioo' qqqegaraan at increte totochatge gaagergige tetegogen untocotyn rothelenas ± 2 uagunggaa caggotocta (cigacotty qtcaagadag aigtggaard cibuutnagi (Jod Contgragaa adagtiqtag cantutgtoa tarbigahan aggadhichg tgit otray - Le algoard total attentioned aggregoral categorists acabening our states $z \in \mathcal{G}$ totictatot comacotoal сыудшадсат glykotqaaq bongqotqgt gyalimatati. 540 gggeatyage tgacctatg. getgccatat gasgetgeta aggagggade ettintagaa 3600 ototttoaly agattyatju regjetetma qasetgggea hthetaytta igjeatetma (660) gagacydcoc tyggaayaant Attootcaag gtygocgaag aqaytgyggt ygatyctyag 3020 aconcagatg gtacontgoo agcaagadgu uacaggeggg mottegggga cuugosgage 1700 ngtistiogod ngitishotga agaigatgot golgatesia algationga salayasssa 1840 gaatobayay ayacayactt qulbaqtgqg atygatqqca aayqqtbota obuqqtqaaa (80)) gjotgyadae ttacacagus Acagttigig goodttitgi ygnagagaet gethaitiged 1960 aganggagic ggwaaggatt fittigetowy aligiettign mageigityll nijietgewin 400 i godinijtji tragostuat ogtijocacom htthgcakus brodcagovi grusotni g 4.1 contugatgo amasugaada yosasadatto modagesatg amgotomiqu ggissasgggn 41... accortggaac Lottaaacqc rotdaccada gaccotggch togggacqcq otytalgdda 4000 gyanacocka troccagadad genotegodag gdagggqagg wagagtigyud da mymodom 1800 yttuoobaya chatcatgya hohbttooag aatgggaadt gymdadtgda galboottda 43.0 octgoatgio aytgtagoag Gjacaaaato aagaaqatgo tgootgtgtg tolloccaggg 4% 0gcaggygggc tgoothomin Wbaaagaaaa waaaabactg sugatatest teleggoodly 4440 acaygangaa acatinogga fitatotgoty udqaoqiatiy ngoagatoli ugʻosaalada 45 %ttaaaqaala agatutgggt qaatgagtu. Aggtatggda 4000000000 ggwtqtbagi 45%aatacicang cactinetee gagicaagaa qitaaigaig seaceaaaca haigaagaab 46.6 caditaniqo tgyosuagga cadttotgam masogattin idhaqqqili qquaagatii kõmb anguenjac tggasuccag aaataangt.: aaggtgiggt (caataalaa gggetgica) 4740 geauteaget ettteetgaa tyteateaue aatgeeathe heegggeenn eetgeaaling 4860 ggagagaado otagimatta tggaattaut qotttoaain atoocotgua totoacumag 4280

```
cageagetet cagaggtgge Leogatgace acateagtgg algraettgt glocatetgt 4920
greatefulg caatgreett egibreaged agriffitte iblicetçal coaggagegy 4330
dicaybaaaq caaaacacut qeaqiicate aquqqaqiga pqootgicat braciqquie 5010
totaatittig totgggatar qiqqaartar qitqtoodka mcacaatggt cattaruning ol.0
ticuluiget tecagoagaa gioutatgig rectedad w statgachgi gatagodat" 5130
cladifitige totalggging globalcaea cololeangt Joseageoue offitiglists 5280
ampatecesa geacagesta tgbggtgete assaquqeda assistetent tggcattaat 5130
gnoagegtyy respectityt deigjagety tiuredgaea aluuqetgaa Saathteaat 5940
gatalherga agtbogtgit ettyatotto bemeatttib inorgggang agggeteain 5400
gadalgytga aaaaccaggo aatggotyst goodtggaaa agtttyggga gaatcgottt 5460
gtgtcascat talctrggda ettgg:ggga egaaamtut tegeestggc egtggaaggg 5520
grantattet un desttas terranate cagiantait terranteag geogranics, 5501
junaatadaa kystotett teesaultaat gekkyn poly stylythän yssin perag Tek-
ngaattotti ktigtggagg downadtoac afurthgada immaggagtt gwcgaadal (175)
tatagaagga agoggaago: (grigtogao agga/togog ogogratico (comogugab 506)
tgettiggg: togtgggagi tasigggget gglagateat sametticum mitgitaa2\pi/5\ell_{\odot}
pyagationa ofgitacoug aggagatgot throttaana pagtagtat nicatoaann 5880
atoual waag tacatcagaa catyggolak tgeestcag: ftgatgcoot cacagagkty 5940
tigaciggga galaasacgi ggaliitetti qeeetitiga qaqqaqieen aqaqacaysa 6000
gttqqcaagq tuggtgagtg ggogattegg awantgygeo tegtgaagta tggagaaaaa 6000
talqctggta abtatagtgg ay maacaaa cgcaagctci ctacagccat ggctttgatt 6120
ggogggoote eigigitgit totematgaa beekecacay gyarqqateo quunqeecqo ()81
aggitettiji gaaatigige omtangigit ytonagaagi gipamateagi agmaettasa 6/4/
totoalagta tgyaajaatg tgaaqototi tgoactagga tggcaatcal ogtcaatgga 610
aggitteaggit gestliggerg tgiossapsol etaaaaasana gyittiggasa tqittatasa бубс
alagitgian gastaydagy giskanddog gaedigaago bigikragga tillettigda Edil
istigeaulte etiggaagigi sekaaaagag aaamanegga asuitgetara asidebagett 8460
scatettost tatettetet gg::maggata itempeated titeecagag casaaagega (540
stocacatag angactabus totttotoag adaddactty assaugtail totgaactt. 6600
godaaggado aalagtyatga tgaccaetta anagadotot nattacacaa haaccagada 6600
gtagtggacg tigcajttet casatettet etacaggatg agaaagtgas agaaageta. 6720
yerk ... casatça, p. copyrpt patrasect propasages office patrages patrages patracount
gata stytac tyanastatt saatyvaung baatto mig
```

<210 + 2 <211 + 2201 <212> PRT +2135 Human -:220→ <:223 Peptide sequence of ABCAl (ABC1)</pre> <400 > 2 Met Pro Ser Ala Gly Thr Leu Pro Tro Val Gln Gly Ile Ile Cys Asn 10 5 Ala Asn Asn Pro Cys Phe Arg Tvr Pro Thr Pro Gly Glu Ala Pro Gly 20 Val Val Gly Asn Phe Asn Lys Ser Ile Val Ala Arg Leu Phe Gor Asp 35 40 45 Ala Arg Arg Leu Leu Tyr Ser Gln Lys Asp Thr Ser Met Lys Asp 50 55 60 Met Arg Lys Val Leu Arg Thr Leu Glo Glo Ile Lys Lys Ser Ser Ser 65 70 VA 80 Ash leu Lys Leu Gln Asp Phe Leu Val Asp Ash Clu Thr Phe Scr Gly 90 Phe Leu Tyr His Asn Leu Ser Leu Pro Lys Ser Thr Val Asp Lys Met 100 105 110 Leu Arg Ala Asp Val Ile Leu His Lys Val Phe Leu Gln Gly Tyr Gin 115 120 125 Leu His Leu Thr Ser Leu Cys Ash Gly Ser Lys Sor Glu Glu Met Ilo 130 135 140

Glm Leu Gly Asp Glm Glu Vil Ser Glu Lon Cys Gly Leo Pro Ary Glu

145 150

155

I,ys	Leu	Alа	Ala	Ala 165	Glu	Ara	Val	Leu	Ary 170	Ser	Asn	Met.	Asn	11e	Leu
Lys	Fro	He	Leu 180	Arg	Tar	In'.	aan	Ser 185	Thi	∷er	Fro	ese	F10	acr	ԻԴ։
Gl.	Leu	Ala 195	Glu	Ala	Tt.r	Lys	Thr 200	Leu	Leu	His	Ser	Leu 205	$G1\gamma$	Thi	Len
Ala	Gln 210	Glu	Leu	₽he	Ser	Met 215	Arg	Ser	Trp	Ser	Asp 120	Met	Arg	Clr.	Glu
225			Leu		230					235					240
			Val	245					250					255	
			Lys 260					255					270		
		275	Gly				260					285			
	290		Thr			295					300				
305			Ser		310					315					320
			Leu	325					330					335	
			Asn 340					343					350		
G±11	aly	Mer	Trp	uiu	GIU	rea	ъcr	Fro	LYS	116	Trp	Thr	Phe	Met	Glu

355 360 365 Asn Ser Gln Glu Met Asp Leu Val Arg Met Lou Leu Asp Ser Arg Asp 370 375 Ash Asp His The Trp Glu Gln Gln Leu Asp Gly Leu Asp Irp Thr Ala 390 395 G'n App Ilé Val Ala Phe Leu Ala Lyb His Fro Blu Asp Val Gir Scr 405 410 415 Ser Ast. Gly Ser Val Tyr Thr fip Aig Glu Ala Pho Ach Glu Thr Ast. 420 425 43. Gin Ala Ile Any thr Ile Ser And Phe Met Glu Cvs Val Ash Leu Ash 435 440 445 Lys Led Glu Pro 11e Ata Thr Slu Val Trp Led 11e Ash Lys Ser Mon 450 415 460 Glu Let Leu Asp Glu Arg Lys Foe Trp Ala Gly Tle Val Phe Trr Sly 470 475 480 The Thr Pro Gly Ser IIc Ot. Let Fr: His His wal Lys Lys .1 490 495 485 Arg Met Asp Ile Asp Asm Val Glu Arg Thr Asm Lys Ile Lys Asp Gly 500 505 510 Tyr Trp Asp Pro Gly Pro Arg Ala Asp Pro Phe Glo Asp Met Arg Ty 515 520 525 Val Try Gly Gly Phe Ala Tyr leu Glm Asp Val Var Glu Glm Ala 116 535 510

Ile Arg Val Leu Thr Gly Thr Gly Lys Lys Thr Gly Val Tyr Mej Cln

555

545 S50

G]n	Met	Pro	Tyr	Pro 555	Cys	Tyr	Val	Asp	Asp 570	Ile	Pne	Leu	Arg	Val 575	Met
Ser	Arģ	Ser	Met 580	Pro	Leu	Phe	Met	Thr 585	Leu	Ala	Trp	Ile	Тут 590	Ser	Val
Ala	Val	11e 595	Ile	Lys	Gly	Ile	Val 600	Tyr	Glu	Lys	Glu	A15 605	Ārģ	Leu	Lys
Glu	Thr 510	Met	Arg	Iie	Met	Gly 615	Leu	Asp	Asn	Ser	Ile 620	Leu	Trp	Phe	Ser
625					630					635				Lec	640
				645					650					Pro 655	
Val	Val	l'he	Val 660	Phe	L∈u	Ser	Val	.²n.e 665	Ala	Va1	Val	Thr	Ile 670	Leu	Gin
Cys	Phe	Leп 675	He	Ser	Thr	Leu	Pho 680	Ser	Arg	Ala	Asn	Leu 685	Ala	Ala	Ala
Cys	Gly 690	Gly	Ile	Ile	Tyr	Phe 695	Thr	Lea	Тут	Leu	Pro 700	Tyr	Val	Leu	Cys
Val 705	Ala	Trp	Gln	Anp	Tyr 710	Val	Gly	Pnc	Thr	Leu 715	Lys	Tle	Phe	Alā	Sei 720
				725					730					Лlа 735	
Phe	Glu	Glu	Gln 740	Gly	Ile	Gly	Val	Gln 745	Tip	Asp	Asn	Lei	Pho 750	ülu	Sei

Pro Val Glu Glu Asp Gly Phe Ash Leu Thr Thr Ser Val Ser Met Mot 7€0 Leu Phe Asp Thr Phe Leu Tyr Gly Val Met Thi Trp Tyr lle Git. Ala 770 775 Val Phe Pro Gly Gln Tyr Gly 11e Pro Arg Pro Trp Tyr Phe Fro Cys 785 190 795 800 Thr Lys Ser Tyr Trp Phe Gly Glu Blu Ser Asp Glu Lys Ser His Pro 805 810 815 Gly Ser Ash Gln Lys Ard the dor Glu The Cys Met G u Glu Glu Pro 820 525 Thr His Leu Lys Leu Gly Val Mer Me Gln Asn Lou Val Lys Val Tyr 835 940 Arg Asp Gly Met Lys Val Ala Zal Asp Gly Leu Ala Leu Ash Phe Tyr 850 855 560 Glu Gly Gln Ile Thr Ser Phe Leu Gly His Ash Gly Ala Cly Lys Thr 865 870 875 880 Thr Thr Met Ser Ile Leu Thr Gly Lou Phe Pro Pro Thr Ser Gly Thr 885 890 895 Ala Tyr lle Leu Gly Lys Asp fle Arg Sor Glu Met Ser Thr fle Arg 3O E 900 Gln Ash Leu Gly Val Cys Pro Gln His Ash Val Leu Phe Asp Met Leu 915 520 Thr Val Glu Glu His Ile Trp the Tyr Ala Arg Lou Lys Gly Leu Ser 930 935 940

Glu Lys His Val Lys Ala Gli Mot Glu Gln Met Ala Leu Asp Val Gly

945 950 955 960 Leu Pro Ser Ser Lys Leu Lys Ser Lys Thr Ser Gln Leu Ser Gly Gly 965 970 Met Gln Arg Lys Leu Ser Val Ala Leu Ala Phe Val Gly Gly Ser Lys 980 985 Val Val Ile Leu Asp Glu Pro Thr Ala Gly Val Asp Pro Tyr Ser Arg 1000 Arg Gly Ile Trp Glu Leu Leu Leu Ivs Tyr Arg Gln Gly Arg Thr Ile 1010 1015 1010 Ile Leu Ser Thr His His Met App Glu Ala App Val Leu Gly Asp Arg 1025 1030 1035 1040 Ile Ala lle Ile Ser His Gly Lys Leu Cys Cys Val Gly Ser Ser Leu 1045 1050 Phe Leu Lys Ash Gln Leu Gly Thr Gly Tyr Tyr Leu Thr Leu Val Lys 1065 Lys Asp Vil Clu Ser Ser Leu Ser Ser Cys Arg Ast. Ser Ser Ser Thi 1075 1080 1083 Val Ser Tyr Leu Lys Lys Glu Asp Ser Val Ser Gln Ser Ser Ser Asp 1090 1095 1100 Ala Gly Leu Gly Ser Asp His Giu Ser Asp Thr Leu Thr Tle Asp Val 1105 1110 1115 Ser Ala Ne Ser Asn Leu ile Arg Lys His Val Ser Glu Ala Arg Leu 1130 1135 .125 Val Glu Asp Ile Gly His Glu Leu Thr Tyr Val Leo Pro Tyr Glu Ala

1140 1145 1150

Ala Lys Glu Gly Ala Phe Val Glu Leu Phe His Glu Ile Asp Asp Arg 1155 1160 1165 Leu Ser Asp Lou Gly Ils Her Ser Tyr Gly Ile Ser Glu Thr Thr . () 1170 1175 1180 Glu Glu Ile Phe Lou Lys Val Ara Glu clu Ser Gly Val App Ala Glu 1190 1195 The Ser Asp Gly Thr Lev Pro Ala Arg Ard Ash Arg Arg Ala the Gly 1205 1719 1215 Asp Lys Glm Ser Cys Leu Arg Fro ene Tor Gru Aum Ast Alm Ala Ass 1220 1225 1230 Pro Ash Asp Ser Asp The Asp Pro Gluiter And Glu Thr Ash Lo. Lea 1235 1240 1145 Ser Gly Met Asp Gly Lys Gly Sor Tyr Gln Val Lys Gly Tip Lys Lou 1250 1255 1260 Thr Gln Gln Gln Phe Val Ala Leu Leu Trp Lys Arg Leu Leu Ile Ala 1265 1279 1275 Arg Arg Ser Arg Lys Gly Phe Phe Ala Glr. He Val Leu Pro Ala Val 1290 1285 Phe Val Cys lie Ala Leu Val Phe Ser Leu Ile Val Pro Pro Phe Sly 1300 1305 1310 Lys Tyr Pro Ser Leu Slu Leu Gln Pro Trp Met Tyr Asn Glu Glm Tyr 1315 1310 1325 The Phe Val Ser Ash App Ald Did will App inc U., The Lett 31, 10.

1335 1340

1330

Leu .	Asn	Ala	Leu	Thr	Lys	Asp	Pro	Gly	Phe	Gly	Thr	Arg	Суз	Met	Glu
1345					1350					1355					1360
Gly.	Asn	Pro	Tle	Pro	Asp	The	Pro	Cvs	Gln	Ala	alv	Glo	Glie	G' n	Ten
•				1365					1370		,			1375	
				1303				-	13/0					13/5	
Thr '	Thr	Ala	Pro	Val	Pro	Gln			Met	Asp	Leu	Phe	310	Asn	G_{+}
			1360					1385					350		
Asn '	Trp	Tnr	Meti	Gln	Asn	Pro	Ser	Pro	Ala	Суа	GI n	Cys	Ser	Seef	ASO
		395					1400					1405			
Lys .	. 1.~	T).to=	·	n	57.1	**	F1	S	£1		e 1 .		
		nya	290	Mec			Vidil	СУЗ	110			F- 1	1.17	CTA	~'2''
1.	410				-	1415					1420				
Pro	Pro	Pro	Gin	Arg	Lys	Gln	Ash	Tur	Ala	Asp	110	Leu	Gln	Asp	icu
1425					1430					1435				1	1440
Thr (G1v	Ara	Asn	I. 6	Ser	Asn	~~ur	Len	บาเ	103	Ph.+	-vr	W a 3	17.117	110
Thr (Giy	Arŋ			Ser	Asp	~yr			Lys	fhr	Tyr			He
Thr (Gly	Arŋ		I.e	Ser	Asp	~yr		Vul 1450	Lys	Phr	Tyr		31n 1453	He
			:	1445				1	1450					1453	
Thr (:	1445				1	1450					1453	
		Lys	:	1445			Lys	1	1450			Glu		1453	
		Lys	Ser'	1445			Lys	Ilc	1450			Glu	Phe	1453	
Ile /	Ala	Lys 1	Ser 1460	1445 Leu	Lys	Asn	Lys	11c 465	1450 Trp	Val	Asn	Glu !	Phe 470	1453 Arg	Tyr
	Ala Sly	Lys 1	Ser 1460	1445 Leu	Lys	Asn Val	Lys	11c 465	1450 Trp	Val	Asn	Glu ! Leu	Phe 470	1453 Arg	Tyr
Ile /	Ala Sly	Lys 1 Pne	Ser 1460	1445 Leu	Lys	Asn Val	Lys Se:	11c 465	1450 Trp	Val	Asn	Glu !	Phe 470	1453 Arg	Tyr
Ile /	Ala Sly I	Lys 1 Pne .475	Ser 1460 Ser	Leu Leu	Lys Gly	Asn Val	Lys Ser 1480	11c 465 ASD	Trp	Val Gln	Asn Ala	Glu ! Leu 1485	Phe 470	1453 Arg Prb	Tyr
Ile A	Ala Gly I	Lys 1 Pne .475	Ser 1460 Ser	Leu Leu	Lys Gly Ala	Asn Val	Lys Ser 1480	11c 465 ASD	Trp	Val Gin	Asn Ala	Glu ! Leu 1485	Phe 470	1453 Arg Prb	Tyr
Ile A	Ala Sly I	Lys 1 Pne .475	Ser 1460 Ser	Leu Leu	Lys Gly Ala	Asn Val	Lys Ser 1480	11c 465 ASD	Trp	Val Gin	Asn Ala	Glu ! Leu 1485	Phe 470	1453 Arg Prb	Tyr
Gly Gln G	Ala Sly 1	Lys Pne 475 Val	Ser 1460 Ser Asn	Leu Asp	Lys Gly Ala	Asn Val Thr	Lys Ser 1480 Lys	Ilc 1465 Aso Gla	Trp Inr Met	Val Gln Lys	Asn Ala Evs 1500	Glu Leu 1485 Bis	Phe 470 Fro Lou	Arg Pro	Tyr Ser Leu
Ile A	Ala Sly 1	Lys Pne 475 Val	Ser 1460 Ser Asn	Leu Asp	Lys Gly Ala	Asn Val Thr	Lys Ser 1480 Lys	Ilc 1465 Aso Gla	Trp Inr Met	Val Gln Lys	Asn Ala Evs 1500	Glu Leu 1485 Bis	Phe 470 Fro Lou	Arg Pro	Tyr Ser Leu
Gly Gln G	Ala Sly 1	Lys Pne 475 Val	Ser 1460 Ser Asn	Leu Leu Asp	Lys Gly Ala	Asn Val Thr	Lys Ser 1480 Lys	Ilc 1465 Aso Gla	Trp Inr Met.	Val Gln Lys	Asn Ala Evs 1500	Glu Leu 1485 Bis	Phe 470 Fro Lou	Arg Pro Lys	Tyr Ser Leu
Tie AGIy (Gin (Ala Sly 1	Lys Pne 475 Val	Ser 1460 Ser Asn	Leu Leu Asp	Lys Gly Ala	Asn Val Thr	Lys Ser 1480 Lys	Ilc 1465 Aso Gla	Trp Inr Met.	Val Gln Lys	Asn Ala Evs 1500	Glu Leu 1485 Bis	Phe 470 Fro Lou	Arg Pro Lys	Tyr Ser Leu
Gly Gln	Ala Sly 190	Lys 1 Pne 475 Val	Ser 1460 Ser Asn	Leu Leu Asp	hys Gly Ala Ala 510	Val Thr 495	Lys Ser (48) Lys	Ilc 465 hsn Gln	Trp Inr Met.	Val Glm Lys Asm	Asn Ala Lvs 1500 Ser	Glu !! Leu !! !!485 !!!!S	Phe 4470 Fro	Arg Prb Lys	Tyr Ser Leu she
Tie AGIy (Gin (Ala Sly 190	Lys 1 Pne 475 Val	Ser 1460 Ser Asn Ser	Leu Leu Asp	hys Gly Ala Ala 510	Val Thr 495	Lys Ser (48) Lys	Ilc 465 Asn Phe	Trp Inr Met.	Val Glm Lys Asm	Asn Ala Lvs 1500 Ser	Glu !! Leu !! !!485 !!!!S	Phe 470 470 Lou Gly	Arg Prb Lys	Tyr Ser Leu she

Lys Gly Trp His Ala Ile Ser Ser Phe Leu Ash Val Ile Ash Ash Ala

1540 1545 .5...

Ile Leu Arg Ala Ash Leu Gin Lys Gly Glu Ash Pro Ser His Thr Gly
1555 1560 1565

Ile Thr Ala Phe Asn His Pro Leu Asn Leu Thr Lys Gin Gln Led Scr 1570 1575 1580

Glu Val Ala Pro Mot Tor Thr Ser Val Asp Val Leu Val Ser Ile Cys 1585 1590 1595 1600

Val Tie Phe Ala Met Ser Phe Val Pro Ala Ser Phe Val Val Phe Loui 1605 1610 1615

Ile Gln Glu Arg Val Ser Lys Ala Lys His Leu Cln Phe Ile Ser Gly 1620 1625 1630

Val Lys Pro Val 11e Tyr Trp Leu Ser Asn Phe Val Trp Asp Met Cys 1635 1640 1645

Ash Tyr Val Val Pro Ala Thr Leu Val Ilo lle Ile Pho Ile Cyb Pho 1650 1655 1660

Gln Gln Lys Sor Tyr Val Ser Sor Thr Asi, Lou Pro Val Leu Ald Leu 1665 1670 1675 1650

Leu Leu Leu Tyr Gly Typ Ser lle Thr Pro Leu Met Tyr Pro Ala 1685 1690 1695

Sor Phe Vai Phe Lys Ile Pro Ser Thr Ala Tyr Vai Vai Lau Thi Scr 1700 1705 1715

Val Asn Led Pho Ile Gly Ile Asn Gry Ser Val Ila Thr Phe Val Led 1715 1720 1725

Glu Leu Pho Thr Asp Ash lys Lau Ash Ash Ilo Ash Asp Ilo Leu Lys 1730 1735 1740

Ser Val Phe Lou ile Phe Pro His Phe Cys Leu Gly Arg Gly Lou ile 1745 1750 1755 Asp Mct Val Lys Asn Gln Ala Met Ala Asp Ala Leu Glu Arq Phe Gly 1765 1770 1775 Clu Asn Arg Phe Val Ser Pro Leu Ser Trp Asp Leu Val Gly Arg Asn 1780 1785 Leu Phe Ala Met Ala Val Glu Gly Val Val Phe Phe Leu Ile Thr Vul 1795 1800 Leu Ile Gir Tyr Arg Phe Phe Ile Arg Erc Arg Pro Val Ast. Ala Lys 1815 1820 Leu Ser Pro Leu Ash Asp Glu Asp Glu Asp Val Arg Arg Glu Arg Glu α 1805 1830 1835 1940 Arg Ile Leu Asp Cly Gly Gly Gin Asn Asp Ile Lou Glu Ile Lys Glu 1845 1850 Leu Thr Lyc lle Tyr Arg Arg Lys Arg Lys Pro Ala Val Asp Arg Lic 1860 1665 Cys Val Gly Ile Pro Pro Gly Glu Cys Phe Gly Leu Leu Gly Val Abn 1880 Gly Ala Gly Lys Ser Ser Thr Phe Lys Met Len Thr Gly Asp Thr Thr 1890 1895 1900 Val Thr Arg Gly Asp Ala Pho Leu Ash Arg Ash Ser Ile Leu Ser Ash 1905 1910 1915 1920 The His Glu Val His Gln Ash Met Gly Tyr Cys Pro Gln Phe Asp Ala 1925

1930

fle Thr Glu Leu Leu Thr Gly Arg Glu His Val Glu Phe The Ala Leu 1940 1945 1950

Leu Arg Gly Val Pro Glu Lys Glu Val Gly Lys Val Gly Glu Trp Ala 1955 1960 1960:

Tyr Sec Gly Gly Asn Lys Arg Lys Lou Ser Thr Ala Met Ala Leu Ile 1985 1990 1995 2000

Gly Gly Pro Pro Val Val The Let Asp Glu Pro Thr Tim (by Met Asp 2005 2010 2015

Pro Lys Ala Arg Arg Phe Leu Trp Ash Cyc Ala Leu Ser Val V41 byo 2020 2025 203%

Glu Glv Arg Ser Val Val Lou Thr Ser His Ser Met Glu Glu Cys 5_2 2035 2040 2045

Ala Leu Cys Thr Arg Met Ala Ile Met Val Asr Gly Ard Phe Arg Tys 2050 2055 2060

Let Gly Ser Val Gln His Let Lys Ash Arg Fhe Gly Asp Gly Tyr Thr 2065 2070 2075 2080

Ile Val Val Arg Ile Ala Gly Ser Ash Pro Asp Leu Lys Pro Val Gl
n 2085 2090 2095

Asp Phe Phe Gly Leu Ala Phe Pro Gly Scr Val Pro bys Glu Lys His 2100 2105 2110

Arg Ash Mot Leu Gin Tyr 31n lou Pro Ser Ser Lou ber bet bed Ala 2015 - 2016 - 2016

Arg The Pho Ser He Lou Wer Gla Ser Lys Lys Arg Lou His He G-u

2130 2135 2140

Asp Tyr Ser Val Ser Glm Thi The Los App Glm Val Pho Val Ash Pho 2145 2150 2150 2160

Ala Lys Asp Gln Ser Asp Asp Asp His Lei Lys Asp Lou Ser Lei His 2165 2170 2175

ys Ash Gin Thr Val Val Asp Val Ala Val Lou Thr Ser Phe Leu Gin 2180 2185 2190

Asp Glu Lvp Val Lvs Glu Ser Tyr Val 2195 . 167

<210 · 3

< 211 - 113)

<212 < DNA

< 213 - Himman

< 1120 ×

<

< 4000 - 3

eccaateMan intitoate atgrand windscaped dargacean acapagaga 6.0 adgrandia gritteaggs gecaagand acapagagad acapagagad 150 grandians gritteaggs stages acapagagad tittgatew grandians 150 attititioa grandians acapagadad acapagadad tittgatew grandians 240 canagadada grandians acapagadad canadagada canadagadad acapagadad acapagadad acapagadad grandians grandia

```
cgtggaggge atotgtotgo caattgeeeg ctjomaatot aagccagtot caetgtgado 840
acacgaaaco Louaetgydy gagtgaggag etygeeaggt etyggaggggn eteaggtgem 900
obcayboogg casecagett togspechtog toaatcaabo cotygotyge agoogchoto 900
cocapaceng occordiget ougotytoty gaggocacqt ggmcottcat gagatycatt 1920
stotustato titigatggan aggatggigo aaagoobaag arotagitti gobbgaqqit 1980
gdaa matgit gagagaacon ggreaataaa gigtactand tottaccool
                                                                  1:30
1210 - 1
1211 - 1304
J12 DNA
1/13 - Hilman
1.120
U23 - human cDNA of ABUA6
-130 - 4
tuttajatga garacetgit atmatigoda gotgiotata damajastat geaggodaga ()
igaaaligitg ottitoaaag aggaagaaga aaatagoago aalmaasato tottuotgig li(
Thomasangg tysametting spartners generaling typingmamma agircatets left
tragalitgat stotyggalo adaaagccaa obyolggaga ggtggaacty Aaaggotgca 240
Hitcaytitt gygodaootg gggtaotgb/ skebbjagaa ogtgotytgg besbtyotga Wic
osttyaggga adaostggag ytytatyoty boytonaggy gotoagyaaa goggasydya 370
gaptojecht ogcaagatta gugagtgoll teacaitgea tgagdagong aatgiteelig 401
tgbagaaatt adcagcagga atbaccagaa agttgtgtttt tglgctgago stoctgggaa 480
alteacotgt ottgeteetg gatgaaccat stangijgeat aacoocacag gybägdagea 54%
Autgotggea ggeaatoong geagtegtta adadesaga qaqaggtgte ithotjacia oth
incataacci gjetgaggeg gaageettgi gigaesgtgi ggobarbang gigtetgggaa 600
grattagaty callygoted atomacaes typhagaacaa actty/wag gattacatte 7.0^\circ
Lagagitasa ajtgaaggaa acgtološag tgaotttggt ocacantgag attotgaage 789
tittoscaca ygotqoaggg caggaaaggs attectotit qitaashtat aagetyeeee 840
giggeagacg ittaccetot attacagach itteacaaast tagaagtaqt gaaagtata i 90\%
ottoalcutg graqaatada ydukulotoo aqtooloo qolahaaqotn toottanado \Phi
ottostaaan aacaggaayt toggaaatti igaatgaaaa minascheed besutsatte 10.0
apptogrado ttaaaacoto aaadotagta attititgil gaintoitat aaaacttarg 1000
itttatgiaa taattaalag tatgittaat titaaagats afittaaaatt aasam saggi 1140
abattttgta aatttagtta ocaaaatacat aaattttaaa atsattstc stotchaaca 1200
taggggtgat agcaaangtg tgataaaggc aatacaaaat altagtaaag tcacccaaag 1250
```

WO 00/18912 18 PCT/EP99/06991

agteaggeac tgggtattgt ygauaraaaa etatataaae ttaa 1934

<210 · 5

<211 - 65

:212 · PRT

:213 - Human

.220 -

-U223 Partial peptide sequence of ABCG1 (ABCE)

1400 - 5

 $\mathcal{C}(\mathbb{C})$ der Phe Aup Thr lie Pro Thr Tyr Leu Gin Trp Mot Sei Tyr lie - 5 10 17

Ser Tyr Val Arg Tyr Gly Pho Glu Gly Val The Lea Sor The Tyr Gly 20 21

Low rasp Arg Glu Asp Low His Lys Asp life Asp Glu Thr Lys His Pro-40

Gin Lys Ser Glu Ala lle Leu Ard Clu Leu Asp Mai Jlu Ass. A.: 192 50 55 60

leu

r 5

· .10 · 6

·211 4864

+ J120 DNA

- .:13° Human

+ 220t

+ 223. human cDNA of ABCC2 (MRP2)

atagaagagt official gangeagine aggaarcate ofggagaagi forgoaacin en

tactititigg aattoctcat tootggacag tooggagyea gacotgocac totgtitiga 120 gcaaactgtf ctggtgtgga ficecttggg ctroctatgg ctcctggccc notggcaqct 199 totocacgig tataaaroom ggaccaagag almererace accamadrdt atotiontam 210 graggitatic gliggittic tictiatist agranosita gaguingers tigineteas 330 agaagactot ggacaagoca cagtocotju tyttogatat achaathnaa goductsoot 350 agjcacatgg cloctggttt tgotgatcha atacagtaga chatlygtgtg tacagnaaaa 4.1. etrottggtto objectat tottggattot ologatario ngtggeaett necaattica 48) gastetyats eggacacter throughpting exattethat etayeotabl setgestylt 540obtications tagggatter adationing obtique out to the total carry $\delta(t)$ and $\delta(t)$ tgagreates aataateest catesatage ticattestg aptagmatta cetamagetg well qtatgabago albattotga aaggilalin qoqtoototg abantoqaqg alqtotqoga 7% agttgatgas qaqatgaaaa occajubant antqagosag (Ltmcaacg) anatgaayaj 77) ададоруюць манифораддо дуую прочин додарудому длинададог просамовует Мый ototigajos agnotigodij goti pasaa daatbayayi daaagobaay atgoobtig: 9/) cotglaaqit gttgaaaagi aada qooga gtoogggard daalaaga: ; ttooalaalo (9,0) obggittgatq aaggetoigt teaaaaetti elacatggig eterigaaat catterfact 1(2) gaagetagtg aalgaemich reacgittijt gaguubteag eigotgaamt igotgateie 148 % ctitgcaagt gacoglyaci catattig0g gittggatat cictqtgcaa tootottatt 114) cactgogget ofcattoagt offfcoget tragtgthat thocaactgt gottoaaget 1.000 gggLgtaann gtacggacag mulestije trotgtamat angaaggoat tgaccotato 1756 baacttiggob aggaaggagt abactgttigg agaaawagtg aabotgatig: otgttggatg: 172) okagaagoto atgyatgiga obaabttoan goadatgotq tgythaagtq tiubu aqan 1940 ignormatic statettes tatquagaga gruppyyaddo tëagherman daggrijishn ${\bf r}_{\rm g}(0)$ gjigatgytg bhyjtaatoo baatkaakjo gotactytoo accongagta agacoattoa 1900 ggtcaaaaal Atgaagaata aagabaasig Litaaagatb algaatgaga stoottagtgg 1550 aatoaagito otgaaatati tigootggga accyteatto agagactaag tacaxaacct 1600 coggaaghaa gageteaaga henrootigge etttagteaa etacagtigtig tagtaatatt [689] cytostocaq ttaactocaq teotygtato tyfggtcaca tettobyttt atgtoctggt 174% gyatngcaac aatattttjg atgcacaaны ggosttcacc tocuttaccc tortinatat 1800. cotgegotit webbigages tgetted but gatgateted techniquited aggs backs $1(\mathcal{G}^{\prime})$ httocacagan oggotagaga agtachtgon angggatgad toggacacat chigo sittog i.e. acatagety: whititgada aayuuwkiin qittitetyay guuteettia hurgigaada 1930 tgatteggas усслеадтее gagatytyun eetggacat, атурсаддес жарттутдде "(С.) (tgtgataggs octgtoggst stgggawate ctosligata isaqocatgo tgggagaaat 1,00 ggaaaatyto chogggoara tolecatoua gggbaccaet gestargtoo chraqraqto 2.00 ctggatteag aatggcacta taaagganna catectifff ggnacagagt Uthatgaaaa 2220 gaggtacoag caagtactgg aggeetgige teteeteesa gwottggaaa tgetgeeigg 2080

aggagatttq gotgagattq gagagaaggg tataaatott aglgggggtc agaagcageg 2340 gateageetg jecagageta entaceaaaa titagaeato tatettotag augaeeceet 2400 gtotgoagtg gatgotoatg taggaaaasa taftittaat anggtottgg goobcaatgg 246) cotyttgaaa ggcaagacte gactolight tacacataye atgcactife ttootcaag: 3523 ggatgagatt gragttotgg ggaatggbac aattgtagag daaggaldot acagtgclet 2540 octgyccaaa aaaggagagt ttgctaagaa totgaagana tttctaagac atacaggccc 264) tgaajaggaa jocacajtoo nigatggoag tgaagaayaa goagatgaot atgygotgat 27.0atomagtgtg gaagagatoo oogaagatgo agootocata andatgagaa ydgagaacag 2750 ottiligtoga acacitiggod goagitulag jitocaatgg. aggeatotga agicootgag 2800 anaeteetty aaaaetegga atgtgaalay ootgaaggan gacgaagane tagtgaaays 280) acamaaacta attaagaagg aattuataga mactggamam mtgaagttot coalctacet 2940 ggagtaceta baageaatag gatrifttite gatalitette and steettg byzingtgat "Apri gaallotgig jottotatty gutosaacht olggetoagu johrgdwoca g ductetau (m. aatosteaat ageaeegaet steedageale tuagagggas U magagtty gagtotalgg Fills agototggga thagoodaag gtatalityt gttcatages cattotgga grgcothtgg (180 titingtocal goaldamata tottykanna goladiguly napaataldo utogagoanu 1740 tatgagattt tutgacacaa casccaeaig soggattyty aucagyttig coggogatii 3300 ttocacaging intgacacco tgactbagic attgegrang tygattacat gettoctgyg Nie. gatasteage lecostigies rijateligekt ggbeacteer giestisaees teateginst 342 (tootottggo statttaty tatotyttia gatgitittat gigiotacet obegedaget $\mathbb{R}(E)$ gaggegtotg mactetytes chaggtoose satisfactor bankthagog agaccethic 3540 aggittigoda gitaloogig cottilgagua ubagbagbga Ufiotgaaad auanogaggi (()) galgittgae upcaaccags aatgigiett steetgeate neetspaaca gjignestgs Semi aattogootg yagotggtty gyaachig-c tytotooutd teageottga Watggotat 1000 Ltatagagat abcotaagtg gygasactnt tggotttgtt orgtonaatg cactoaatal $\mathcal{C}^{\pm 0}$ cacacadaco otgaactggo tygtyaggat gadatcagaa alaqagacca adattgtggo 3840 tgttgagoga ataactgagt acacaaaayt ggaaaatgag gcacoostggg tgactgataa $\mathbb{R}(0)$ gaggrotocg coayattggo bbagbaaaqg shagatobag httaabaact accaagtgbg D460 glassgacct gagstggate tggt:closg agggateact tgtgasateg gtageatgga 4(20 yaagattggt ytgytgggoa ggacaygayn tggaaagtca tooctbacaa abtgootbul 4(8) Cagaatotta qaggotgoog giggicagat tatoatigat qqaqtagala tiqoticoat 4140 iggsetceae daesteegay agaagdigae sateatees: caggausesa meetsiteid 4000Eggaagcong aggatgaat: Ulgasconthi caacaachai tsaadangaag; agattiggaa 46). agoettggag utggetead: transfertt tytggennys ethysaacitg gyttathus 4%equaggitate qaggetggty yika intgog cataggeong aggeageong bytgeetggg 4760 cagggetetg crteggamat ouragateet gyteetggat gaggeeredg etgeggtega 4440 intagagada qadaacetca tidagadqad datecaaaan qagticgobu abiqcacagi 4500

```
gateaceate geocacagge tycacaceat catgyaeagt gacaaggtha tygteenaga 4560
caacgggaag attatagagt geggcaqccc tgaagaactg ctacaaatcc ctggaucett 4620
ttactitatg gctaaggaag ctggcattga gaatgtgaac agcacaaaat tctagcaqaa 4580
ggccccatgg gttagaaaag gactataaga ataatttott atttaatttt attittata 4740
aaatacagaa tacatacaaa agtgtgtatm adatgtacgt fttaaaaaaag gutaagtgaa 4800
cacccatgaa cotactacco aggitaagan aataaatgic accaggiact tqucaaaaaaa 4960
aaaa
                                                                   4861
C2105 7
-2115 4646
- 212 - DNA
- 213 / Human
- 22C -
-:223 - human cDNA of ABCB1 (MDR1)
<400 - 7
cotastotat toagatatic tocagatise taaagattag agutoatito enertotoot he
anguartacto acricangaa godachagat ahaagagayg tipbaacigaa g_{ij} sagaacat 1,3,
Recticitge authorical gittingsagt tootogagga oldayealte nateauton: 1:0
greerggage agteatotg: ggtgaggetg attyg migng eaggaalayb googggegt 240
gagorgagoa cagogotto; otototttg: cacaggaano otgago.eat togagnagog 3(7)
getelltenaa geteaalagaa geagaggeey engtlegtti eulittaggen tittedaguna lega
agtorgagta tottotrock agatttoack tottogtogo ogtoccaagg agogogangt 400
egggatggat ettgaagggg acegeaatgy aggageaaag aaggagaact turtteaact (\xi)
gaacaataaa agtgaaaaag ataagaaggs aaagaaacca actgtcagtg tattttcaat 500
gittogotat toaaattggo tigabaagir qiatatggig qiqqqaabi: inqootqsbat 600)
catchalggg getggaette eleteulgat getggtgttt ggagaaatqa cagatatett 660
tgcawatgca ggaaathtag aagatotgat gloadacato actaatagaa gtgalatcaa 710
tgathcaggg ttottcatgl atotggagus agacatgacc agglatgeot aclatracag 700
lagaattiggt gotgggjig: iggitigotgo ttacattoag gittcatttt ggtgootgge 840
agotogaaga caaatacaca aaattagaan acagtttiii biijotataa (gogacagga 90)
gataggottgg tillgatgtgc acgatgttgg ggagottaac accogactta cagatgatgt 900
etethagatt aatgaagtta tiggigadan aatiggaatg tietticagt daniggeaac 1020
attititeact gggtttatag taggallias acqtggttgg bagetaacce nijtgattil 1030
ggocatcagt cotytistig gactytoags tyctytotogy gmanagatac tatoticatt 1140
mactijataaa gaactottag ogtatpoaan agetggågea gtagetgaag agijtottgge 1:00
```

agcaattaga actytgattq catttggagg acaaaaqaam quacttgaum gytacaacam 1260 aaatttagaa qaagctaasa gaaltgagan aasgaasgot uttacagaca aratticlar 1940 aggigoight fichigoiga tetalgoate traigenoig geotichgy' higggaedug logi ettggtedee teaggggaad autotattgg acaagtante actytalthe titetyeatt 1440 aattyygyst titagtytty gasagssate tessagsatt gaagsattig saastyssas 1900 aygaguaget tatgaaatet teaagataat tgatuntdag ceaagtetig acagetatic 1560 gaagngtggg cacaaaccag staatattaa gggaastttg gaattuagaa at $\mathfrak{gtcactt}$ 1620cagttaccca totogamaag aagttaagat õttgaagggo otgaacctga aggtgcagag 1880 tgggbagacg jtggcottgg ttgguaalag tggbtgtggg aagagbachu bagtbbagbt 1740 gatgeagagg itetatgace ecasagaggg gatggtmagt gttgatggac aggatattag 1800 gaccataaat gtaaggtite taegggaaat cattggtgtg gtgagtragg aacctgtatt 1800 jtttgocace angahagetg asaacattog chatqqoogt gåsaatgtes odatqqatya 1900 yattgagaaa qitytoangg aagosaasiyo etatgastit asbutgaasu uguntoataa 1980 arrtmacaec esgyulygag agagaygyyd doagstgagu ygtgggsaga eguugaggat 2045 bycoattyou ogtgocotgg ttogbaanne daagateeth otgetggalg uggocacgie 2100 agoottygan hossaasgog sagongtgat toaggtgynt otggstaaug mingsaassu (16) toggadulde attotgstag (tostogtot goetacager ogskavguty deutcatbge 122tgytttogat matggaglou htgtggadas aggauntout gatgswormn tgwaaqwyna 2280 ajjontttad (tugaaastig toadaatji: jamantaggu saljungity au jügudda 2016 typagethat gaardonada gtgasattya typottygaa atgicticaa atgartonag 2400. atocagteta athagamaaa gatoaasisq tingagtgto egilggatoas анилисагда 2480 dagaaagott aytabbaaag aggotolijja tijalaqtata obtocamtti obtotroppaq 2520 gattatgaan otsaatttaa otgaalgamo ttattolgin qotgatutat hinktgodab Limit tatédatign ggootgoads signattign datamarti toduagetia taroggoot (40 tacaaquutt gatgatenig naacamaaeg alaquatagt aectiqtiii eurtaiigit 3700 totagoootti ygaastatti ottitatsad astittootti osganjittoa čatsingooni 1760-Agetggagag itersteacea ageggeting atacatggst stangasens tymtungase idds ggatgtjagt regitttgatg accordanna cactactgg: godftgatta Uniegottce: 1883 caatgalgot jotsaagtta aaggggotat aggttonagg stigotylaa tivoosagaa 2590 tatageadat uttyggaeag gaalaallat ateetteale uategttyge aubiaacact udob gttantotta goaattytan ocatomitgo aatayongga gttyttysaa immaaatgit 4060 gtolggaeaa qcabtqwaaq alaaqaaaga adlagabggt qctgggaaga torolactga 5125 ayodatagaa aasteedgaa cogttottto tuuqaotban gagoagaigt stdaasarat 3180 gtatoctcae agutugoach taccetarae aboutettth aggaas ρ an arututumph $\mathcal{R}^{(0)}$ auttacattt tertionece aggematgat gintittier talgebygat gittooggi: 300° tygagodtac itgyrgydad ataaactrai gagotttgag galyttelgi täglalinto 3360 agotgttato tulygtgoda tgqddgtagg gdlaqtdaqt toatutgoto otgablaind 3421

```
caaageeaaa atateageag eesacateat catgateann gaaaaaaacee etttgattga 3480
cagotacago acggaagyoo taatqoogaa cacallgyda qgaaatgica cattiggija 3540
agtegratic aactatocea cocqaccgga cateccagtg ottoagigac teagcolgga 3600
ggtyaagaag ggccagabgc tggctctggt gggnnqcagt ggctgtjqqa agagnucart sibs
ngtocagoto otggagonyt totabgacus oltggcaggg säsytyptgb bigatggcaa 1990
agamataman ogmotymaty ttematyget cognigences otgagented tytusengem offic
speciatecty titgaetyca geattyctya gaacattyce tu: ggadaca deageogyct 2840
ggtgtcacay gaagagetcg tgagyycagc adaqqaggic alectacatg lociteatega 3900
jtcastyson aataaatata goadbaadgt aggagadaan gjasctcago tototggtgy 3960
ccayaaacaa egeattgeea tagoroqtge eettgttada eageeteata tittgettii 4020
gjatgaagee aegteagene tiggataeaga aagtigaaaag gitty midag augeneminga (668)
caaagedaga gaaggeegea eetgeattyi aartgoteau dyuumoteea e osoesgaa 314
tycayactwa athytygtyt ttoagoldyy cayayteaay ywytatyyca dynnteagla 420.
gotgotgota bagaaaggea tetantitin aniggleags ginnaggoig glacaaaged 4261
chagtgoott otgactgrat gagathttsa atacutrito atatthquit agatatgar: 432.
vitaringana gittaaaaago, dacdotraba gaatrongis gayyetatong tittaaliiri 4350
octoagtoaa gittoagagio ticagagast usqinattaa aggaanagag tgagagacat 4440
catcaagtgg agagamatca tagtttaamd tydattataa alliitatmad alaattaand 4500
tagattttaa aagatasaat gigiaarii: gittalatti tuomattigg amugiaacig 4500
actgootige taaaagatta tägäagtago aaaaagtatt gadatgtttg caraaagtgt 4620
ctatastaaa actaaacttt catgig
                                                                   4646
210, 8
211 864
USI2 DNA
-213 - Human
2205
223 human cJNA of ABCD2 /ALDRO
.4002 8
adattiquesa gareeggive inotalgaga pergentent tiggiggitus garatatest in
itgaaaacee termiceear cattegeaay centramage aatchingeea egygu mindu 110
saagdagdag utuwoodtoo tgoaqagaan iniqaawtab bhukriimar tigagachii 130
iqigaaaaas uticqootgy agigaalysa gartictica assugeteet agaalii qu 140
amaattitgt tiebahaact tgigaceast yaabeagegt gyeteigeet geacheagig 700
```

gototaatot daaganoott totttotato Langungeig gtotgyangn aaala. Dotg 300

```
aaaaqcattq tqqaaaaqqa goottqqact ttcatcatca aattaatcaa qtqqcttatq 420
attgorated etgetacett egicaacagt geaataaggi achtggantg eanaritgort 4%,
tiggoottoa gaactogoot agiaqnodad gootaigaaa omasiitad aaarbagadi 540
tactataaag tgatcaatat ggatqqqaqq otgqcaauuc otraccaatc tetimoggag 6(%)
galattatga tgitotossa hiotogogot babttgtatt no atotogas cumulotatt 660)
ttagatgtaa tgolgacoto ofatacabto attoaaabug ctucatccag aggaqeaage 72)
ocaattgggo coaccolact agcaggactt ylggtgtatg coactgolaa agtgttaaaa 78)
quotitioto coasattigg casactgitq quagadqaaq cacataqasa aqqutattiq 8-3
oggtatgtgc actogagaat tata
                                                                   A+ 1
-210 · 9
+1111 + 2750
212 - DNA
- 213 - Human
- 1220 -
H123 - human GDNA of ABGD1 (ALDE)
.430 - 9
поправодаю увтросторог овструдору друговые удужувания подпадаты,
aggtygagag ginnmagaogs obbstityon byayanotet calgebourg imbleagggg 100
осаручают фарардасаў дарартоваў 1.00000000 тр. процесс давуарову 180
Ogacoptiga gjacoptigaj ondanig se paggedope agbandende ingredjenia 34)
aaqqqacaqt otsagggyes abogoskaqqt ttosagttqc ofuqaqaaca ggsscaggg) 200
dagagizanca atoottobay beautigoot baasiyong noraggeaco ayuubbaayse 350
octablegge agecageses grtgasatge egytgetets cargeocogg reetgyeggg 42)
quaacaogot gaagogoad; poogtgotes tygecotege ggeotatgga goesadaaag 480
totacccett ggtgegecag igoetggees oggeragggg testelaggug bestelaggig 500
ageocacqua ggaggootoo gggguuqeqq oggocaaago oggcatgano ogggtattoo 60)
tgealugget estgtggets elgoggetge tgtteedseg ggmystgtje ogggagaogg 66)
agetyetage detgeacted athoristical transcopial objecting segmenting 7.0
congratigga ongaagguty yanagetyon tegorogram gynocogong gotttegyut 780
gyuayétget geagtggets etextegses tocotgeta: ettegtease aytgedalue 840
yttapottgga gggodaasti krostotogt tooguly sei tottqqtggod ballyddiann \mathbb{R}(3)
guartetactt obocaquaq auctantace ygyleadaan catggaegig bylittogen 940
ablotgacca gtototgacq gaggacqtgg tqqcctttqq qqcctotqtq qc::acctot 1025
```

abtocaacot guocaagoea etootggaeg tygbtgtgal tteetacase btgbtteggg 1080

```
eggeocgote cogliggages aquamagoni ggeocloggic calcipondde cloglogic (14)
 tootsabygo daangtgotg ogggestier ogschaagtt byg pugusg gugunnagg it
 algrioggeg gwwwqggdad stywydtada tqductbywn i Hinntgqo. aw - qaey: //
 agutogoott brainggggg batgaggnyy matggood yununayago touthobayu 180%
abottggooto goaqitchao otoalootic tghaacgoot gtditathtt augungmagi 190
 agttocteal guagtatyte tygagegod, egggeotgol butygttyget ytubebatea 1940
 teastgedae tygetaetea gagtdagatg cagaggedyl, quagaaggea yeertygaaa lob-
 аучанданда ggagotgyty нуодадская саучадость растастунь справосных 1500
Eguingeggo tgcagatyco attgagogya tcarqtegto gtacaaqqaa qtganqqaac 1620
Uggotggota dadagodiga gtgcadgaja tuttodaggt alttgaagat girkagogot 1680
 gtoacttoma gaggiodagn gagotagajo accoteaggo (ggggtotggg accatagges 1740
 approximate constitution against the adaptical consideration and the constitution of t
 addidation cincidadas armociatid transporte appagates gradifica 1864
postudasat caggiftggay gaaggcatic audigotest escaggedor sattggotgog 1920
 doaajagote setijitioon ateetgigig geeroteges oarmawegt geterent 1980
 Manageobore accumagede atditional tecespeagay jecotrocats teleroget 2040
 Jeetgegtya neaggtgate tabongyant cagtggagg. {\it integral}caa{\it agg} {\it saggetain} {\it x} {\it 100}
oggaginagga octgiaages atootgidhy togtgoaset goaccasats stdsageggy 2160
agggaggitq qqaqqotatg tytqactqqa aggacgtost \phinqqqtqqd q\phiqaadca\phia\phi22\phi3
 paatoggant ggoodgealy thotachada ggoodabqua bycoctottg gatdhatgoa 2250
 obaquijungt gagdatoja. Pujnaaggda ayatobtkin ngoggodaay wicqogggob 2540
tigosolget etecateans caseggeest scurglegaa ataceaesee caesigetar 2400
kgitigateg ggaqqqoqqo tggaagting iqaadotqda otqaqmibdo cgobbgaqqo (4 m
Muchgagga gaaddadogg cuggagdag, harthdoggg 0.4^\circ thease storing 0.4^\circ 25.
wootscagga guitotgodag au helyggon aggoogtge, wacunogoat ynybegeab 158.
stagooogda aggoootggt ggoooccagg jtgootchar otgasasaas ogtooccage 2640
evolupocong ecoccaaght oggaticaeat gaagyagudu gaaqcaccad noostgcabg 27(1)
cacchagada etgaatgodt ggdddataat batagaadda cattaccana
                                                                                                                                  2750
```

s.210 + 10

W11 - 5011

 $212 \leq \mathtt{DNA}$

2.3 - Human

22.0 -

-223 human cDNA of ABCC1 (MRP1)

<400> 10 conducted tracadence diseasifiat scardained codecious shouldeds by posymogody ungengenag cyntallyddi agoaydiggi dobymirhen bynnyddogy Inn igocogoogo oqooogogoo ageaamaggg oomqaliaaca ogiogoogo nyhooqoogo 180 squeegegee acceggeatel againegggg ettergrage gergateget eagachegai 24% ctyggacigg aaigicacgi ggaataccag caaccorgae ituachaagi ghiireagaa 300 callygraphic grattaggraph effectivita animinaged rejectors of meaning r/360ctatototoc egacatgae: gaggetacat ibagatgana obtotoadua maccada e suu tgo:ringga tttttgclg: ggatcatcig stgggwayad ctottctuck otttclggda 400 auguagtogg ggdataitod tggddydagt ytttotggld agdddhadto toltgggdat 540 caccaegety ettgetaeet tittaalitea setggayuga agyawyogag tielligtette o $\epsilon > 1$ aggyateaug eteaetttet ggangytade betagnytigt gebetambea tehtgagate 300 caaaaltatg meageottaa aagaqaatgo oologgaad oo mittagty unitrootii 770 staugismas titicocles lastestica jurequetig tieigitic', sugaregels 780 accuciquis teggaaacen tecasyaecs maateesige esagayiren gegetieerit 810 conjugacy atcacerret ggtggateae agggttjatt gteegjyjnt accgunagee 900 ectigaggs aglyacotot ggtottiaad raagjajgan acgtojquud aaqtogtgod beu tyttittggta aagaactgga аунну наст стобынунст ардаа жэнс судтицадді 1070 tgtytanten tesaaggate etgodingee gaanjagagt tesaangtgg atgegaatga (180 ggayglyggag gotttgatog toaagtoodd Hongaaggag Lygaaccool ototgtttaa 1140 ggtgttatac aagacetttg ggeestact: :uteatgag: tacttette::augecateud :1000 equinotified any title configuration of the state of the cacuacygod c wagactygo aggg mannh ntanashnyty otyot mill teacogodin 1920 obtgoagaes of optgotgo asbaymoott boadstorgo trugtimgto dobtgaggat (35). caagaccget gloattgggg eigitmateg gaagg metg gijathaeca attempocag 1440 uaaatootiis aeggtegggg ayalluteaa ecteatytet gtygaigste äyagytteat 1500 ggasttggs: acgtacatta deutgatetg gtmagssees etichnetea tentigetet 15km stabotosig tggotgaatk tgggbootte eqteetqqot ggugtqgogd tgarqgtoct 16%. catgg:good gt:aatqqti tgatjmojat quagardan; arktatcayu iqqoodagut gaagagcaaa gabaatogga toaayotgat qaabgaaath otbaanggga tuaaagtgat 1740 amagetttat gestgagage tygealteam gameasygty etygedatem addaygagas 1900 gotdaagjug otgaaqaaqt obgoodishon gtoajingta govaontin nooggysoong (8). pacedopetis objected temperate temperature of gasculture acquisition (92) catectgga: goodagadag outhingtote triggnoted treasuated toeggitted 1980 octgaacall otooccatgg lear agead caregracan geyagigtet coctmaaacg 2040 cotgaggalus tittototose angaggaget ggaachtgae agsaingage ganggooigt 7100 caaaganjyn gggggcacga adagdatcac cythaggaat gccadattna cclyngcnag 21kD

```
gagagaccot occadactga atggcatbac ottotocalb occgamygtg otthygtggu 2000
egragitagge maggitagget gegyaaagin gioosigety isageneth isagentaagan 1980
ggachaagty gaggggaacq tggetaleaa gggetacqtq geetatgiqt caeadcagge /340
otggattcag aalgattots toogagaaaa datootittt ggalgtoado iggaggaalo 3400
atattacagg teograpatae aggrafqtge eelbeteeda gaertgqaaa leotgeedag (346)
nggggalugg acagagatty gugagaaqqq oglybacotg totigggggoo aglaagcaguq 2520.
ngtgageot; geoogggeeg tqtacteeaa egntgacatt taestetteg utgateeses 3580
ctcagcagtg gatgcccatg tgggaaaava catctttgaw aatgtgattg gccccauggg 2640
gatgotgaag aasaagacgo qyatottigyt bacgcavago atgagotact toocgcaqut 2000
gyacgicate attificatga giggogyosa materergdy atgygereet accaggaget 276)
gotggetegil gabggegeet toggtgaget betgeglade tatqcomgea dagageagga 782).
goaggatgos dangagaaca gigtoacada citindogat comigdaaca wintersaq willes
aatgolijaan gosatgotgo rinoghasai (godhoqaa) daantoodga gosago do 1947
cagetuning testanagig eggacateay mangsaecad addagcamid cagaactged 10 ml
gamagutgan gebaagaang angagamene dangetgang gampenghé: aggegement 1000
agggeaggts aagestteeg tytuctggas ctacatgaag gecateggae setteatete 2170
officereage abultcottt that.grjt%a ecatetg.md gegetggent ccaactsttg 3180
gotcageotic tggactgaty associategt caacqygact caggagoaca equalagtecg 324)
gotgagogtu tatggayeem tiggcattte amaagggate googtifttig gebactocat 300
ggoogtglob alogggggma tottggetts oughtgloty eachtggace thoogeauag 3360
cathologogy toaccoatga hittoitty, worgaecoch aginggawnn ingigaacon 1420
butistocaag gagutggata dagtiggadi: batgatoobs gaggtbatob Adatgromit (4).
aggeteecty in waegiza theyselect a tatestrate etderig mit eyeddatage 35%.
Agreaticate atmongreeck inggrospat ctabilities globalyagge totabylinge solo
thoofocogy wagetgaage gustngagte gglungcogs tooccagtet airwocatet 56m0
caacgagads tigotggggg tsagogical icgagocits gaggagcag; agcgottsat 3720
осарсауылг. даростумануу турастыдан гилчандууч чаттагоосы учатоутууч 1780
caabaggigy oiggeogige ggoigyagij toioggeaab lgbaiogit i igitigbwer 384°.
cotiffities gigalotesa gicacaçest cagigologe tigginggen telcagigis 1900
tta::tcattg_caggtcacca_c4%ectiga%_ctggctggit_cggatgtcat_ctgaaafg4i [960
aaccaacate gligycogtigg ajaggiitea; ggagtaltes gagacigagi acyaggiigor 4020
Thy Joadahu daggaqacag ondey meder dagunggung daggiyydd o dagliggadir. Afer
sojgaactad sycotyogot almgagagga setygactik offersogni altanonings 414%
cacqatcas^* gygggaga_{aa} a gythqadat egygggggq acgggdagtt gyaagthqtt 120 \omega
retgaecety gyottattie ginleaduga giergeogaa gyagagatea idateguiqu 4260
cateaacate gecaagating giotgeacga ectécactte aagatinacea tearcescea 4320
ggaccotgth ingttttogg priodotocy aalganoong gaccoarna gecammach: 4580
```

```
q-jatqaagaa gtotggaogt cootgjagnt ggoodaooty amegaottog :gtobgoodt 4.40
toctgacaag ctagaccatg aatgugeaga aggeggggag baseteagtg regggeageg 4500
cragettgty typectagede gggedriget gaggaajanj nagateetty tyttggatga 4560
jąccacggea geogtggaed tygaalegga egaedttate cagtheacea teeggacaea 4020
jutojaggae tgeaceguee teaceatege esaceggete aabaceatea tggastacas 4580
adyggtgate gtottggaca daggagaaat obaggagtae ggogobobat oggacotoot 4:40
gragragaga ggtottttot acagcatggs camagangon gynttggtgt gagnoncaga 4-00
quitggcatat cuggicagaa cigcaggger tataigeray eguccaggga ggugicagia 4860
obcotggtaa abcaagooto doacabtgaa accaaaabat allaaaccaaa chongacaac 4920
caaaacalat toaaagcago ageearyyee atcegyteer etyeotygaa etygetytya 4980
agabboagga gajacagaga tgcganucac c
                                                                   5011
1210 - 11
::11 3924
.112 - DNA
(213 - Human
-.520 -
 123 human cONA of ABCB4 (MDR3)
1400 11
cottgecages acgegegagg ttegaggetg agatggates tgaggeggea adgraeggaa (6)
cagootggog uchcapgage guggagggog actttgaach gmycateagu agbhaacaaa 1.0
аааддааанн аасдаадаса укдаалында tsggäyüztt аасаtsgttt (gutactoog 150
attggcagja taaattgtii atgtcqctgj gtaccatba, ggccatagot cacggatbay 240
gtotococct catgatgata gtattigjag agatgabiga caualitgit gatactgcaj 300
gaaacttete otttocagtg aacttttoot tglogutgot aaatclaggo aaaattotgy 360
aagaagaaat gactagatat qcatattact actouggatt ggytgitgga gttottytty 420
otgoctatat acaagtttca ttttgqactr. tggcagctgg tcqacagatc aggaaaatta 480
ggdagaagtt tittcatgot attolacyal aggaaalagg alagiittgac aldaatgaca 540
poactgaaut caatacgegg ctaacagsty acatotocaa antcagtgaa ggauttggtg 600
acaaggtig; aatgttetti caagedgta; ceaegttilt thraggatte atajtgggat 660
toatcagagy atggaagete acceligtqu taatyyesat cagesstatt etalgactet 120
stgcageog: ttgggcaaag atactetegg catttagtga caaagaabta getgettatg \mathcal{M}\theta
caaaagcag) ogoogtggca ghaganqoto tggggqdoa* cangactgtg atagettteg #40
ggggccayar caaagagetg gaaaggtat: agaaasattt agaaaatgee aaagagattg 5000
```

gaattaaaaa agotatttoa gosaacustit oostgögtar tgoottootg ilaatatatg 960

```
catcatatge actiggentic tggtatgdar coactelligt catalinidan çaatatinita 1000
tiggaaatgu aatgacagtt tiitiiticaa tootaattigg aguttimagt gitggccagg 1080
attgaccoatg taltgatgot tettgacaatg campaggac aguatatetg aterttgat ( 110
ttattgataa taatootaan attgatagti titoagagag aggacacaaa (cagacagoa 120)
tcaaagggaa tttggagtte aatgatgtte aettttelta eeettetega getaaegeeea=1260
agatettgaa qggcetcane etgaaygtga agagtgggda qaeggtggee etggttgjaa 1370
ghagiggetq tgggaaqage acaacggtoc aqotqatana qaggotorar daccengatq 1340
agogonosaat taadaitgat gggcoggota ttäggaastt taatglasac tatoidigga 1947
unatcattgg tgtggtgagt dagyagoogg tgdtgtttto dashadaatt julgaaamta 150)
titgitalgg cogiggaaat glaaccaigg algaqataaa ganagcidic aaagaggooa 156)
acgeetatga gittateatg maattaceae agamattiga caccetggit ggagagag.g 1627
gdgereaget gagtggtgdd ragaageayw ddategerat tgcaegludd etggriywca 1681
addomangat cettotgotg datgaggod# eqtoagcapt ggacabag# autgaaghtg 174%
agglacagge ageletggat aaggeeagag aaggeeggme caccattigtg atagnalmee 1800
gactytotae gytoogaaat yeayatytea tegetygytt tyagyatyho ytaattytyo libor
agnaaggaag dsacaqogaa ofgatgaaga aygaaygigt gtacttonaa ottigtoaaca (9/0
tycaqacatm angaaqeeay aletaqteag aaga mitida aetaMatgat dhaaaqqetg 1970
onactagant ggooccaaat qqotggaaat ntoscituti taquontqoi dorongaasa noq
acentiaaaaa ticadhiaig Tyttagaan. Mettyrigi qqaaacqun quaettqui, Ti'o
chartytyce accaptytee tittetydagg teetyraict gaataaaduu daatyyood lint
auttrategt gyguacagta tytymmatty cuaathydygg gethnalydyg gearrithdag 2220
toatattoto agagatoata qogitttttg gaboajgiga tgathoagtg akgoagraqo 128 (
Autgoaapat autototitg attitottat indigigial Estitottit thracities just
thottcaggg tittcacgitt inggaaagety hogagatici chicagaaga ingoggich. An
tggetthtaa agcaalgota agabaggad: "gadotgent tgatqacdit laaaabagtu %40
otgytycact tictacaaga ottyncacag atgolynnoa agtobaaygu gccacsgywi 15w.
conggittage tilantiges caguatatam etashkrigg asilygmirm alcalmical 2180
filalotacgg tiggoagtta auditattgo tattajoagt typhiceastt attgongtgt 2640
saggaatigt tgccatgaaa fightggctq gaaalin aa aagagatana aaagaantag 2700
aa jotgotgg aaagattgos asajaggosa tagaasatat taggamamit ytytorriga 2000
rewaggaaag amamittgas isautqtaty tigaamaatt guatygaest taeugjaatt 2520
ctgtgcagaa gdcacacain ratqqaatta cttttagtat ctrucnagca ittatgtatt 2380
titicotatgo eggitgitti. egaritiggij carateteat bytgunigga cavatgedet 2940
toagagatgt tattofggig titlotgcas (tgtatitgg tghagiggot ofoggacatg 300)
ccagticatt tgctccagan tatdctaaay rtaaqctgtc tyragcccac thattcatge эйнэ
tgtitgaaag acaacototg attgacagom acagtgaaga ggymotgaaly cordataaan 3120
ttgaaggana tataacattt aatgaagtog (gttcaacta toowncooga gunanogton 318)
```

-1210 - 12 -1211 - 1725

212 - DNA

213 - Human

120 -

223 - Hilman abnA of ABUBE

400 - 12

Automated antrogram amonation opticity of monaged monators ()

Automotics of opagetates of opticity of accuracy for accuracy of accuracy o

```
teactgtgat geotggacag acaettgese tggtgggeed atotggggea gggmagagea w())
caatttttgcg cotgotgttt egettetacg acateaguts tggetgeats ogaatagatg 960
gguaggacat ticabaggity accomaggest enclongers teachtiggs attitioned 1020
Hagasactgs conditionat gacaccatog obgacantat cogstudegge ogtgsbasag 1930
otgggaatga Ugaggtiggal gotjotgoto aggotgoagg catomatgat goduttatog T 40
ottttootga agggtabagg alabaggtig gogagogggg abiglagotg aglguogggg 1200
agaayeagey egteqobatt goodgekeda tootbaaygo teegygeate astotgetgg 1,80
atgaggoaau gtbagbgotg galacutota atgagaggg: batcbaggot bobbtoggoda 1120
Halfotgtg: caaccypach inscategtag tggsacahag dotethaadt gtggtchard 1180
objaccajat octojicate aaggatgget geategriga gagggganga recjaggete 1440
igitijiosoj ajgingggig taigotgada igiggoajoi goagsaggia sagjaagaaa 1:00
countgaaga cantaagost cagaddatyg aacggtgada awagtttggd sadinocoto 1:60
towayasti assocagaagg gaataagang tgtotosii. Emunggotta ini satootg 1020
utotiggigi abygtgotag bialognang agalaggga. Gilboogaaa swintottii 1690
yydynaanan aastytygad tytyddodda Laasadaala donaa
-4110 - 13
401 - 4776
 212 \leq \text{DNA}
 213 - Human
- 2.10 -
223 - human cINA of ABUBII
400/13
gaatgatgaa aadogaggit qgaaaaggit qigaaaciti tuausicicc asaytggagi és
coattautto ototggetto occasativa tattoscaya guegtiqqet langagttqca 110
attaccatgt ofgactcagt auttottoga agtataanga untitggaga yyayaatgat 180
ggttttgagt dagataaand stataataat gataagalat baaggttada nqatgagaag 290
amaggigating general typestetti camiting in general atomacine see
atitygotga tgtttytgyg aagtttgtyt goatttooos atggaatage bealecagge 300
gitgetactea tittiggene aatgacagai gillittari; actacgacyi icagittacaa 420
paactoraga tilloaggasa agratgigig aataacusch tigtalggne taalagtice 450
itcaaccaga acatgucana tigaacacgt tetigigitgi tgaacatega gagagaaatg 500
attalattig coagnitacta typinggaatt golgiognay tactlatene aggalatani ((')
capatatgot tiliggyteat typogoagot bytoaqatar agaaaatgag aaaattilae 60)
tttaggagaa Laatgagaat gyaaataggg tgytttgact gcaattunyt gogygagotg 72)
```

aalacaagat tototgatga tattaataaa atcaatynto ocatagolya (caaaatggol 780 cttttrattc agegeatgae etegaerate tytggtttcc tgttjggatt tttcagjgjt 840 tggaaaotga oottiggilat tatttotgto agoostotoa ttggggattgg agoagosiso 900 attqqtotga gtgtgtocaa qtttaoggas tatgagotga aggestatgs saaagcaggg 900 giggiffety alganyteat iteateaaly agaacaging elgiliting ingligation (0.0) agagaggttg agaggtatga gaagaatott gtgttogcop agegttgggg sattammasa 1000 ggaatagtga tgggattott taotggatho gtqtggtgto toatottttt gtgttatgca .::) gtgjostfot ggtaeggete badaettgte etggatgabj gagsatatae ameaggaaec 1.00 cutyracaga titticoloag tytoatayta ygagorttaa atottyydda tydotocoot 1180 igtttggaag octtiggaan tggabgige guagbback gcithttbgi gamainagab 🖫 💴 aggaaacosa Loatigacig catgicagas qaiggstaca agitiggatoy aatonagggt [38-6] daaattgaat focataatgt gaoottistaf tattottoca dabbaqaggt pääghttota 1446 satyasotha anath \mathfrak{g} toat taaabunggo qaantgabay \mathfrak{d} tot \mathfrak{g} gtayy aschant \mathfrak{g} ga \mathfrak{I} a \mathfrak{d} gotygaawaa gtadagoadt gowantroott bagbyuttot atdasobbly gawaggswty 1900. gtgabbytgg atggbbatgå batt metot bolaakattb agtgbbthag mydbbagabt 100%gggalligtigg agcaagages egittetigtte folksbondes togosgassa hattegerist $(\mathbb{N}_{\mathbb{N}})$ ggcagaqaag atgosacaat -ggaadacata gussandotq coalliggig galaatgiotac [74] sacticates typecotype acaptamitt gaescoptin tiggsgangg sygaggeng 1000 atgagtigti gicaqaaaca sagggiajot atogobagaj . Wy ottorg waat 130 μ_0 μ_1 attotgottt tygadatygo babbbbagot otgyadaaty nynytgaano batyytyona 1500 gaayUgotga gtaagattoa goatg@jbac abaatbatti bagttgotba togettqtbt 1990. adgytoagay otydagatan hatoittggt titgaadaty gonotgdagt gyddagaygg 2016 andchalgaag aattaotgga aaggminggt gttlauttoa ototagtgan "ityokaago ll." wagigisato aagobottaa tigaajajgao ahaaaqqati baalugaliya mgabatibt 🖫 🖟 gogagjacol thagcagagg gagotaccaq qaragtitaa gggottocar deggmaabje 2010 tocaaytoto agotttotta cotggtgoac gaasotocat tagetgttyt agateatang 2000 totacotatg aagaagatag aaaggabaag gabautoobg tgbaggaaga aguugnibot 2544 goodcagtta ggaggattot gaaattoagt gotobagait ggoodtabat gentggtaggg 200 tolytiggity capcinition organization scaleration attrochistic astronycean 2150 attottggga ottittteaat tootgataaa guggaabaaa ggtbacagat caatggtgtg $2 \pm \alpha$ egostaetti Ligitageaas gygetgittä terettitea eecaathist acagggatat 2580 gootttgota aatotgggga gotcotaaca annaggotoo gtalatttij titoajjgoa 261. atgottgggd amgatattgd otggtttgal gasotcagaa atayooottg aqoattgasa 2700acangactig chacagaigs theseaagit inniggigoig cognition gaiogygaid 2789 atagtoaatt oottomotaa ogtomotgig grantqaton tighkkkhibro Effitagetige 24.74 angetyaged tygicatett gigettette enertettey eittalbayg ayocacacae 283) accaggatgt tgacaggatt tgactotoga gataageagj cootggagat gjrqggaeag 2940

```
attacaaatg aagccctcag taacatcogc actgttgntg gaattygaun qqaqagqcgg 50.0
ttcattgaag cacttgagan tgagetggag aajccottca agacagcont toagaaagec 3000
aatatttang gattetgett tgeetttgeb eagtgeatea tgittaftge gaattetget 31%,
tectacagat atggaggtta ettaatetee aatgaggge Leeattteag elat\mathfrak{g}tgtte \mathfrak{F}(\mathbb{R})
agggtqatot otgcagttgt actgagtgow worgotettg gawqaqcott otorracaco 024)
ccaagttatg caaaagctaa aatatcaget gcacgetttt ttcaactget ggaccgacaa 3300
occccaatca gtgtatacaa tactgcaggt gaaaaatggg acaacttoca ggggaagatt 3355
gattitgtiq attgtaaati tacatatoot torogacotg actogcaagt totgaatggt [42]
ctotsagtgt egattagtos agggeagaea etygogtttg ttyggageag tggatgtggs 3400
amamageacta geatteaget gttggmaegt Ltstatgmis orgatismagg ganggtgmig (540)
atagatggto atgacagoad aaaagtaaat gtocagttoo tommotoaaa cattqgaatr 3600
jttt:ccagg aaccagtgtt gtttgcctgt agrataatgy isaatatisa gtstggagas (660)
sacascaaay aaattoocat ggaaagagto atagcageto shhaasaaayo toagetq.ac [Tun
gattttgtca lgtcactcop agagaaatat gasactsabg ttdggtbobb ggggtbtbaa 078%
otototagag gggagaasok acqcattgot attgotoggg coartgtacg agatoccasa 3840
atotigotae tagaigaaga dactiotgen fragadabag aaagigaana gabigigoag 3900
getystotag acaaagosag agagggtegg acstgrattg twall jocca tegettetes sym
accatcoaga acgoggatat cattgotyt: atggcacagg gggtcytgat Lgalangggg 4020
audoritgaag aactgatggo coaaaaagga gootactaca aacta stoac soutggatoc 4080
cocatcagtt gacccaatgo aagaatotos gacacacatq acqcaccagt radaggqqt; 4140
qtttttaaag aamaaacaa toocagcacg agggattgot gggattgttt tttotttaaa 4200
gaagaathth inhtattitad tittachnno niittediad alogganisc aanstaaft: 4285
ctaanggoot tocataatan ttotgottta gatgtgtata cagamamitan magadamtan 432%
iggtocatgtg agggaaaacc caatgtosag tiggcagotta greamosott sytupnitott 4381
tgtgeaggag coagtootga ttaatatqtq ggaattagty agaeattagg jaqtaagtga 444.
maetttgaad Leotcaagga dagagaadtg totttbattr ingaadedid ygtirtacada 450
daggoggto tgtaacaggo aaloaacaaa ogtttotiqa qotaqaocaa qqtcagattr 4560
gaaaagaaca gaaggactga agaccaqctg tgtttcttaa ctaaatttqt ctttcaaqtq 4620
haaccagett cottoatote tanggotaag gatagggaaa qggtgggatq eteteanget 4680
qaggyaggca naaagggaaa gtattancat gagctttcca nttagggctc ttgatttatg 4740
ctttmacttc anantgagtg tagggtggtg annota
                                                                   477L
```

^{- 210 - 11}

^{-.211 - 5838}

^{4212 -} DNA

^{..213.} Human

4.220>

-1223 - human cDNA of ABCC5 (MRP5)

400 - 14

enggycaggt ggotcatget egggagegtg gttgagegte tguegeget gtoolggage 60 aggy jogoag gaattotgat gtgaaadtaa cagtolytga grootggaad otocyctoag 120 agaagatgaa ggatatogao ataggaaaag agtatutost occoagtost gggtatagna 180 qtqsqaggga gagaaccago asttotggja rgcacagaga qoqtgaaqat tocasqttsa 240 ggagaactog acogttggaa tgocaagalg cottggaasc agcagocogs googagggoo Bill Totalottga typotocatg cattilloago toagaaluut ggalgayyay cattiloaagg 30% $gaa_{\rm adj}$ tucca toatggettg agtgetetga agecoatoeg gaetaettee aaacaecoge 410 acceagings casing contribution grangement thoughness become and nongrigtings characteristing quadratit casting as \hat{q} and \hat{q} and \hat{q} the second section of \hat{q} acgayLottle tgacgtgaac tgcayaagac tagagagact qtqqcaayaa gagctgaatg $\delta(\tau)$ aagtiggges agacgotgot tooolgegaa gggitgtgig gaisttitge ogcassagge 600 toateotgod batogtgtge otgangatba ogeaguiggn tiggooteagu ggabbagoom 700 toatggtgas acadetettg gagtalabed aggdaabags geotsacotg dagtabages ${\cal HC}$ tylityttagt getgggeete eteetgalyg aaateytgag grottggtel ettgsaltga 840 onlyggoatt gaaltachga hoogytytoo yottyoggy gybbatchia abbatywbat. 9/4ttuaqaagat oottaagtta aagaacatta aagaguaato ootgygryag otcatusaus $9i\theta$ rftgfttccaa cjatggycog agaatgttty aggcajcage cjulijonja etgetygdty 10.0 gaggacoogt tyttgccate ttaggeatga Ettataatgu untsattiig ggascaneng 1690 gesticotygy alkagetyst sstaleesist staecesay. Altgasysti guardammis $\Gamma_{i,j,k}$ tolough its tetoaggaga assigned in regressing a transpositive signature 17° C algaagutot taottabatt asatitatba aaatgtaljo utgggobala guattitoto $12\,\mathrm{s}0$ ayagigtica saaaatoogo qaggaggago ghogqabati ggaalaaagin qggtactis. 15/0 agggtateas typogggtgtg gotoceatty tygtgrtgat typungegtg gogaum (ii. $156\,\mathrm{C}$ etgiteatai gascotgggo tiogatetya dageagoasa jyhttieasa guyymmisay 1°10 toltowastic intractite greenwasse tracked; econgrass tributoses $1500\,$ magortboogt ggotgttgab agalutanga gtttgtthet satqqsagmy gittacatatga 15:0 tabagaacaa accagocagt cotonnatoa agatagagat qaaaaatgoo abottggcat $16.0\,$ gagasteets coactocagt atomagaast eyeobaajst gaeceecaaa atgaaaaaaa $1630\,$ abaaganggo ttocagyggo aagaaagaga aggtgaggba ghtgbagngh abbgagbabb 1710 aggrandet ggcagageng haaggrande tretteringa cayingangag aggracags: 1800 cognaging a agaaggeaag madahodado tigggebadot qodottadag aqqababtga $1830\,$ a ageatega tetggagalo baagagijta aactggutaa abtetgeggu agrijtgigaa 1920 glggaaaaac ctctctcatt toagocattm taggocagat gangottota gagggcagea 1980

```
tiguaatoan tiggaacetto gettatigigi oomancaggu otignateeto aaigetaeum 2040
tgagagacaa Catcotgttt gggaaggaat atdatgaaga magatacaus totgtgotga 2100
abayongong congaguous gaconggeon thothochay cagogasong degoaganty line
gagagegagg agecaacetg ageggtqqqc agegceajaq qateagecit qeeeqqqcrt [225]
tytatagtga unygagoato tauatentqo abgadommot baytyukkin katgubutu ...\gamma \gamma
tgggcaace) catettoast agroctatos ggausenfor casgrolling absgroups 24
tigitacecom coagitaling talootogitty admittgatgs agrigoristic atiginagagy 24%.
gotqinttac ggaaagaggo acccatgagg dactcatgaa tirasatggu gadtatteta 2450
ocallititaa taacetgitg etgggagaga nachgeeagn (qagateaat (cuaaaaagg 25%)
asaccagty) tipacagaag aagteemaag acaagggioo teaaaacagga toadtaaaja 2530
aggaaaaagc agtaaagcca gaggaagggc agcttytjon gotggaagag naagggchig 261,
atteagrance etggteagta landgratet acatemusgo tgetggagge centragent 2700
toolyginar taiggodott (toatgotga atgiacquag basegonite ageaseight 27%)
ggttylytta otggatbaag coaggaagoy ggaacassae tglquologa gggascgaga 2870
octoggtgag tyadagdatg aaggadatto otcatat;03 gtactatgo: wdcatetdog 2980
observations: gyoughoung crystholigs bagistalisty appaigning bilingtons by 2940
gracoporgray agentection eggety with acquiperitt contaggats introgalable 1000
statgaagtt titigasacg abbundleag ggaggattor baabaggitt tobaaalyasa bübb
tggatjaag, tgatqtgegg etgbegttee aggeegamat gttratecag aaegrestee 3120
iggigitari bigigigiga argatogdag gagiditodo giggitarit gigguajigg 5180
ggcoupting datastatul toaqtastga acathgists daggarosty attogagage 2240
tgaagigtot ggadsatato acgoagica: otticototo volcatoady (schapatus 13)
aggquettgo caceatonic gootabaith aaggmoaqua grifotgdae agaracea n 1360
agothotoga tyawaacuaa gotoothini tottotolaa qtoochquagata qqtqootay [11]
objetgegget ggadeteste agnationide teateachie esenggyunic objetsit. 4 2
thatgeacyg geagattood emagretata eggynifede caturatibt menghirin 1540
thacgygget gittocagith anggresque tygonedina gazagacijit odubblabin Tõrj
eggtggagag gateaareau tacattaaga etetgteett yglagraeet ganagaatta ebel
agaadaagge teeetebeet qaetygeben aggagggada gybqaeettt gagaabgbaq . 0.0
agaigaggia ongagawaad otcodibilg tootaaajaa agiatootto acqaitaaaad 2780
otawagagaa gattggcatt qtggggogga caggatologg qaadtoolog dtgqgdatuq 1840
contested tetaggrapay statinguag getgeat Ha dattgatgg. gsgagaatha 3900
gtgatattgg hittgoogae Ulicqiiaqea äactétetht catternina i qagoogguge 5km?
tgttcagtyg Nactgtcaga towarittgd accontinua coaglabant gaagabsaga 402%
tttggggatge detggagagg adadatangt aagaalijtht tgetcageta cetetgaane 4020
tigaatotga agigatggag aalgagaata actioboayi gagggaacyg cadcioniut 4140
gentagetag ağıccetgete eyecietişin agattetgat ittagatçıa gecacagetg 4200
```

```
coatggacac agagacagac ttattgattc aagagascat seqagaagca tttgcagact 4200
gtaccatgot gaccattgod categorotgo acacggttot aggotocgat aggartatgg 4320
tgolggccca gggacaggtg gtggagtttg acaccecato ggtccttctg tccaacgaca 4330
gttcccgatt ctatgccatg tttgctgctg cagagaacaa ggtcgctgtc aagggctgan 4440
testesetyt lyaegaagte tettitetti agajeattge eatteeenge etggggeggg 4500
occorpating ogtoctocta occasacett gontitteteg attitutett tegeacages 4560
gttooggatt gjottgtgtg tttoactill agggagagte atattttgat tattgtattt %620
attocatati catgiaaaca aaattiaqti titgitetta artgractet aaaaggitea 4680
gggaacogtt attataattg tatcagagge statuatgaa getttataeg tgtagetatu 4740
totatatata attotguava tagootatat tiasagigaa aalgiaagot girtattiis 4800
tattaaaata agcactgtgc taataacay: qcatattcct thinaica:: tttgtacaq: 4850
tigotgtani agagatotgg tittigotati agastgtagg hagagtagsa tittoa: test 1930
stollagoting togettollag grandlagget testaggety, nonlaggeleg solltgleis (0.0)
Atagtiggse stoogadage connection goesticold ageogetical agggggggs; :040
gagacijgste geoggotega gasudiscae aguguugida nitoisaajie ni otdesti (1 K)
organization ghadattaet gaattatitaa ygaqaqanan qagangaaya anaqqoo_{0} \pm 1 \oplus
fffcctgoot tottotttt gotgttgttt stammnaga atcayteid: comcagagag 5200
toccaetgeb traggittest atygotygon artgeacaga getotrolage tocaagach: 5340
gtiggittona andoritggag coaastguts stittitgagg ingomotiti teautiges: 5400
attoccacae ctocacagit cayinggrayd gotcagyath ingruddiot ginthocut 54%
obcapageag tegregeaua glubetotet oteteredes scaaagterg caactoraag 5520
cagolistigs taatcagtgt obcasactqq ogtaqaags: titgtactgt aaaqagaget 55\%
aditioaggit gotggitigot gigiggitite gligigitinna meaaacemie titigtgetet 5640
ggggstggta gebeaggigg gngtggteae tgesyteats agttgaatgg teagegttge 5700
augungtgan caacungaca thoughogne thageaugun tgolgaacac ottgungaag 5760
caaaaaatotg aaaatgtgaa taaaattatt ttggattttg Labaaaaaaa aaaaaaaaaa 5820
аааааааааа ааааааааа
                                                                 5838
```

·210 · 15

+311 + 7323

-1112 DNA

...:13 - Human

1.20

-:223 - human cDNA of ABCAE

```
₹400> 15
 recagagged attettabegg lighttatgte attegetigne tigagggguer eagetengae eb
 caatotggtn itegtgtggt laitagoatg ggettegtga gawayatona gottitgete 120
tggaagaact ggaccetgeg gaaaaggeaa aagatteget tugtggtgga acmegtgtgg 130
 ectitatett tatticiggi qitgatoigg tuanggaatg cënacceget etacagecat 240
 salgaatged atttecccaa caaggegatg edeteagrag gaalgetgee gtggduccag 30)
gggatottut goaatgtgaa caatecotgt thicaaajec schoodcaig aguatotost 36.
ggaattgtgt casactafaa caactccatc ttggcsaggg (atatcqaga ttffcsagas 42)
officercatga algeaucaga gagecagede effigeogla ffffggacaga gofacacato 450
tiqtoscaat toaiggscas setooggani casosggsqu qaatigeajq psgaggani (51).
kyaatuaggy atatottgaa kuatgaaqaa alahtgatao tethiofont talakaqoti kol
gractified asteagings stacettety atometric massecutor apareagity, con-
ditioning and throughput operations are also designed throughput t
oldtopeagy geaccotaea etggataeaa pacautoryt atgechang) eqaetteti: 8\cdot 9
augetittee gigt mettee eucaetenia gacageegtt eteauggest caatetaudu (40)
rettygggag gaatattate fgatatgtea octagaante aagagtitut eealoggeen 900
agtatgoigg acttgotging ggtgasoagg ochiscoatgo aghatggtigg subagalase. This
Lotoggatgo Entecttona Etygostina gacastaiss (Lunggoott 1/199datt (1990
gartocacas ggaaggator tatties \alpha -tatgabarea anactacaco entighast 1/\sqrt{\epsilon}
mulattyates agagustyja yitemakkies ttaalsaama (vhottygaų gymnydaal\phi , e^{i\phi}
cottitioning to joanaant cottitions of cottitions of coachage and cottitions of the cottition of the cottiti
adgratgoou adhoasetti tyaagaarid qaacaegtiid qqaagttigg) wasaqooteg 1.8\%
daagaagha; qqtcccagat chqytectto ttugacdaca qcacaca;nt gaacatgato 1440
agagatasee tggggaaeun sacagtaaaa goetttttga atsqgcaget tggtgaagaa 15 \pm 0
gytattasty otyaagotat ootaaaotti ototacaayy gunotogyga angocaggot 1560
gacgacatgg coaacttega etggagggad atatttaada teactgateg ekeceteege 1670
engyteaats aatacetgga gigbtiggte eiggafam; tiqaaagsus sabigaigut 1680
adtsagotea dosmacgtgo nemstersta etggaggalas asatghtung jgboggagng 1740
etattocchy abutgtatou orggaecado telethenas cocaugigas giatuaguid 1000
Egaatygaca tagacgtggt ggagaaacc aatdagarta aaga ag na ttgggattii 1800
ggtmacagan otjatecent ngaadattto oqqtabatot negginggitt tqddratotd 1020
caglacatgo ttjaacaggo ontoacaagj ngocaogiya acgrigajoo tecagniga 1960
atouncetce agragatore etacocoly: thogtggaey attitteat gateriooty 2040
aaccgetgit tecelarett eatggigelg gdatqqatet accetgiete Walgantgig 2100
aagagdatng tettggagaa qqaqttgega etgaaggaga eeshigaaaaa teaggglqte 2163
```

```
tocaatgoag tgatttggtg tacotggtto otgganaget tutucateat of/datdage [200
atoltootoo tgacgatait marcatgoat ythaqaatoo harantasus hydrimbatt. 22\pi
athatatron typically hydritists. Actrocasses in the state of the typic \gamma = 2.540
aguadettet tetechagge eagtetgeen deageolyta grygtgenar stattings 24.0\,
ctotacetge cacacatect gugettegen tydeaggaed geatgaleyd fydagetydag 2400
aaggetytga gettactgto toegguyqou titggatitg geactgag: Leiggitego 252,
titgaagage daggeetigg getigeagtigg ageaalated geaacastor caegguange 2580
gacyaattoa hottootgot guodatgoag atgatgotoo tiqalg migo tgichatggo 2640
thattogett ggtacettga teaggtgttt ecaggagaet atggaabeed auttestigg 2700
tacttistic tacaagagt: qtattggctt ygcqgtgaag ggtgttcaac chgagaagaa 2760
agaljecotgg aaaagacogi goocctaada daggaaacgi aggatobuga gooccagin 181.
ggnatacacg actoritott tgaabgigsg batcbayggi oppottoning ggtaljooin 2880
cagasturgy transparitt Agaguestes eqozogosur objetgozone tety\kappa esame 20\kappa \gamma
acottocally unaaccagal mategoatto upgggeodes abggagethe daladiosoc bit
abottgtoom tootgeogy; intgttgoom unabhottta gganthiggt ogninnigg: \{0\} ,
agggaeating asaccagos aggandagts aggangages ingganthing tallacages; 51%
addatestqt tocandaest taeggtygew qaqnasatg tuettatge kraqetgasa (110
jyanagtoos ayyaggaggo ocagotggag itugaagotu tqrtqgagga idonggoot. 3240
caccacaayo ggaatgaaga ygutoaggar otatbaygiq gcatgcagaq amagcigtog 3300
jttgccattg cotttgtggy agatgccaso gtggtgatte tggacgaa w cacctetqqc 3500
programmest antogagacy cochaitstyp gaterysthe typaquatin storgyway. (4.0
accateauch bijtosactor ondostygan gaginninni thibungggis orgbaitini . Wo
atbantgese agggaayger endeptgetba garabbbbas totak etdas qaasrimpee ...
ggoungages tytabttan mettggtgege amgatbanaa akatebagag ekumumob_{13}=0^\circ
gguagtgagg ggachtgeag etgetby.; magggttte.; chocaegng recagleca. Fil
gtojatgaco taactocaga acaagteen; qatggggarg taaatgagen qatggatgt2 1715
ittotocaco abijitocaga ggicaaagoti gtiggaytigda titgqibaa (a actiatoti): 3720
ottottocaa ataagaactt caagaacaga goatatgoon goottutong agagetggag 3840
gagacyclyd bryaestigg beheagsagt thiggaantt steakwetse chiggaag\mu_{\rm C} 2911
attitiotga aggicaogga ggattotgat toaggacoto tgittgoggo tegogotono 1960
cagaaaaqag aaaacgtbaa coccogadac obotgettgg quuchagaga qaaygottgga \ell \, \mathbb{V}_2 \, \mathbb{O}
cagacacsec aggaetesin typotestic sangagages egentactes such and (0.000)
caybotezed cagagodsga stgcodága: sigcagotea absegaggas sigagoteget. (1)((
of scargeaty typaggoget gotggteally agasticomain adaptating magnements 4200
gapticotgg ognågategt getedegg " neettigig" ittiggete kateetti i 4240 \,
attgutated electiting equatase in detitipaces tichesecty garatating 430%
cagnagtaca cottottoa; catagatgin beaggeagty agengtteac ggtaettima 4380
```

WO 00/18912 38 PCT/EP99/06991

gaughdoton tqaataagoo aggotttggo aaccqotgou tyaaqgahqq gtggottunq 4440 gagtawooot giggcaasic aacacoorgy sagacteet. Plyingtooce asalaimase 1500 pagetypter agalageasia alsquebases globalesmit respectively haggineage loop ировинизация Egistodensit gotgopagay tgopdopayay: истяпондеру шисторасси 4,70 coordagagaa cawagogong manggaaatt otacdagass tgamggaday yaasatetoo 40%, moretottgg taaaaaagta tootgotott ataagaag o ostipaagag caastrotgo 1700 gtoaatgaas agaggtatgg iggaattios attggaggin agotossagt (gussicas). In A acgggygaag carttyttegg jittittaago gaccilggroo jgatralgan ljitgajoggy 1850 ggddwwatda ctagagaggd stofalagaa afacotgatt Esofialanca totagadaww 4920 gangasaasa ttaaggigig gittaaraan aaaggoiggb algoroiggi sagsiittois 4990 matgtggcsc ackadyosut sttacgggcs agostgscta agggsagjag offsogaggag 504. panggaatis ong saping scaacoootg aabetgae waaraagcaget it bagagatt 510% adagtigotgo conditionat ggatgotigtig gttigdontot gtgtgatitt stocknogtom 51% thogerican character bottering atomaggado yayawan wa atabaagwa, 50.. usocayttta teagtygagt gagedinani adetaetgyy ugasimaatti eetiingigii 51%. armor masti attorgtgay "gotgagotg gtoggogom"; stocatogg yell magmang 5911 adagostada ottotolunga anadottiset gesettyingi haeteetset ysigilaegga 64%. tgggogglea (bubblitght gtaceragea testicity) utgatgtbee bigimeaged 500 tatgtygott tahittidiga taatotghip ahiggottos saagaagbya hyttiscitta 9837 atotinggaat tatttgagga taacoggadg utgetenggt teaaegovyk girtgaggaad 55ki object with modifications a country of the design of the second of the s eagg-lijtgu cagatgtita tg::ojgni: ggtqagjay: actotylunu tecqttccae 5700 igggarotga begggaagaa obbytii 45: Abggbggbgg aaygggbgb beabbbcha baar otgarnotgo tggteskyng moasttesti olotooskat gyathynsga yssekeellig 88.0 gadoscattg tigatganga igatgatgig gotgaalwaw diswaagasi tattaciggi 58:0 ggaaataaaa uuqamausti magqotasat gaadtaldim aqattiatoo gggswootise 5940 agontagoug tiggalagget grigtorlogga gritogonistic dagagogistit tigginnioning 6000 ggagtgaang gujooggoda aacaabbada tibaagatqo tbacbggggd bhasabagtg bürk acctrajgig atjocaccyt agcaggeony agtattttaa coaatattte tyaayteeat ol.(caadatitigg getactgroot toagtiffgat geaategatg agolgstead aggsegagea 61-0 patiestiaco etlatgeseg gottogaggi etascaptay augadatoga adaggingma 6240 ascogagoa otxasjágodi ygyodigadi godtádybely abligdotgdd tygusligidd 68 K aytgygggda asaaynggna actotocaca gobatoqnac toottggetg dasabagetg 6350 gtgotgotgo algariscore cacagagata gascoccishy misgosquat geratagaan 6450 greategra gententeng aganggagg gorgregitet teneareet maguniggan $64 \delta f$ gaatgtgagg castjitgtse ooggotgdoc atbaugjune agggodoott tegatjiinte 6540 ggoaceatte aguatetesa gtesasattt gyagatijget stategtese aatgaagate 6600

```
aaateeeega aggaegaeet getteettjae etgaaeeett tigaageagtt otteeaggg 6660
aaetteeeag geagtigea gagggaagg cactacaaea tigeteeagtt neaggtetee 6720
teeteetees tiggegagat etteeagete eteinteee acaaggaeag oetgeteate 6780
gaggagtaet cagteacaca gaccacactig gaccagtet tighanatti tigetaaacaa 6840
cagaetgaaa giteatgaeet eeetetgeae eetigagetig etgaanacaa tigacaagee 6900
caggaetgaa etteeadace gitegiteet gealenagaa aggaaletetig gitagettiga 6960
ggegeaggae eetigtoeca tatigiteate cadatagaet ggeoolgeta aatgaceea 7020
tigeageaga aaacaaacaa acgaggagaa tigaaggaat toogaaagag giteitteaga 7080
aaggaaacega aactgaettig eteachtiga acaactgata gitagaacaa nechaacaa 7110
aateettee eegaaeeeag aactagaaaa eeeligiteet eeaactagaa fictigeetti 7200
teatattiget eteatticaa gaagateega tittioogaat gittigeetti littioogaat 7120
tigtigtegat titteatggaa naataaaati caulitigaet eatromaana aasaaaaaaa 7120
aaa
```

.210 - 16

211 - 2930

WILL DNY

Ulik Human

320 8

-223 human cDNA of ABCG1 (ABC3)

400 - 16

paatteeggt tietteetaa aanatgietg atgjeegett teteggtege rasegseasg 60 aatgnamgea gitaetetge agngatgaeg gagbeeaagi eggiggigii eteggiggal 123 gagjiggitt eeageaacat ggaggeeaat gagaegaaci tgutgaatga Acatetgaaa 181 aaagitagaa ataachtee ggaageeaag eggitteteet eetiggeeag acatetgaaa 200 gaggaadatt aatachtee gaaaggaati teeggaagi tooatagag ggaggaaga 300 aaaggataca agaeceteet gaaaggaati teegggaagi tooatagag tgagtiggity 360 gobattatagi gteetteegg ggooggaag tooatagaagi tguacateet ggenggatac 420 aggaggaagi tqueetteegg ggooggaag tooatagaagi tguacateet ggenggatac 420 aggaggaagi tqueetteegg ggooggaag tooatagaagi tguacateet ggenggatac 420 aggaggaagi tqueetteegg ggoogtacte atsaacggori mgooceggga eetigegetga 480 teeggaagi tqueetgeta eateatgaag gatigaatagi tqueetgega tgatggite aggagataet gacageetg ggittgetgi ettgigeaa anneapaagg 600 gaaatgite aggagataet gacageetg ggittgetgi ettgigeaa anneapaaga 600 ggaageetgi eaggiggitea gaggaaace ettgigeaate eateagaaga 600 ggaageetgi eaggiggitea gaggaaace eagugeetig acagageeta ettgigeaaaa 727 eetecaagta tgitteitega tigageeaaca aggaggeetiga eeataattig caecatecaa 840 ggaggteete tqatgaaaag getegeteaa ggaggteest eeataattig caecatecaa 840

```
cagodoageq coaaactett egagetgite qaeeaqetti anginetgag teauggacaa 900
tgtgtgtacc ggggaaaayt ctqcaatett gtgcatatt tgudygattt ggytctgaac 980
typosaadot abcadadono agoagatiit gloatggagg higoitoogg cyagtaoggi 1020
gatongaaca gtoggotiggt gagagoggit ogggagggoa igingtgacto agabbacaaq 10a0
agagaceteg ggggtgatge egaggtgaac nettttetit qqeasegsee atetgaagag 1 40
gtasagcaga saasacgatt aaaggggusg agaaaggast ontojtesas ggaaggetge 1200
pacagottet objectagetg octoacgcag tootgcation tettialgay goodtimete 1,60
alcateatga glyacteggt cotgacacae etgegeutua cotegoatut tgggalogge 1/20
etoeteatty ghotgotyta uttygygate gggaacqaaa oosagaayyt ettygggaac 1.8\%
troggation tottottato matgetytto atomityting egypactiat gentaitytt 144
elgacattto opetggagat gggagtetti ntionggaan agntgaabta (hightacago 12.)
signaggest astacouggs caagacoats gasgacytys ontiticagas categoroach 1(6)
jigjostaet gragnategt glachggard aegtegnado ejichganja egilgigunis (62)
itgotyttty objectjąg kaccatoace techtygteg callaut best geginntgetg \pm 68\%
steggagoog abtobacyti cotgoaggtg gabantting wywydobigt galag roath 1.4\%
loggrafetes tyttutuagg attettegtt agettegada odateettab glubetabag 1800
tygalginom apatetosta igidaggias gygtiogsay sogt matter of schibtat 1660
gjathayado jagaayahan qoadtatuus Whagaaqaya sythhoastr jaamaastay 1990
349 purcated tigogogy jet ggangligg is satgedaagh tigtaveryes is finitegts 1450
stogggattt tetteatete eetregeere attguethir tggtsetsay gincamaat. 2040
appgeagaga gytaaaacaa etgaatgeta ggaaacanga agattajsen etgtegeega 2100
gggeabytot agaatogugg aggbaagoot ytgobogaed yawqwoathg agabbettot 2160
gathranece etagasming gttgggtting toggtgtotte gturneadop adionymeca 2020
gottyggittgg atolitheats cattoocath istagetita meranganga (jing paga 228)
tigglyjtti tittititti tittaacalaa agaattitaa at uscacaar tyggyradaa 2741
tutawagotg caacamagot ggugatgaga qgottootol gtroagtoga finttagoac 2400
caggearegt gggtentgga tggggaannin caaqeagent etragetga: gjetgracag 2460
tragatatot ggtagaagag agtongagna taggagagatt contituata antattater 2520
illeacainth datetiticta aggrigigici cilitichasi sadargiral fittig (ango 2500
raaaayteya teaategeat teatititaag aakttataee tüültayhne tigelgaaga 2640
atgaticagg gtaaaldach tacttiguut agagagosga ggygttiwae begagteach 2700
caguitygrot catacataga cagcacttg: gnagdattda atym:ggfts cayytygagg 2760
quagacylgg acadeathte caetgagees thragaeatt titaleaguet standenasa 2620
tigigagaag acattgginn actotiteau agtotitett ütteknekte stunkinitt 2:80
taagogaaat atatugitto titottooth ilmaasalaa aaalumadaa
                                                                   2930
```

s2100 17

```
4211 - 400
<.112 · DNA
-213 - Human
-. 120
- 123 human cDNA
-400 - 17
quadatectga ggetttteec coaggetget cageaggama ggtteterie estgategte 60
talangtige eigitgagga egitgegaest tialenbagg eilteetteaa allagagata 120
qttduacaga gtttcgacct jyaqqaqtac ayoctctcac agtctac.ct gqagdaqqtt 18%
ithdotqdago tofocaayga geaggagotg gytgatottg aaguggantt tgatocotou 240
organgtyga amotheet geoggaagay eettamaget eramatatee tuthtetti 300
tttaatoity tyaototttt aaagataata ttttatagop ttaatatgoo ttatatoaga 360
ddtgytasab aatgeatttg aaactcatge aataattate
s./10× 18
H211.- 235
- 12 DNA
 213 Himan
- 220
133 human cDNA
~400 - 13
titteagitg catgiaatac caagaaatey satigitite eggitettat yggaarigit 50
squaatgees ttattggaat tittaactto adagaqetta ticaaatgga gageneetta iid
tittitiogig atgacatagi getiggateti ggittitatag atgggiceat affittiging leu
tigatcadaa acigcattic toottatati ggcataagna gcatcagiya trait 23°
- 210 - 19
- .::11. 636
- 112 DNA
- 113 - Human
<220.4
<223 • human cDNA of ABCC4 (MRP4)</pre>
```

```
(400 × 19
 atggstaagu tiataclagi gitggcacai ggmggcatgt aligatatau τπημαμφάρου είν
 Lagrigiant cottgiatga amaagegied ofyqiasiad mataagicot megigudhod 1 \alpha
 agtgtaaton taacaacaan toaggaaagt ottitgaasa gastacigga taaggaasaa 130
 octg.ageta etectgetat ticaagadat tgoctacaay tgjittggtgi ggidtetgtg 240
 goignageed igaticetty gategeaata contiggite contiggaal dattiteant 300
 white tegge gatattitit ggaaacqtca agaqatgiga aguqeetgga atetacaaqr360\,
 gagtatggaa actogggttg gtatagacat getagetagt trocatttat mocatagatt 420
 ncagugados cotgaaatic ggoagactot grottodaga atttototaa castaggraa 480
 ttgaacgtar tggccattat gaatcattg; ornocttaga gaatgtggaa ttgamagert 540
 ucas-hitgta actitignant togaalalgg sammagig a ggecalaing ggaglaatat on?
 totamaggaa tempagoapt otgaagamag modeco
  210 20
  211 2913
 112 12 ≥ DNA
- 213 Haman
· 220.
7223 human (DNA of ABCAr (APC-now)
4400 20
rgggregagen eptetggtte tatgggegen tgaagggte: geatgeeget etagtggdan 30
 ocqayinggi coynotgoog baggatgig; qootgqinin baagbagaq qoqquynich ile
 goda ototo tygtgggang daadygang! tyrongtgyn cattycetit gigggogget 180
 occabittgt taloctggac gagectaigm ctggcgtgma tootjottco egecgcggta 240
ttigggaget getgeteaaa tacogagaag gtegnakget gatestotee aconascace 300
Equatiagge agagetheth graduating types of the same suppression of the same su
gotguggete cheactotte obgogoogte abling/gote eggetactae bigaedetge 420
theapythey introceety accardancy againgint of contracate gagggrants 460
tggackana) geaggaakag magamtajok geomgjgeka ekgagtegge menceteigh han
facted that addragages faddingsed eddinguages dimagadas (maderwest k \approx 0 ,
agetyjugul amtgetyenn taeaegggta dirhatmaego usanttemen a astustu. Ann
gadadettuqu badgoggang gaggagotus garrosetg\mu tradiggat, innqatu. E.,
geotejagga gatetthete aaggtogteg adgaqtgtgs (geogracaea jatotggagg 780
atggeagetg egggeageac ctatgeacag genttgetgg cotagasgta accetgegge 840
```

```
topagatgue gecacagjag abagegetgg agaangjqqa abelgetqqg trucpectuag 400
agactgadow gggototigg obagangoog tygggooggit adagggotigg genetidadow 960
queageaget beaugedesty effeteaage gefffetget, typecodege aguegeegeg 102\sigma
geotyttbyc coagatogtd otgootypec totttgtggg cotggeooth gtgttbagod 1980
thatogtgoe teetthoogg cactabuugg otetgojget eagteucano atgtauggtg 1140
ctnaggtgto officticagt gaggacgood caggggacho tggacgtgco oggitgotog 1200
aggedetest geaggaggea ggaetggagg agecesagt geageatage techanaggt 1280
titoggoadd agangttoct golgaagtog coaaggtost ggonagtigg aabliggaddo 1926
cagagieted atocccaged typicagtifta godageologi igdobygodo drystycecy 1340
astyscoggs tyragotygt jytscossto sjesecaggs agtymroggs tetygggaag 144)
tygtthagaa ootgacaqqo oggaacetgt otgacttoom ggtbaagact tacoogngco 1500
tygtjoqoca ggyoctgwag actaagaadt gdgtgautgu gdtbayghar dgaygothot 10s)
cleridated chaquesca disordance edddocheda Arribliudu, realfidadd 1930
agttytygge guugetgagt eschtgeetg gagggueet egassytyte otgaaaaaee 1600
tuacageong ggotcacage imagaegene algacagnot caaquicong ticalicaeca 1740
auggotggea interatggty goetttgtca allogingedag Jaangtante etweitgete 1870.
apetique une apposegação especações a inquatoan libratesas sum rectiga libra.
adothadona gyaghayhti titgaggoly dhilgatgyo hinriggig hholitolog 1970
topolaristy typegapoint golarqueet stypegagag cayonicalet espatectea 193a
tingangagny althodologia govaaqodoo tigoagetout iggiggijoonig toodubacco 2010
totalotyget hygreasitt utotyggada lytytalota ethegytycka ecanicareg \mathbb{A}^{-n}
tagiquicat officetyaes ficecagoaga gagoatatat againstque aann acety limi
ototicigst gttgstadta stgtatgget gjtsgatoas Adamsteatg Luddsagnet 22.4
consistent officialization agracagement of jtggtgum instituted an intestity 0.08^\circ
ttgguardaa tggaagaatg godacdtitd thottgagat estatotgas cagaadotgo 2340
agga;gtgag obggatottg aaabaggtot tibttatott obedbabttn (dottgggor 240)
ggaggettat tyabatigti oggaabbagg beatggetia tgbrittead cjc...gggag 2460
awaggcaght ocagteace: etgegetege aggtggtegg bangaacete ttggweatgg 252%
thatacaggg geocetatic effection castactget imageacega agectactee 258%
tyccacaged cagggregagg teletyceae instaggaga ygungacqag galglagece 264w
gtgaachgga gegggtggte caaggageea посаддидуа тдтдттддтд итдалдааст 170%
tyac anggt ataccytogy cagaggatgo magetyttya cogettyto enggygatte 2760
coccupying agriculting goigotopyin qiqaacqqay saqqqaagac giccacqiii 2810
cquargutga egygygacas attggecaya aggggegagg nigtgetyge aggcaeage 2827
gygovengga accoagtgtg cycacutona g
                                                                    2911
```

<210 21

```
4211= 100
     212 - DNA
      .13 Human
  - 220 -
     223 - human Intron-Sequence of ABCA8 (ABC-new)
 +400 - 21
   is congected agittaging globally aggregated aggregating aggregated aggregate
  diconcagat attotgtoco ragguerneg gtgaggtoto
    210 22
    212 - 15
    JIL DNA
    ald Tuman
    100 22
  tigocqologa yaaag
                                                                                                                                                                                                                                              11
    2107-23
  ×211~ 372
 - D125 DNA
   2132 Human
- 2200
- 2230 human cDNA
· 400> 23
atogougata totocootto aggotgoggo bagaqoabot tootgaaagt ghtogoolgan 60
thousander tygacanogy gegetteagy aresaegger appropagation deathtegy. If \theta
 through egt abegeelaggeeldt groaeggeen negalgugat entegeogge 150
neggi gutoq agaacatoot batqqacago gaaccqcligg auddbacqqqu fittgcagag. (40
 tgrgtogado aggnogget gorggadado attorgadas tgagnadigj ottogadas (50).
 tributungae epalgggegt geaatigmee tegegeebaba bijealegeet gittgaleebê 360
 ugundindae ge
```

<210> 24

```
211 - 281
-212 DNA
-213 - Humark
<:220 ·
1223 - human cDNA
1(0 - 4
наланскааар attelootyg agtittotot каан гулугу tuotiun dan gagagitigab \omega_{\rm c}
agasaattg gtgayaaata agotygbayt dattaedont discittaga attigardat ...
pggtit pito otpottttot togitatgig gatoogaagu aatgtgotaa egintgotat (Sh
osagjakogo qtaqqtotoo bubakoniytt tqtqqqoqub iccooqtabu baqqoatqct (45
THEN chigity addoctybills brightness agetybilts.
. 210. 25
211 2258
212. DNA
213 - Human
120%
223. numan cDNA of Hawhite?
1007 35
anggeogram Cyclydagga cgaggaggaa dhymrigigo igaacaang no cotgaagang no
effigagaacc acaubuotga agboologing froteceacb light hagog otbayhootig 12%
dacalogagn teginggagot glocialion gligogggayg ggoodliging gegeaaaagy 180
gattataaga doottotoaa gijoolotoa gataaaqici qoogoogyga qorqattego 040
oteatgygee seteagggge tgjcaajtet acatscacqa acatsttegc ikeatacagi 30 -
lagint joaa teaagyggba dalootjigtt aalbgdalopb laacgjigag ni madgalbitt: 46 (
lydalgatgt octgoradat datgoaagat gadatdetge tyeeqdaddt baeggigtig 420
magueatga tggt.metge talcetyaat eetactgaga acconqutyt yaaabacgit 480
- Cytqacag agatastqac qqaastqqqc athatqtoqt quhrimacac qaqqadadhi t4:
igotototo geoggicagas gasgostoto godatescee liggasetest caaraliseng FGT
estigicatigi tentinjatga geocaecagi ggiethqata geocaecitiq titocaagiq 660
jugueestea tyaayuddat gybacajygg gymdaaca teathtycac categaddag 7\%
cocautycca agotottiga gatgittgae aayotofaca toolgagooa qogtoagigo 780
atottomang gogtggtom cancetgate cootationa agggantege ettgeattqn 840
```

```
occasotado adaacooggo tgaottoagt qaqtqqggqt otgitgdooto tqqqqaqtai 900
ijaca..etga accecatyti qitnaggget gugdajaatq ggetgtgege talgqetgag 950
aagaayagda goodtgagaa gaadgaggto ontqooddat gonntonttg tootooggan 1020
gtggatocca ttgaaagoca caestiiqen armagtaess idadacagti migcatosse 1080
itraagagga certnotyto cateersayo gadaciytii ninoccasii adynticaty 1.40
Logicacytyg thattygogt getcatogyc effectstase typatattyg egacyatyce 1200
aguaaggtet teaacaacac egyetgeete stetteteea tyetgtteet eatgteegee 1260
goodteatijn daactigtiget eadottiooos thagasjatiga edigtettiski gaggguljihan 1320
otemputact ggtacageot chaagestat taucteques agan outgot tga cugoo. \mathbb{R}^{n^{k}}
thloaggtgg lyngthoggt ggtblabige aquattgtgt abtggatgaa iggbbagebi. .440
jutgagaera geogetteet gutettetea geeetygena eegeeacegn uttggtggen 1500
calaborating ggotgetgat hygagetgat tecaleutaba tabaggtgye szerütting 1560
groundy the accordance typic electric through a testigraphy of the a_{ij} is 1e_{ij} (
attoccasti acotgoaatg gagoroctat ototoktátg toaggtatgg stittgágját lóbi
gtgatoetja chatetatgg karqqaqoga ggagantiqa catggffaqa ggaacgetwe 1716
cagernocdig agocacageg contectods projetijeto tygaggaton rasgetotec .co.
Figs wettre togethrough catestates an equipative gy connegned that strong less (
sugrifitado gogicaagto agagagala; aguettgodo cubootglac socumeceet 1920
guardaggaa godonbagto beagodestit gggactgett bandtotata (Lottgggba 198)
significate geogggotal distribution citigorical coacaggoig getatiguad 2040
tycyctousa gcotgggete tyggagtggg ggutcoaast otoccoauta tgcocaggag 2100
totteccaag tigatgoggt tigragette etecetaete telecaacae etgbatgoas 2160
agastacting gaggetights wetcetteet generatigs a content of a etgituagest 7220
ффунксоста ggotototat ggodobactt ализотда
                                                                     2258
```

-1310 - 26

-011 820

4210. SNA

-213 - Human

42.36.4

·네크 numan cDNA

----00°--26

Ditanggatt toagonttto cattocytom montetytia toggmentyyt tegorbolaani et gyttetyyca aatomicayi yitticaulo miyotyayyi telangacco tyrriittyya 120 autottayto tigalqyoca tyacaatooy toagotaaac beaglyjiyi yelyaqatro 180

```
aaaattggga dagtdagtda ggaadddatt ttgttttdff ddtdtattg& tgagaadail 240
gottatigig otgatgacco licothigtm acogolyamm adatocagay distagolyam 300
{\tt jtggocaatg} cagtggctto tooggaatti cocchaaggi toaacactgi mgttggaqaa 360
{\tt aagggt-jtte} toototoagg teggeogaaa sageeqatta egartegeess teetongeta 12\alpha
Hagaaticca amattetteL eetagatgaa geunesagtg egenggatge igmmadatgag 480
Lauchtijtte aagaagetet äyatkgeetg atggatygaa gaakggtgri agttiitiges 340
satageotqt coaccattaa qaatgetaat alqqttqotq thottqacca aggaanaatt du.
octgaatatg gaaaacatga agagstysti tsaaaaccaa atgggatata dagaasacta \pm 60^\circ
atgaacaaac aaagttttat ttcagcataa ggaagcaart actggtaaac aatatgagic 720
tttaatycan aacagtgtty ogannaaaaa ctcagagact atgamataca taaaccatat 780
andmagnitat tiqaaaaata betatitti edaaaqigtg
                                                                    820
7310 - 27
```

11211 - 575

1212 - DNA

313 - Auman

- 220 -

223 numan cDNA

-40pt 37

iputurrocaea dagagalutti gaagortiilc obaqaggoty ortgodagga augulutiod Eu ictitaatgg ogtataagtt accigiggag untglocaum cictatolog ggmestitite 120 uagttagagg cqatcaaaca gacottcaac otggaggant abagcototo (baggetaco 1) rtggag wagg tattottaga acrotytown gagcaggago tggggaaatg) tgatgatasa 240 attgatacaa cagttgaatg gaaacttoto obnoaggaag accottaaaa tgaagaasot 300 cotaacutto aattitaggt ootaotacat igitagtito cataartota caaqaacdti 360 toctittact teagitaaca aaagaaaaca ittaataaac itteaataat gurracaatt 420 ut.cattttta aaaatitagg atgaaggaaa maaggaaatu tagggaaaag tagtagacaa 450 unttaacasa arcagacatg tiathcore ecaacatygg tetatthig intraasaat 540 Gattiaaaaa toatacaata Utaggiltgat tatog 573

· 116 - 18

+T117 300

-212 - DKA

-1213 ≥ Human

```
4220>
12.23 · human cDNA
-14110 - 28
gragaagatg tycaaccttt ageecaaget ttetteaaat tagagaagyt taaacagage 50
tttgacctag aggagtacag cotetcacag totaccotgg agcaggtitt cotggageto 120
tocaaggage aggagetggg tgattttgag gaggattttg atcectcagt gaagragaag 180
studiosido aggaagaged ttaaaaceed anattetgtg treetqttta dägeogtgg: 240
tuutultaaa tacattiatt titalagoay maatgiicta uttitagaaa miatattata 300
 210 \times 29
+ 211 % 2719
 212 · DNA
 213 - Human
· 220 ·
.......
- 223 - human cDNA of ABCGN
-400> 20
titaggaacg caccgtgcac atjettggtg jtettgttaa gtggaaactg ergetttaga 50
itttgtttgg aaggtooggg tghotoatos baadatttad atdottaatt gitaaagege 12\%
typectocgay egeacgeate otgagateer gageetitgg whaagaccga getetattaa 180
gotgaaaagA taaaaactot ocagatgtot tocagtaatg togaagtttt tatoocagug 1.40
toacaaggaa acaccaatyg officeegej acagtifica afjacetyaa ggoafffact 300
gaaggagoty tgttaagtti toataacato tgotatoyag tahaactgaa gagtggotii 360
ctaccttgt: gaaaaccagt tgagaaagaa atattatoga atatcaatgg gatcatgaaa 420
estiggietea acgecatect gggacceaca ggtggaggea aatollegit attagatgie (80
tragotgoaa ggaaagatoo aajtggatta totggajatg thotgataaa 19gagbacoy 940
oyacotgoda atttoaaatg taattoaggt täogtgitad aajatgatgi, tijtigatgigd 100
autotgaegy tgagagaaaa ottacagttu roagcagetb utiggoottge nacaastaty #60
acgaatcatg aaaaaaacga acggattaa; ugggtostig aujagttagg tittggataaa 720
gtggcagact ccaaggttqq aastcagttt atccgtggtd figtctggagg aqaaagaaaa 780
aggactagla taggaatgga gottatoact gatoottoca Upitqtoott ggatgaqoot 640
```

acaactggct tagactcaag cacagcaaal gotgteettt tgetootgaa maggatglot 900 aagcagggan qaacaatcat ottotocatt obtoageeto gatattocat ottoaagttig 960

rttgatages teaccitatt ggoddoaggs agacttatgr tocacggged tgctcacgag 1920 jectigggal actitgmate aguiggirat caetglyugg cetataakaa esetgengae 1030 ttottottg; anatoattaa tggagailed actgetjtgg cattaaadng aqaagaegad 1170 tttaaagoo: cagagatcat agagoottoo aagcaggata agooadusat agaaaaautta 1200 reggagatit atgicaacte etectrotae aaagagisaa aagetgaatt iealeaanti 1250 toogggggty agaagaagaa gaagatcaca gtottobagg aystoaqota caccacctoo 1820 thoughcate aactcagatg ggtttecaag cgtteattea assacttget gggtaateee 1340 enggootota tagotoagat cattgloada gtogtactaa gastggttat aggtgccatt 1440 tastttggg: Laaaaaaatga tistastgja atosagaari gagstggggt tetetistis 1500 otyaogados accagtetti dagdagtett toagddeteg aactotttet getagagaag 1560 uajoiotton tacatgaata calcagogga tacthongag tytchtotta littocityga 1670 adaptigitat otgatitiati abodatbagg albhilaceas quartatati nadotgtala 16%ji jiactici iyilaggati gaaqeesaaq gaaqatgoot tartegilal darqittabu 1740 ittatgatgy tyggottatto agodagtino htggcantgy coatagolago hggtbagust 18.0 gragatitely lagenaedact toteatyaku atotystitty tytisatyan gastitista 18.0 agreeging; towateread adecatique terrigery: eargyeiles gracticaje 1929 attobacga: atggatttac ggchttjeag cataatgaat tittgggddd adacttotijc 19:0 ccaggactom utgcaacagg daacaatoot tgtaactatg caacatgtan tggcgadgad 2000 tatttggtha agcagggcat cgatototoa contjqqqot tgtggaaqna tcacgtggac 2100 ttggcttgtu tgattgttat tittootiada altguctadi tqaaaltigit atttormana 2160 aaatateett aaattteeee ttaatteagt atgatteate eteacataga caaqaadnan [2,] utidattgas gtattedased aagttittis gitgttitet gradeettge euternastg "2-7 tigataga gasattytti taaagsgadid estittiaya kuraaasaa sartqaatta 2340 wasatgaaa) akeeddaaqae ateatgiuse qoatattag: ${\tt thatetests}$ udacad ${\tt tab}$ catggggas; asatotggto taatthatta atotaaanda ggagaattqu aftotggsas 24.0 etectgacas gttattactg tetetggcat tigitteete atenitaana teaataggia 2520 ggttagtag: cottcagtot taataottta tgatghtatg gultgockft atttautata 1590 tgacaaatgt attaatgota tootggaaal glaaaattga aaalatgttg gaanaaagat 2640 congrettat agggtadaaa aagccaccgg tgatagaaaa aaaatetttt tostaagsac 2760 uttaaagtta atagaactt 2719

+210 + 30

-211. 6491

+2.2 DNA

+2131 Human

-220>

<223 human cDNA cd ABCA3 (ABC3)

<400 → 30

ecgescogde gescaggete ggtgetggag agteatyest gtdageneng ggeaderest th gatgreetge gaygtmacgg tgtteecama beteagygtt gedetgeenn metremgage 120 ototragges coasecopya gocofetyty oggagnnyon testnotype caginesses 18) gradicotga adjidoqabet gorgininga jostril ito iggadilangos asgalitojig ele agotyagoaa otgaacotya anotottoca rhytysytoa agyhynotto toogoacaty 300 aaggabgetg agbgggaagg actoototot gootgeagt; grayegactg gaebayeau. 360 aggggetete tajactgeen etectedath quetteerig untetecagy Adagagesh." 420 ologicitica capetiques tetutadast cagittituas incaeguite tectarities 430 Lyogagitige age jostast tigales that cagadeasus actionetal cageautique 540 egicobulte inclayange Egyptgipot baggerysig gegernotos ipigmaagaa 500 ctabascoty dagmajogja aggtostygt gaeggtosty gaactottop tyocattyer 660 gtitootggg atesteat it ggeteegett gaaqatting teggaaaaty (geceaacy: 720 cachatotae cojijicant obatholija netgodustni teottologi teoctologio 700 aggagacace tgggagettg cultacalise fitetealsql gaegetgeen agaedgteig 810 ujagatagug kmjalyygdad tugiqalbaa daiyogiyiy oqoqqotoob ootooyagua 900 quaetttgag gantamatta yykungamaa otgutogrob agogugotgu ocgonythyt 900 estigageal Geotticaabe Aingemajga geobolijoog etggoggtiga aatal jabot 1020 abgyutbayt radadabgyd yanattadat ytggadbbaa adaggeteet titteby yaa 1080 agagadagaa qqoty $\eta_{\rm AA}$ ya stacttoost iltteedqitt tubbodaaasi diggaaccaag 1100ggaautaasa tesseugalg gergagaaen igggtasate ejggaagget tieterprest likul guaydatgot gtggduggg deatcatgus staddatgus guddoddi cagddagag. All gttodagaga bigabggtba coatoaagad gttooogtad cogoogttba togcagadeb 1400 ottactogty gashisədəyt aseagotysə ectgenyin mictgetoayan teaceterini 138. dicactosc, and pacents originates gaugungers andagget in addagta in 144. graphatgang gypotheagos menddetgaa drygayngoo toddichras tarninis 15.0 obtails:cur atageogram contoatism intgotests by winding by anglesism if ℓ tytagosyty styrodrysa ydgaocosto nutgytycto ysnitooty: Lytystisgo 1620 catototaci atempotica gottoatggt baycacents thoaqcama; commentes 1680 agoignostic gguagetted tenachibett casetalate dectaction tegrogodom 1740toggtacaad igustqaeto tgugobaqaa qototgutom typotobty: ctaatguugu 1800 catggcaaty ggagcccage teatigggaa attigangig adaggcatg; gdatcdagig 18:0 gegadacets ut magteceg themangtgpm egoegantho thetteggpt angtgeteggg 1900 gatgotgotg otggastoty tystotatgs octggtgans ingtacatgg aggocgtst: 1980 occaeggeag theggegage cleagedetg clackwarks areatgeest detaitinging 2040

tgggåagcca agggcggttg cagggaagga ggaagaagas agtgacccca agaaagcast 2100 cagaaacgag tactitgaag cogagecuga ggacctggig gdyggggatca agaicaagca 2150 cotgtocaag gtgttcaggg tgggaaataa ggaeagggng googtcagag acctgaacct 8220 caacctgtac gagggacaga toaccgttoot golgggacac sacggtgoog ggaagacaac 22%0 hacknietoc atgeteacag grotestiec enclassant goalgyghur heateag gy 1940 gtalgaaatt toocaggaca tggttpagat buggaagago otgggmete) doocgbagoa [4/0 egacatecty tiligacaact tgacagtege agageagett tattiction occagemen 1400 aggeotytea ujteagaagt geootjaaga agteaageag atmeticaea teatuaggeot 28.0 qqaqqacaaq tygqaactcac ggagosgsut notgagoggg sycatqaqqc qwaaqqtstc 25%(categgears goodcateg caygolesma ggtgelgata otggasgage coacetoggg 1640 catggacdes atologaga gggccatiff ggatoffett sagegginga ndagtga --- (flyg caccategia eigencender acticatage éguggoigas organiggag acequatiqo 176. cateatggs: usaggggage tabagtg.mog.kggmtobtog snightorhood symboshaba .s.o. aggigeogy: taleacatgo egetgytysa ggageageac typhaaleegg aagedinite 188% beagetggt: whocaccacg tgbussasgm capqotggs; [[cagsgott] ggarmaget 244] jtettteate htteecagag agaghasina caggittigaa gitetittig ϵ tudaetiga 1000 gaagaagong adagagotgg geatlybung offtggggou lucatbaoba cowtggagga 2060 agtottoott ogggtoggga agolgutiga bagoajhati qabatboagi coatobaget 3170 acctdeceth pageuseds accaded accaded acceptable acceptable page page 2150 otgtggggw: argjaccot ocgaoggwar (ggagocoto allimagjogg agoyuarigo 3240 tyteaaghti macabtygge tegebeljim htypeagela Libuyqqqoca tyttholyaa 3300 maaggooges taeagetgge gegagigjaa matagtggey gimnaggtee tggfgeetet 2380 gacotgogt: Addattggood testigodist caactacto: hydragetot tegacqanon 1420 catgotyagg objacettgg gegaghangg cagsacegon gogcoottet cagotecoupg 3480 gacctoning objggtcage agetquirga qeatotgasa gacqeastq Laggotqaqqq 3510 acaquagoso ogegaygtgo teggtga or agaggaato: tigatettaa qqqettetgt 3600 ggagggggg ggorthaatg ageggtgeet egtggonoom teott oogag atgegggage 3600 gegeacygic gioaacgeet igittaacaa munggegiae wucitercag coamigement 3700 adocated decreases the first and a decreased and decreased otocaantro noctagecco ggageguest, genggotgent lliggaccast staac.pagus 29/0 coggaajgga thogasattg cootsaiss gefolloges angocatter typocagoss Mengttotocato riggoggica gogađajego minocegodu kajvajot je agrutjigua 384. tggagtroac gtggssagtt Lougger in igetetgoug inggasstca (ernomicet 472) satisfies agt objected typing north takeyes to a lengthy by the tensor of \mathbb{R}^{2} ggallgicae atgyctgwda doetgerget eelunijone taeggetgig Teilbalese 1.00 сопракунае стратуанов tetroffett gggggeggse setgeotada rgnggetgae 4200 catelitisase atcetificas gestigiese effectigati fiteaceates (gegesteec 426)

```
agolgtaaaa olygaagaac tttooaaaac ostggatoac gigttootgg tgotgorcaa 4300
coactgtotg gggatggong teageagett etacgagaan thegagagaegu gungmtaetg 43ml
cacotected gag stogody occastacty caagamata: nacatecagt andaggagen 4440
attetatgee tgjagegees egggjghagg eeggttiglig geeteeatgg bigeetuagn 4500
gtgogostac etaatgotgo tettaeteat chagaceBan otgetteaga queteaggg 4550
catectetge geodecogga ggaggeggar actgaeaqua ftatacae a quatguerer 4620
jottootgag garbaagatij taqoqqaada qaggaal iyo atootggiin issay boxda 4680
steectgote casacatote tyattatesa ggagetetee aaggugtuum agdagemen. A ele
geodetestg geogtggaes ggetetesst egeggtgsag aaaggggägt gettengest 4800
jettjigette datigajeej gjaagaceas geetttesaa angethaceg gyjingagag 4860
obtoaction gggyatypot ingloggygy mhabagaakk knotondang regdaakgut 493.
gogjeagegg alonggetaet geodjea\mu (\cdot) thatgeeting intodaerama tipavabo, no 4 
ho_{0} (\cdot)
gragatgoty gteatqtacg enegletica digear est gayeundarm teggguesta . Off
ogtogragiase supertgeggy guntueties gladdeset gebai mag. tygel indis blue
gtabagtiggt ggtaabaagd ggaagetgay banegmeath g betgateg yaganotege with
Egicatriti sitgga sgago kajiosa siga managados, giggin ekga ga akunite, bi de
gjadaceqtg ghalejajedd gagaquulgi haaggccat. Atoatbabut Annobeagus (h.dh
Alaliadade Badilosede deascoil.: Trocatour Latucadada - Wisterafica 214 (
entgygbago dballagbago (magabbaa ystoygdag) ggotaltdro tgbyggddka 5400
gqtqtagagt jaayggcaac ajjajgttit ggaggagti: aaggosting tggacctgan 5460
otttodaygb Agngtootgg kajungagos buaaggowor gtowanthino abetgeowyw E800
pogtgasots wyctyggoja ajgtstssyg tattstynag aaagosaagg aaaagianyy 5500
ogtggangad tastissytga gisaqatete gotggaadad gintmoorga geusugdona (640
посциадося госпоруску будандаўся кунаддарсў финистрос сценисціў Сіс
cagggasagg abgggaaage agggbelang thacatooth undopposag finitotoat Show
ontitatitt taat motti titolatyot gqatalgasa unticaaggu aqtitqada t32b
gdatggatga ytg iagodda gddahdamgi ddagyatbau catgogdai'r tolatytold 5880
cutuestotgg lagt salett cocamply by qqgeagy . Hereaftery qqgeage.. S940
eggggtetet jagnaggag majadesagg anggjataet getgagetag gggttynarr 900)
tistssaggea itterstiggag agaggassea glyanttoti baagtitasa casgalanta 6060
atetockoty jągawymikąc ogjaagobay congittyaš utytnącązy geobonagos 6120
ogo magjaat qqabbangba qabbactubi nqtqqaqqqd aqotqotqab tqtqurtaqq eldi.
tgalggggte ttagaglada qogdaglada ggggdateci ygnggeteta Jemeettagg 6240
qualingtagt cau ququis regggearey teccacaque fericetagua quammingsa obli
Caggangagaa agtgachaga otogaag man tototatiid lambaotgda munimpagaaa 6300
gtogrecoged odaglariang dagggas-mid ontalagggut gggtggdtg: etdhangada 64%0
cattgnatac ottotgasca ticagaaaat ahatqotoay yyrasaddaa aekamidaan m4su
```

ddadaaaaaa c

```
1.4.
√210> 3:
   211> 7923
 +2122 DNA
 -2135 Human
. 220
 (123) human genemic UNA of 5'-USE of ARCG1
< 400> ±1
tigeologic materially gitetactia dampderoug wasadtetry gitegeauach in
cate cough etticignay agreements agestaamen totlats: () reconsist of
 aubaygnean geodaluugg gtitggdaan coootyalgu aqtggulgnit qobaggtgae 150
аддыцианию отдеадство тдддунунся тдсаўадаюм дестдовада дддзядаюся 210
citggigagg suagageegt ggwyddagca agagachagg gydtgagggc agaglagtae 200
highertitgy recoagnagt congaments ofgumenoog amontitity thorrogets and
magestagity gagtitetg: criticals madifiagent guinageaty 4 motorogy 400
ctacquiact gttggotich thoosys: m ggegotggag ungsack..., lugtgacher wo wee
aggleggaths trantoggth stiggshalph tadalagles tigeshalph stattions 540
cytogtgggy attitigaçes panethidda gadayapnag tgaggameet tittemmetta bur
Continuation of the state of th
totgaettes "bereaeget ebadamaeea tek petegu bahtkingage uğudbaghaa \mathbb{T}_{\mathcal{L}}
gractyouth anapticcay theograpia goldagatyy congected tyggggodat .80
coacceggery aagocaatty cotattoteg agotgaaggt gaatcaated dgcataaate 840
ttogggcaga qaactngggt qqqqqqtaga aguqqqqqqaa tqtotagaaq gaaattotgg 400
ggsacattod tggaagtgag gaggatggat astggasaga aartatgtca itgcaggeas 560
deceasitive estigionach typiaeayuto of:secopy in htgs:toughy introduct); 100\%
tgitoraggy countetgtt ociggaynga gatgggrock agggerggn soragteder 1182
abutdeaged aleaggeact theoreticity typicityges taaachemic octagy that 1145
tygatotgaa tostortood aadadhotda agotitgdig ggodminots dagtglatgt 120.
ttaaggesii: inacaqeete chaqqeetgg calengagea qtgge meet gglaasonna 120.
goagteagat theetsattt dagecoagtg Lauastpaag gtaabggate twonetstts 1820
tittinings itticcaggy ganinnitit titrigagac ggagteteac Leigicanes 13%0
coggictgyu giqcajitggo thaatotogg othanologo auguleonoc icoconggic 1440
atgocattet detgesteng detacatagt aguldggaet adaggtgsed geomecasas 1500
ctagetaalt htttgtalt: stagtagada eygggtttea teargttage daygatggt: 15.0
```

```
tugatotoot gaeshoocaa agtggtgggs ttacaggtgt qaqccactgc geooggotga 1626
atgastetig agasaasass atteagassa aggsaaggss teesaattaa astsalaass 1690
grateteest teteteette gattigageg guagaattig gitacagida tetgaeetgi 174)
jgjtgtgaag tocacotgoo tggcataaaa agalgtgoot comitatagg tgaggagaaa (20)
gagagagasa tggoteater gaggtgtggt tgggagggg gaccomaggtg tgctggaam: 1860
galaagaaan goattootgi tittogtood aadatghaaa baadigaaba adagbuttag 150.
Rappungangan tigggagtawa gaattoottig tuwadatigga tandangawaa sigqoobbaan 1890
tatatathat aagggettia qagatghigg uccatotgat attocageet ggggesa ar 2040
gagagtiqtiqo botggtigtia tibbutathin nottobabga abatqqbtni qadaababir 210
etytotgody aakatqaggo etteettett tegetengygg gegmacayang ggoagungco 2060
lyggeatort cacteageac coefficial secagnosti ageaccatge ofggegeaca 2020
traanijtose atgitgigagi qiacacgatg solosofgoo agggqtoabo bbacaboggt 2080
roughtgagg apgringagt agritatores teststagics torageters adottageaga 0140
pagetgeren acabegrege ggogggegg jegngaaggg dundadooge injeaajaang 1470
augurerity journance toooleesig gacheering ditegacrae areasacure 2400
sportgages itggagneag tggathtorg agestgygaa coccegguyt sogtoolggt 2520
ruccecegen jecticaecon sytgorgaes rageonoogs gaatteggan ereggantti 2080
erggggtigge agggggttee catgeogeet gegaggerte gestegagee descoeggaa 2.840
ortgeautic aggggtority groogcogoo poshqoagga poaduacaag ajozotogoa 2700
interestant agains attactant attactant accountages of realists of large edges -1.6\%
pogotiggamo cagageogga geoggatede ageoggaged kungegeage obgeaecedy 1820
hypanugget gagungggag obagogbagu bioggoodog dagotbaags ciogtobiog 268/
Hudanaccas cacapacade cacadacado cocadadem due
                                                                  2920
210 - 32
111 - 13
 II2 - DNA
· 113 · Human
 120 -
1.23 human DNA of 5'-end of ABCG1 cDNA
- 4DO:- 32
Higgigically doc
                                                                    13
```

..'10 / 33 ..'11 - 24

:212> DNA ≐213 + Human -12,00 > -233 - Primer 400 - 33 Micagoact etgatqatgg cotq .'= 210 - 54 +2.1 + 21 112 - DNA +213 - Human .20 . 13 Primer 100 - 34 titilgotat otocaacete a 2.1 1210 | 35 -111 + 23.112 + DNA 13 - Human 120 -.:23 · Primer 40J - 35 laaukatgto agntqttact gga ...3 21 / 36 - 2111/-23 .11I - DNA 213 - Human

.220 ·

r223% Primer	
.420 × 36	
tagonttgca agaatacott otg	L 3
+210 ≥ 37	
-211/-25	
.212 - DNA	
- 13 - Human	
· 220 ·	
.93 Primer	
1,00 - 37	
attggaaaga ttototatac acctg	25
×220 × 38	
121 24	
III - DNA	
213 - Human	
+020+	
123 Frimer	
· 400 · 78	
egicageast oigaigaigg coty	24
- 210 ~ 39	
211 - 21	
+.212 + DNA	
+:213° Human	
- 220 ·	
+.223+ Primor	
<400 59	

57

PCT/EP99/06991

1.1

WO 00/18912

tototgotat otocaacoto a

· 210 · 40	
-211 × 23	
+213 + DNA	
<pre><d:313 -="" euman<="" pre=""></d:313></pre>	
+320v	
>223 - Primer	
400 + .40	
acqtusticad caggitaation gaa	23
200 + 41	
+201 + 23	
- SIS - WIA	
+513 + Human	
· 220 ·	
+ 325 + Frimer	
√4(n) ≤	
cratifiatign catching and	23
+210 + 42	
K211 × 13	
SCIL · DNA	
-21% Human	
+ 22C +	
k023 - trimer	
×400 × 12	
egette.tee tatagatett ggt	23
:210 + 45	
×211 × 1.3	
<21.2> INA	

213> Human	
- 220	
+223 - Primer	
+ 400 + 43	
anyagagcat gtggagttot ttg	23
- 210 - 44	
+U11 + 23 +U12 + DNA	
1.13 Human	
13 human	
×200	
AZZD- Primer	
₹400× 44	
ocotetaatg qaattgtgtt oto	23
+210 + 45	
-211 22	
+ 212 + DNA + 213 + Human	
· LIS · Numan	
+ 2200	
• I237 Primer	
-400> 45	
adocttotot gggttootgt at	.2
-1210 · 46	
21 23	
+212 + DNA +2213 + Human	
.24.7 minut	

+.223 + +(223 ≠ Primer <400> 46 23 agttoctgga aggtottgtt cac <210> 47 <211> 23 <:12> DNA <2135 Human <220> ...123> Primer +400> 47 23 getgacceet ttgaggaest geg -210: 48 <211> 23 +212> DNA 2135 Human √220 · 223> Primer 400> 48 23 ataggicage teatgeceta tgt <210> 49 <211> 23 +212> DNA -213: Human <200> <223> Primer <400> 49 23 gctgcctccl ccacaaagaa aac

60

WO 00/18912

PCT/EP99/06991